REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1. AGENCY USE ONLY *(Leave blank)*	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	06/00/85	

4. TITLE AND SUBTITLE

THE ROCKY MOUNTAIN ARSENAL INFORMATION CENTER, SECTION PLOTS AND WELL SUMMARY

5. FUNDING NUMBERS

6. AUTHOR(S)

CLARK, J.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

D.P. ASSOCIATES
COMMERCE CITY, CO

8. PERFORMING ORGANIZATION REPORT NUMBER

85183R01

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

10. SPONSORING/MONITORING AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION/AVAILABILITY STATEMENT

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

12b. DISTRIBUTION CODE

13. ABSTRACT *(Maximum 200 words)*

THIS DOCUMENT CONTAINS COMPUTER GENERATED PLOTS OF WELL LOCATIONS ON THE ROCKY MOUNTAIN ARSENAL AND A CORRESPONDING WELL SUMMARY REPORT.

14. SUBJECT TERMS

WELL LOCATIONS

15. NUMBER OF PAGES

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED			

SECTION PLOTS
and
WELL SUMMARY

JUNE 1985

d.p. associates, inc.
Rocky Mountain Arsenal Information Center
c/o Rocky Mountain Arsenal
Building 741
Commerce City, Colorado 80022
(303) 289-0227
Autovon 556-2227 FTS 330-1227

INTRODUCTION

This document contains computer generated plots of well locations on the Rocky Mountain Arsenal and a corresponding Well Summary Report. The plots were done with a COMPAQ computer and EPSON printer.

The first section contains the plots. If the wells are close together the section is divided into quarters and is further divided if better resolution is needed. Some wells were not included in the plots because of missing coordinates or coordinates that place the wells in another section (04006, 25005, 25006). Updates will be made available as the problems are resolved and as new wells are added. Also, the accuracy of the plots is based upon the accuracy of the survey.

The second section contains the Well Summary Report. Some information for the wells was not available and is indicated by spaces or zeroes. As metioned above, updates will be provided. The report contains some abbreviations and codes which are explained below. Also, all measurements are in feet except for CASE DIAM (casing diameter) which is measured in inches.

WELL NO (well number) is made up of the section number (01-36) and the well number (001, 010, etc.) within the section.

GRID LOC (grid location) contains the section number and three letters which indicate the location of the well through a three level quartering system.

EAST & NORTH COORD (coordinates) are state planar.

MSL ELEV is the mean sea level elevation.

TOC ELEV is the top of casing elevation.

SURV ACC (survey accuracy) consists of an S (surveyed) or an M (read from map) and a number from 0 to 3 which is an exponent of 10, indicating the accuracy in meters.

AQUI TYPE is the aquifer where the screen is located. It has a few codes associated with it:

- ALL - Alluvium
- ALX - Alluvium, out of service
- DEN - Denver
- DEX - Denver, out of service

CASE HT (casing height) is computed by subtracting the MSL ELEV from the TOC ELEV.

SCR BOT (screen bottom) is computed by adding SCR LNTH (screen length) and SCR TOP (screen top).

CASE LNTH is the casing length.

BED DPTH is the bedrock depth.

[redacted]

SECTION 01 - B

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 03

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 04

WELL LOCATIONS
RMA
DENVER, CO

DATE: 01-15-1986

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.


SECTION 05
2194096
2194624
2195152
2195680
2196208
2196736
2197264
2197792
2198320
2198848
2199376
180670
180142
179614
179086
178558
178030
177502
176974
176446
175918
175390
WELL LOCATIONS
RMA
DENVER, CO
DATE: 08-26-1985
SCALE: 1 in = 528 ft
ACCURACY: ± 2 ft
N
1
2,3
PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 06

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.

180624 — 180096 — 179568 — 179040 — 178512 — 177984 — 177456 — 176928 — 176400 — 175872 — 175344

2188872 | 2189400 | 2189928 | 2190456 | 2190984 | 2191512 | 2192040 | 2192568 | 2193096 | 2193624 | 2194152

3,4,5

1

2

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.

175388 — 175388

174860 — 174860

174332 — 174332

173804 — 173804

173276 — 173276

172748 — 172748

172220 — 172220

171692 — 171692

171164 — 171164

170636 — 170636

170108 — 170108

2188909 2189437 2189965 2190493 2191021 2191549 2192077 2192605 2193133 2193661 2194189

3,4,5

1

SECTION 08

2194085 2194613 2195141 2195669 2196197 2196725 2197253 2197781 2198309 2198837 2199365

175416

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

N

174888

174360

173832

173304

172776

172248

171720

171192

170664

3,4,5

2

PRODUCED BY:
James Clark
D.P. Associates, Inc.

170136

2194085 2194613 2195141 2195669 2196197 2196725 2197253 2197781 2198309 2198837 2199365

SECTION 09

2167702 2168230 2168758 2169286 2169814 2170342 2170870 2171398 2171926 2172454 2172982

175278

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

N

174750

174222

2,3,4

1

173694

173166

172638

172110

171582

171054

170526

PRODUCED BY:
James Clark
D.P. Associates, Inc.

169998

2167702 2168230 2168758 2169286 2169814 2170342 2170870 2171398 2171926 2172454 2172982

SECTION 11



WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

N

PRODUCED BY:
James Clark
D.P. Associates, Inc.


SECTION 12
2183629
2184157
2184685
2185213
2185741
2186269
2186797
2187325
2187853
2188381
2188909
175311
174783
174255
173727
173199
172671
172143
171615
171087
170559
170031
WELL LOCATIONS
RMA
DENVER, CO
DATE: 06-26-1985
SCALE: 1 in = 528 ft
ACCURACY: ± 2 ft
N
2,3,4
1
PRODUCED BY:
James Clark
D.P. Associates, Inc.


SECTION 19
2188793
2189321
2189849
2190377
2190905
2191433
2191961
2192489
2193017
2193545
2194073
196478
WELL LOCATIONS
RMA
DENVER, CO
DATE: 06-26-1985
SCALE: 1 in = 528 ft
ACCURACY: ± 2 ft
N
195950
195422
194894
194366
193838
193310
192782
192254
191726
191198
1
2
3
4
5
6
7
8
9
10
11
12,13,14
15,16,17
18,19
PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 20

2193940 2194468 2194996 2195524 2196052 2196580 2197108 2197636 2198164 2198692 2199220

196570

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

N

196042

195514

194986

194458

193930

193402

192874

192346

191818

191290

2193940 2194468 2194996 2195524 2196052 2196580 2197108 2197636 2198164 2198692 2199220

PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 22

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 22 - C.

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 22 - CO

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 22 - CDC



WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 66 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 22 - B

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 23

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

N



PRODUCED BY:
James Clark
D.P. Associates, Inc.

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 23 - AA

WELL LOCATIONS
RHA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 23 - AB

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 23 - D

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 23 - DA

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 23 - DAB

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 66 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 23 - DC

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 25 - 8D

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 23 - DDA

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 66 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 24

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

N



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 24 - A

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 24 - A8

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 24 - B

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 24 - BA

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 24 - 8S

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 24 - C

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 24 - CA

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 24 - CAB

2184851 2184917 2184983 2185049 2185115 2185181 2185247 2185313 2185379 2185445 2185511

193792

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 66 ft

ACCURACY: ± 2 ft



193726

193660

193594

193528

193462

193396

193330

193264

193198

193132

PRODUCED BY:
James Clark
D.P. Associates, Inc.

2184851 2184917 2184983 2185049 2185115 2185181 2185247 2185313 2185379 2185445 2185511

SECTION 25

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 26

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 27

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 29

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

2,3

PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 30

2188820 2189348 2189876 2190404 2190932 2191460 2191988 2192516 2193044 2193572 2194100

191194 191194

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

N

· 2

· 6,7,8

190666 190666

190138 190138

189610 189610

· 3,4,5

189082 189082

188554 188554

· 1

188026 188026

187498 187498

186970 186970

· 9,10,11

186442 186442

PRODUCED BY:
James Clark
D.P. Associates, Inc.

185914 185914

2188820 2189348 2189876 2190404 2190932 2191460 2191988 2192516 2193044 2193572 2194100

SECTION 31

2188846 2189374 2189902 2190430 2190958 2191486 2192014 2192542 2193070 2193598 2194126

185908

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

9,10,11

185380

5,6,7,8

184852

1

184324

183796

183268

182740

182212

181684

181156

3,4

2

PRODUCED BY:
James Clark
D.P. Associates, Inc.

180628

2188846 2189374 2189902 2190430 2190958 2191486 2192014 2192542 2193070 2193598 2194126

SECTION 32

2194010 | 2194538 | 2195066 | 2195594 | 2196122 | 2196650 | 2197178 | 2197706 | 2198234 | 2198762 | 2199290

185951

WELL LOCATIONS
RHA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

1,2,3

185423

184895

184367

183839

183311

182783

182255

181727

181199

PRODUCED BY:
James Clark
D.P. Associates, Inc.

180671

2194010 | 2194538 | 2195066 | 2195594 | 2196122 | 2196650 | 2197178 | 2197706 | 2198234 | 2198762 | 2199290

SECTION 33

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 33 - A

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2' ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 33 - B

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 33 - 8A

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 34

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft



PRODUCED BY:
Jaaes Clark
D.P. Associates, Inc.

SECTION 36 - B

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 264 ft

ACCURACY: ± 2 ft



PRODUCED BY:
James Clark
D.P. Associates, Inc.

SECTION 36 - 8C

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 132 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 35

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



SECTION 36

WELL LOCATIONS
RMA
DENVER, CO

DATE: 06-26-1985

SCALE: 1 in = 528 ft

ACCURACY: ± 2 ft

PRODUCED BY:
James Clark
D.P. Associates, Inc.



WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
24344	DW44	24BBB	2183745	195885	5154.62	5155.22	SI	DEN	4.0	0.60	61.0	10.0	51.0	66.0	0.0
24345	DW45	24DDB	2183945	195886	5151.06	5151.66	SI	DEN	4.0	0.60	60.0	20.0	40.0	65.0	0.0
24346	DW46	24BBA	2184145	195887	5148.33	5148.97	SI	DEN	4.0	0.64	60.0	10.0	50.0	65.0	0.0
24347	DW47	24BAA	2185047	195895	5142.44	5143.06	SI	DEN	4.0	0.62	85.9	35.0	50.9	90.9	0.0
24348	DW48	24BAA	2186049	195894	5141.87	5142.37	SI	DEN	4.0	0.50	86.5	35.0	51.5	91.5	0.0
24349	DW49	24ABB	2186329	195896	5141.89	5142.39	SI	DEN	4.0	0.50	65.0	25.0	40.0	70.0	0.0
24350	DW50	24ABB	2186529	195898	5142.60	5143.00	SI	DEN	4.0	0.40	62.3	25.0	37.3	66.3	0.0
24351	DW51	24ABB	2186658	195899	5146.91	5147.36	SI	DEN	4.0	0.45	64.4	20.0	44.4	69.4	0.0
24352	DW52	24ABA	2187018	195900	5147.32	5147.80	SI	DEN	4.0	0.48	65.5	10.0	55.5	70.5	0.0
24353	DW53	24ABA	2187296	195881	5159.37	5159.82	SI	DEN	4.0	0.45	76.6	20.0	56.6	81.6	0.0
24354	DW54	24ABA	2187497	195882	5173.14	5173.49	SI	DEN	4.0	0.35	89.9	20.0	69.9	94.9	0.0
24412	RW12	24BBB	2183594	196185	5152.05	5152.83	SI	ALL	12.0	0.78	26.0	11.0	15.0	28.0	20.0
24413	RW13	24BBB	2183782	196185	5151.41	5151.90	SI	ALL	12.0	0.49	20.7	7.0	13.7	23.7	20.0
24414	RW14	24DBB	2183981	196165	5145.92	5146.42	SI	ALL	12.0	0.50	14.8	7.0	7.8	17.8	14.5
24415	RW15	24BBA	2184181	196165	5145.51	5146.15	SI	ALL	12.0	0.64	16.5	7.0	9.5	16.0	19.5
24416	RW16	24BBA	2184382	196167	5145.29	5145.88	SI	ALL	12.0	0.59	18.2	11.0	7.2	21.2	18.0
24417	RW17	24BAB	2184583	196168	5144.93	5145.48	SI	ALL	12.0	0.55	20.7	12.0	8.7	23.7	20.0
24418	RW18	24BAB	2184783	196168	5141.41	5142.03	SI	ALL	12.0	0.62	19.0	12.0	7.0	22.0	18.0
24419	RW19	24BAB	2184983	196171	5141.72	5142.41	SI	ALL	12.0	0.69	19.5	10.0	9.5	22.5	19.0
24420	RW20	24BAB	2185181	196170	5141.07	5141.79	SI	ALL	12.0	0.72	19.5	10.0	9.5	22.5	18.0
24421	RW21	24BAA	2185383	196171	5141.52	5142.12	SI	ALL	12.0	0.60	19.9	10.0	9.9	22.9	18.0
24422	RW22	24BAA	2185582	196171	5141.50	5142.09	SI	ALL	12.0	0.59	21.0	12.0	9.0	25.0	17.0
24423	RW23	24BAA	2185782	196173	5141.41	5141.86	SI	ALL	12.0	0.45	20.5	11.0	9.5	24.0	20.0
24424	RW24	24BAA	2185991	196173	5142.91	5143.56	SI	ALL	12.0	0.65	24.5	11.0	13.5	28.0	23.0
24425	RW25	24ABB	2186190	196174	5144.36	5144.94	SI	ALL	12.0	0.58	29.0	15.0	14.0	34.0	30.0
24426	RW26	24ABB	2186432	196175	5144.95	5145.60	SI	ALL	12.0	0.65	29.2	15.0	14.2	33.5	28.5
24427	RW27	24ABB	2186605	196175	5145.91	5146.41	SI	ALL	12.0	0.50	29.5	15.0	14.5	33.0	28.0
24428	RW28	24ABB	2186791	196177	5146.70	5147.10	SI	ALL	12.0	0.40	28.3	16.0	12.3	32.0	27.0
24429	RW29	24ABA	2186990	196177	5151.77	5152.28	SI	ALL	12.0	0.51	27.3	15.0	12.3	32.0	27.0
24430	RW30	24ABA	2187150	196178	5159.59	5160.05	SI	ALL	12.0	0.46	30.8	11.0	19.8	34.0	30.0
24431	RW31	24ABA	2187285	196179	5168.66	5169.08	SI	ALL	12.0	0.42	33.9	10.0	23.9	37.0	32.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
25001	61	25DDA	2188806	186612	5207.46	5209.66	SO	ALL	4.0	2.20	28.0	12.0	16.0	32.0	29.4
25002	777	25CCC	2184067	185922	5263.02	5265.69	SO	ALL	2.0	2.67	12.0	4.0	8.0	17.0	14.0
25003	907	25BBB	2183685	190905	5192.58	5195.00	SI	ALL	2.0	2.42	40.5	12.0	28.5	55.5	42.5
25004	777	25CCC	2184067	185922	5263.02	5265.83	SI	DEN	2.0	2.81	79.0	20.0	59.0	84.0	14.0
25005	824	25BBC	2183291	187838	5208.25	5210.17	SI	ALL	2.0	1.92	24.0	4.0	20.0	29.0	24.0
25006	824	25BBC	2183291	187838	5208.25	5210.59	SI	DEN	2.0	2.34	71.2	10.0	61.2	76.2	24.0
25007	827	25DAC	2187902	187999	5197.08	5199.91	SI	DEN	2.0	2.83	75.0	10.0	65.0	80.0	40.0
25008	1186	25BCD	2184566	188910	5235.97	5238.08	SI	ALL	2.0	2.11	59.0	25.0	34.0	64.0	59.0
25009	1186	25BCD	2184566	188910	5236.92	5238.92	SI	DEN	2.0	2.00	105.0	35.0	70.0	110.0	59.0
25010	1186	25BCD	2184566	188910	5236.38	5238.98	SI	DEN	2.0	2.60	140.5	15.0	125.5	145.5	59.0
25011	1168	25ADD	2188717	188893	5188.03	5189.95	SI	ALL	2.0	1.92	45.0	35.0	10.0	50.0	11.0
25012	1168	25ADD	2188717	188893	5188.14	5190.28	SI	DEN	2.0	2.14	64.0	10.0	54.0	66.5	11.0
25013	1168	25ADD	2188717	188893	5188.09	5190.37	SI	DEN	2.0	2.28	95.0	15.0	80.0	97.5	11.0
25014	1168	25ADD	2188717	188893	5187.70	5189.97	SI	DEN	2.0	2.27	64.0	10.0	54.0	66.5	11.0
25015	1195	25BBB	2184180	190863	5196.49	5197.85	SI	ALL	2.0	1.36	41.0	10.0	31.0	45.0	39.0
25016	1195	25BBB	2184180	190863	5196.49	5199.08	SI	DEN	2.0	2.59	63.5	6.5	57.0	66.0	39.0
25017	1195	25BBB	2184180	190863	5196.49	5199.34	SI	DEN	2.0	2.85	78.0	6.0	72.0	83.0	39.0
25018	1187	25ABB	2186264	190944	5188.73	5189.72	SI	ALL	2.0	0.99	43.0	20.0	23.0	48.0	43.0
25019	1187	25ABB	2186264	190944	5188.73	5191.59	SI	DEN	2.0	2.86	81.0	10.0	71.0	86.0	43.0
25020	1187	25ABB	2186264	190944	5188.73	5191.50	SI	DEN	2.0	2.77	152.0	30.0	122.0	157.0	43.0
25021	1230	25	2185709	186433	5253.90	5255.94	SI	DEN	2.0	2.04	142.0	20.0	122.0	147.0	43.0
25022	LM2-1	25	2184052	186527	5262.30	5264.94	SI	ALL	2.0	2.64	50.0	10.0	40.0	55.0	48.0
25023	LM2-3	25	2184057	186547	5262.90	5265.71	SI	DEN	2.0	2.81	65.0	5.0	60.0	70.0	48.0
25024	LM2-2	25	2184058	186537	5262.40	5265.67	SI	DEN	2.0	3.27	97.0	25.0	72.0	102.0	48.0
25025	LM3-3	25	2184431	187775	5248.60	5251.25	SI	DEN	2.0	2.65	60.0	25.0	35.0	65.0	22.5
25026	LM3-2	25	2184443	187776	5248.60	5251.56	SI	DEN	2.0	2.96	80.0	10.0	70.0	85.0	22.5
25027	LM4-1	25	2184018	189442	5223.00	5225.53	SI	ALL	2.0	2.53	44.0	10.5	33.5	48.5	43.5
25028	LM4-3	25	2184011	189448	5222.90	5225.64	SI	DEN	2.0	2.74	57.0	10.0	47.0	62.0	43.5
25029	LM4-2	25	2184008	189438	5223.10	5225.80	SI	DEN	2.0	2.70	87.0	20.0	67.0	92.0	43.5
25030	LM5-1	25	2185587	189789	5219.50	5221.79	SI	ALL	2.0	2.29	31.5	20.0	11.5	31.5	32.7
25031	LM5-2	25	2185573	189783	5219.40	5222.02	SI	DEN	2.0	2.62	83.0	40.0	43.0	83.0	32.7
25032	LM6-2	25	2185610	188862	5267.20	5270.24	SI	ALL	2.0	3.04	46.0	25.0	21.0	41.0	16.5
25033	LM6-3	25	2185620	188860	5267.30	5269.71	SI	DEN	2.0	2.41	90.0	40.0	50.0	95.0	16.5
25034	LM6-1	25	2185618	188869	5267.00	5269.49	SI	DEN	2.0	2.49	136.0	40.0	96.0	141.0	16.5
25035	LM7-1	25	2185606	187560	5269.60	5273.10	SI	ALL	2.0	3.50	39.5	20.0	19.5	44.5	33.5
25036	LM7-3	25	2185600	187568	5269.40	5277.33	SI	DEN	2.0	7.93	69.0	10.0	59.0	74.0	33.5
25037	LM7-2	25	2185592	187563	5269.90	5272.46	SI	DEN	2.0	2.56	132.0	30.0	102.0	137.0	33.5
25038	LM8-1	25	2188013	186212	5213.10	5215.03	SI	ALL	2.0	1.93	27.0	10.0	17.0	32.0	28.3
25039	LM8-3	25	2188024	186213	5213.20	5215.64	SI	DEN	2.0	2.44	73.0	25.0	48.0	78.0	28.3
25040	LM8-2	25	2188026	186203	5213.40	5216.00	SI	DEN	2.0	2.60	93.0	10.0	83.0	98.0	28.3

12/02/85

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
01001	10	01DDD	2188781	175478	5276.59	5276.96	S0	ALL	4.0	0.37	74.0	4.7	69.3	74.8	75.2
01002	22	01CBA	2184210	177484	5262.15	5262.99	S0	ALL	4.0	0.84	15.8	2.1	13.7	20.0	16.6
01003	9	01ACA	2187032	178796	5261.31	5261.21	S0	ALL	4.0	-0.10	12.5	2.0	10.5	21.8	18.6
01004	398	01BCC	2183748	177926	5259.91	5262.52	S1	ALL	2.0	2.61	24.0	4.0	20.0	24.0	22.5
01005	CX217	01BBB	2183905	180371	5266.63	5268.63	S0	ALL	2.0	2.00	0.0	0.0	0.0	0.0	11.7
01006	CX220	01BBA	2184656	180473	5264.92	5266.57	S0	ALL	2.0	1.65	0.0	0.0	0.0	0.0	17.0
01007	709	01BBC	2183615	179474	5274.36	5276.45	S1	DEN	2.0	2.09	26.4	3.4	23.0	31.4	4.0
01008	722	01ABA	2187270	180517	5260.22	5262.71	S1	DEN	2.0	2.49	20.0	3.4	16.6	25.0	9.0
01009	728	01BAB	2184922	180431	5265.05	5264.82	S1	ALL	2.0	-0.23	16.3	3.4	12.9	21.3	20.5
01010	737	01BAD	2185588	179379	5269.28	5271.30	S1	ALL	2.0	2.02	21.2	3.4	17.8	24.7	24.0
01011	738	01BAC	2185188	179872	5269.88	5271.95	S1	ALL	2.0	2.07	16.4	3.4	13.0	21.4	22.6
01012	744	01BCB	2183834	178916	5263.99	5267.39	S1	DEN	2.0	3.40	18.0	3.4	14.6	23.0	5.5
01013	745	01BCC	2184033	178409	5262.92	5265.13	S0	DEN	2.0	2.21	21.5	3.4	18.1	26.5	5.2
01014	746	01CBB	2184243	177874	5265.46	5267.07	S1	DEN	2.0	1.61	21.2	3.4	17.8	26.2	3.0
01015	746	01CBB	2184243	177874	5265.46	5268.80	S0	DEN	2.0	3.34	61.3	3.4	57.9	65.9	3.0
01016	747	01BCD	2184694	178142	5273.98	5276.53	S1	DEN	2.0	2.55	25.0	3.4	21.6	30.0	13.0
01017	748	01BDA	2185789	178792	5261.74	5263.99	S1	ALL	2.0	2.25	14.0	3.4	10.6	19.8	12.5
01018	749	01BDC	2185273	178486	5265.90	5267.84	S1	DEN	2.0	1.94	21.4	3.4	18.0	26.4	7.0
01019	750	01AAA	2188332	180303	5263.39	5265.45	S0	DEN	2.0	2.06	25.8	3.4	22.4	30.8	12.5
01020	755	01BAB	2185489	180567	5254.79	5256.94	S1	ALL	2.0	2.15	10.0	4.0	6.0	15.0	10.5
01021	1143	01DCB	2187216	175608	5262.60	5263.82	S1	ALL	2.0	1.22	64.0	50.0	14.0	69.0	64.0
01022	1143	01DCB	2187216	175608	5263.30	5264.60	S1	DEN	2.0	1.30	117.0	10.0	107.0	122.0	64.0
01023	1143	01DCB	2187216	175608	5262.70	5264.40	S1	DEN	2.0	1.70	164.0	15.0	149.0	169.0	64.0
01024	1155	01CCC	2183891	175445	5238.19	5240.45	S1	ALL	2.0	2.26	49.0	45.0	4.0	54.0	53.0
01025	1155	01CCC	2183891	175445	5238.44	5241.05	S1	DEN	2.0	2.61	71.0	5.0	66.0	76.0	53.0
01026	1155	01CCC	2183891	175445	5238.26	5240.43	S1	DEN	2.0	2.17	103.0	15.0	88.0	108.0	53.0
01027	1154	01CAB	2185420	177473	5258.62	5260.52	S1	ALL	2.0	1.90	15.0	5.0	10.0	20.0	14.0
01028	1154	01CAB	2185420	177473	5258.81	5261.70	S1	DEN	2.0	2.89	68.3	20.0	48.3	73.3	14.0
01029	1154	01CAB	2185420	177473	5258.66	5261.19	S1	DEN	2.0	2.53	117.0	15.0	102.0	122.0	14.0
01030	1162	01ADB	2187142	179082	5260.55	5262.79	S1	ALL	2.0	2.24	15.0	5.0	10.0	20.0	9.5
01031	1162	01ADB	2187142	179082	5262.91	5268.08	S1	DEN	2.0	5.17	58.0	5.0	53.0	63.0	9.5
01032	1162	01ADB	2187142	179082	5260.79	5263.12	S1	DEN	2.0	2.33	86.0	10.0	76.0	91.0	9.5
01033	1157	01ADD	2188689	178474	5256.23	5258.12	S1	ALL	2.0	1.89	15.0	10.0	5.0	20.0	16.0
01034	1157	01ADD	2188689	178474	5254.20	5256.78	S1	DEN	2.0	2.58	87.0	5.0	82.0	92.0	16.0
01035	1157	01ADD	2188689	178474	5254.51	5257.38	S1	DEN	2.0	2.87	102.0	10.0	92.0	107.0	16.0
01036	1236	01	2188725	179772	5258.10	5260.06	S1	DEN	2.0	1.96	60.0	20.0	40.0	65.0	7.5
01037	1236	01	2188716	179771	5258.10	5260.12	S1	DEN	2.0	2.02	100.0	15.0	85.0	105.0	7.5
01038	1237	01	2188684	178978	5254.40	5257.11	S1	DEN	2.0	2.71	0.0	0.0	0.0	0.0	9.5
01039	1237	01	2188666	178968	5254.40	5257.11	S1	DEN	2.0	2.71	63.0	20.0	43.0	68.0	9.5
01040	1237	01	2188675	178973	5254.40	5255.73	S1	DEN	2.0	1.33	101.0	20.0	81.0	106.0	9.5
01041	1238	01	2187711	178654	5255.80	5257.89	S1	ALL	2.0	2.09	15.0	10.0	5.0	20.0	12.0
01042	1238	01	2187728	178646	5255.80	5257.88	S1	DEN	2.0	2.08	88.0	5.0	83.0	93.0	12.0
01043	1238	01	2187720	178650	5255.80	5257.90	S1	DEN	2.0	2.10	149.0	26.0	123.0	154.0	12.0
01044	1239	01	2186779	178344	5264.80	5266.03	S1	ALL	2.0	1.23	22.0	10.0	12.0	0.0	27.0
01045	1239	01	2186799	178342	5264.80	5267.39	S1	DEN	2.0	2.59	88.0	10.0	78.0	0.0	27.0
01046	1239	01	2186789	178338	5264.80	5266.44	S1	DEN	2.0	1.64	225.0	50.0	175.0	231.0	27.0
01047	1240	01	2185974	178041	5255.30	5257.28	S1	DEN	2.0	1.98	43.0	10.0	33.0	48.0	10.0
01048	1240	01	2186045	177897	5255.30	5257.16	S1	DEN	2.0	1.86	210.0	50.0	160.0	215.0	10.0
01049	1241	01	2184456	177203	5274.40	5276.47	S1	ALL	2.0	2.07	35.0	5.0	30.0	40.0	34.3
01050	1241	01	2184469	177203	5274.40	5276.52	S1	DEN	2.0	2.12	117.0	40.0	77.0	122.0	34.3

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
01501	SCC01	01BBB	2183655	180352	5267.70	5268.63	S1	ALL	4.0	0.93	17.0	10.0	7.0	17.0	10.0
01502	SCC02	01BBB	2183971	180519	5265.48	5266.22	S1	ALL	4.0	0.74	21.3	10.0	11.3	21.3	14.0
01503	SCC03	01BBA	2184401	180524	5264.70	5266.33	S1	ALL	4.0	1.63	20.0	10.0	10.0	20.0	17.0
01504	SCC04	01BBA	2184627	180526	5264.29	5264.94	S1	ALL	4.0	0.65	19.3	10.0	9.3	19.3	15.0
01505	SCC05	01BAB	2184910	180501	5265.10	5265.99	S1	ALL	4.0	0.89	20.0	10.0	10.0	20.0	25.0
01506	SCC06	01BAB	2185086	180507	5265.80	5267.10	S1	ALL	4.0	1.30	20.7	10.0	10.7	20.7	25.0
01507	SCC07	01BAB	2185041	180332	5265.73	5267.03	S1	ALL	4.0	1.30	16.6	10.0	6.6	16.6	20.0
01508	SCC08	01BAA	2185389	180565	5266.76	5267.62	S1	ALL	4.0	0.86	20.8	10.0	10.8	20.8	29.5
01509	SCC09	01BAA	2185821	180528	5265.70	5266.77	S1	ALL	4.0	1.07	23.0	10.0	13.0	23.0	19.0
01510	SCC10	01BAA	2185899	180153	5265.80	5267.32	S1	ALL	4.0	1.52	18.4	10.0	8.4	18.4	16.0
01511	SCC11	01BAC	2185452	179880	5268.83	5269.48	S1	ALL	4.0	0.65	23.1	10.0	13.1	23.1	22.0
01512	SCC12	01BAB	2185470	180192	5266.49	5267.44	S1	ALL	4.0	0.95	18.1	10.0	8.1	18.1	25.0
01513	SCC13	01BBA	2184874	180163	5263.88	5264.74	S1	ALL	4.0	0.86	22.7	10.0	12.7	22.7	13.0
01514	SCC14	01BBD	2184380	179848	5269.66	5270.41	S1	ALL	4.0	0.75	21.0	10.0	11.0	21.0	13.0
01515	SCC15	01BBD	2184526	179850	5270.67	5271.92	S1	DEN	4.0	1.25	18.7	10.0	8.7	18.7	5.0
01516	SCC16	01BBB	2184008	179995	5268.13	5268.95	S1	DEN	4.0	0.82	19.0	10.0	9.0	19.0	3.0
01517	SCC17	01BBD	2184423	179524	5273.60	5274.55	S1	DEN	4.0	0.95	17.0	10.0	7.0	17.0	4.0
01518	SCC18	01BBD	2184800	179409	5271.43	5272.48	S1	ALL	4.0	1.05	18.7	10.0	8.7	18.7	10.5
01519	SCC19	01BDB	2185132	179265	5273.25	5274.38	S1	ALL	4.0	1.13	20.8	10.0	10.8	20.8	16.0
01520	SCC20	01BCA	2184352	179247	5271.08	5271.93	S1	DEN	4.0	0.85	19.1	10.0	9.1	19.1	5.0
01521	SCC21	01BCA	2184435	178924	5268.63	5269.88	S1	DEN	4.0	1.25	22.6	10.0	12.6	22.6	3.0
01522	SCC22	01BCC	2183660	178925	5263.52	5264.37	S1	DEN	4.0	0.85	29.1	10.0	19.1	29.1	3.0
01523	SCC23	01BBC	2183912	179714	5279.52	5280.35	S1	DEN	4.0	0.83	29.0	10.0	19.0	29.1	7.0
01524	SCC24	01BBA	2184331	180295	5263.95	5264.53	S1	DEN	4.0	0.58	23.3	10.0	13.3	23.3	9.5
01525	SCC25	01BBA	2184853	180326	5265.20	5265.55	S1	ALL	4.0	0.35	24.0	10.0	14.0	24.0	20.0
01526	SCC26	01BBD	2184666	179533	5272.79	5273.74	S1	DEN	4.0	0.95	25.8	10.0	15.8	25.8	9.0
01527	SCC27	01BAC	2185426	179381	5270.88	5271.43	S1	ALL	4.0	0.55	22.9	10.0	12.9	22.9	19.0
01528	SCC28	01BDB	2185121	178894	5270.12	5271.02	S1	ALL	4.0	0.90	15.2	10.0	5.2	15.2	9.0
01529	SCC29	01BCA	2184756	178851	5268.87	5269.68	S1	DEN	4.0	0.81	20.8	10.0	10.8	20.8	4.0
01530	SCC30	01BCA	2184586	179122	5269.98	5271.22	S1	DEN	4.0	1.24	16.8	10.0	6.8	16.8	3.0
01531	SCC31	01BCC	2185110	178468	5270.23	5271.33	S1	DEN	4.0	1.10	24.0	10.0	14.0	24.0	10.0
01532	SCC32	01BCD	2184772	178464	5273.73	5275.53	S1	DEN	4.0	1.80	31.4	10.0	21.4	31.4	6.0
01533	SCC33	01BCD	2184526	178451	5270.31	5271.01	S1	DEN	4.0	0.70	25.4	10.0	15.4	25.4	8.0
01534	SCC34	01BCB	2184240	178619	5266.31	5267.41	S1	DEN	4.0	1.10	26.3	10.0	16.3	26.3	5.0
01535	SCC35	01BCB	2183841	178632	5265.98	5267.04	S1	DEN	4.0	1.06	33.0	10.0	23.0	33.0	11.0
01536	SCC36	01BCC	2183678	178357	5259.02	5260.41	S1	DEN	4.0	1.39	29.0	10.0	19.0	29.0	10.0
01537	SCC37	01CBA	2184890	177986	5282.90	5284.02	S1	DEN	4.0	1.12	35.6	10.0	25.6	35.6	21.0
01538	SCC38	01BCD	2184659	178007	5277.48	5279.33	S1	DEN	4.0	1.85	39.3	10.0	29.3	39.3	12.0
01539	SCC39	01BCD	2184321	178047	5273.68	5274.68	S1	DEN	4.0	1.00	38.6	10.0	28.6	38.6	11.0
01540	SCC40	01BCD	2184308	178251	5268.98	5270.08	S1	DEN	4.0	1.10	28.6	10.0	18.6	28.6	8.0
01541	SCC41	01BCC	2184017	177997	5265.00	5266.32	S1	DEN	4.0	1.32	28.7	10.0	18.7	28.7	8.0
01542	SCC42	01BCC	2183680	178141	5259.19	5261.09	S1	DEN	4.0	1.90	28.0	10.0	18.0	28.0	7.0
01547	SCC47	01BCD	2184721	178270	5274.25	5276.84	S1	DEN	4.0	2.59	30.0	10.0	20.0	30.0	12.0
01548	SCC48	01BCD	2184627	178354	5269.98	5271.06	S1	DEN	4.0	1.08	24.0	10.0	14.0	24.0	5.0
01549	SCC49	01BCD	2184404	178354	5265.64	5267.67	S1	DEN	4.0	2.03	26.0	10.0	16.0	26.0	5.0
01550	SCC50	01BCA	2184642	178555	5270.28	5271.48	S1	DEN	4.0	1.20	30.0	10.0	20.0	30.0	6.0
01551	SCC51	01BCD	2184892	178159	5275.68	5276.99	S1	DEN	4.0	1.31	36.0	10.0	26.0	36.0	16.0
01552	SCC52	01BCD	2184492	178010	5269.37	5270.47	S1	DEN	4.0	1.10	36.0	10.0	26.0	36.0	9.3
01553	SCC53	01BCD	2184415	178131	5268.06	5270.56	M2	DEN	4.0	2.50	35.0	10.0	25.0	35.0	6.0
01554	SCC54	01BCD	2184503	178230	5268.35	5269.31	S1	DEN	4.0	0.96	30.0	10.0	20.0	30.0	5.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
01555	SCC55	01BCC	2184142	178122	5264.81	5265.85	S1	DEN	4.0	1.04	30.0	10.0	20.0	30.0	4.0
01556	SCC56	01CBB	2184150	177869	5264.14	5265.76	S1	DEN	4.0	1.62	30.0	10.0	20.0	30.0	5.0
01557	SCC57	01CBB	2184038	177754	5265.42	5267.38	S1	DEN	4.0	1.96	36.0	10.0	26.0	36.0	6.0
01558	SCC58	01CBB	2183875	177883	5256.80	5263.80	S1	DEN	4.0	7.00	30.0	10.0	20.0	30.0	5.0
01559	SCC59	01CBB	2183676	177687	5259.70	5261.60	S1	DEN	4.0	1.90	35.0	10.0	25.0	35.0	4.0
01560	SCC60	01CBB	2183677	177377	5259.50	5261.48	S1	DEN	4.0	1.98	30.0	10.0	20.0	30.0	7.0
01563	SCC63	01BCB	2184042	178772	5266.01	5267.05	S1	DEN	4.0	1.04	25.0	10.0	15.0	25.0	7.0
01564	SCC64	01BCB	2183677	178516	5260.32	5261.54	S1	DEN	4.0	1.22	25.0	10.0	15.0	25.0	10.0
01565	SCC65	01BCD	2184282	178464	5265.36	5266.68	S1	DEN	4.0	1.32	30.0	10.0	20.0	30.0	6.0
01566	SCC66	01BBC	2183903	179267	5271.50	5272.80	S1	DEN	4.0	1.30	29.0	10.0	19.0	29.0	6.0
01567	SCC67	01BBC	2184167	179384	5272.40	5273.90	S1	DEN	4.0	1.50	25.0	10.0	15.0	25.0	4.0
01568	SCC68	01BCA	2184187	179172	5270.15	5271.59	S1	DEN	4.0	1.44	24.0	10.0	14.0	24.0	4.0
01569	SCC69	01BCA	2184457	179214	5270.20	5271.41	S1	DEN	4.0	1.21	24.0	10.0	14.0	24.0	5.0
01570	SCC70	01BBD	2184358	179395	5272.54	5272.72	S1	DEN	4.0	0.18	29.0	10.0	19.0	29.0	4.0
01571	SCC71	01BBD	2184608	179337	5271.59	5272.79	S1	DEN	4.0	1.20	29.0	10.0	19.0	29.0	7.0
01586	SCC86	01CBC	2183677	177062	5256.35	5258.65	S1	DEN	4.0	2.30	34.0	10.0	24.0	34.0	11.0
01587	SCC87	01CBB	2184010	177368	5259.47	5261.97	S1	DEN	4.0	2.50	34.0	10.0	24.0	34.0	6.0
01588	SCC88	01CBB	2184225	177577	5261.97	5265.12	S1	DEN	4.0	3.15	34.0	10.0	24.0	34.0	5.0
01589	SCC89	01CBA	2184451	177854	5271.80	5275.37	S1	DEN	4.0	3.57	34.0	10.0	24.0	34.0	9.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
02001	109	02BDD	2180884	178359	5230.75	5231.10	SO	ALL	4.0	0.35	23.5	3.5	20.0	26.0	23.5
02002	23	02ACB	2181280	178956	5254.78	5255.24	SO	ALL	4.0	0.46	22.9	3.0	19.9	29.8	25.3
02003	705	02AAA	2183359	180125	5273.10	5276.02	S1	DEN	2.0	2.92	21.1	3.4	17.7	23.1	8.5
02004	705	02AAA	2183359	180125	5273.10	5276.05	S1	DEN	2.0	2.95	73.4	3.4	70.0	78.4	8.5
02005	715	02AAD	2183069	179806	5275.48	5277.49	S1	DEN	2.0	2.01	30.0	3.4	26.6	35.0	9.0
02006	716	02AAC	2182664	179582	5272.68	5274.92	S1	DEN	2.0	2.24	26.0	3.4	22.6	31.0	10.0
02007	717	02ACA	2182034	179204	5263.09	5265.38	S1	DEN	2.0	2.29	26.5	3.4	23.1	34.5	18.0
02008	1122	02CBB	2178573	177681	5202.26	5205.12	SO	ALL	2.0	2.86	70.0	20.0	50.0	75.0	70.4
02009	1122	02CBB	2178573	177681	5202.10	5204.50	SO	DEN	2.0	2.40	125.0	10.0	115.0	130.0	70.4
02010	1122	02CBB	2178573	177681	5202.21	5205.30	SO	DEN	2.0	3.09	155.0	20.0	135.0	160.0	70.4
02011	1124	02CCC	2178931	175779	5242.61	5244.81	SO	ALL	2.0	2.20	95.0	60.0	35.0	100.0	0.0
02012	1124	02CCC	2178931	175779	5242.75	5245.31	SO	DEN	2.0	2.56	133.0	5.0	128.0	138.0	0.0
02013	1124	02CCC	2178931	175779	5242.63	5244.83	SO	DEN	2.0	2.20	193.0	15.0	178.0	198.0	0.0
02014	1123	02BBC	2178446	179361	5221.33	5223.45	SO	ALL	2.0	2.12	45.0	5.0	40.0	50.0	40.5
02015	1123	02BBC	2178446	179361	5221.07	5223.75	SO	DEN	2.0	2.68	87.0	15.0	72.0	93.0	40.5
02016	1123	02BBC	2178446	179361	5221.21	5223.49	S1	DEN	2.0	2.28	146.0	5.0	141.0	151.0	40.5
02017	1128	02BAD	2179698	180338	5260.44	5262.69	S1	ALL	2.0	2.25	20.0	5.0	15.0	25.0	19.5
02018	1128	02BAD	2179698	180338	5260.64	5263.58	S1	DEN	2.0	2.94	55.0	15.0	40.0	60.0	19.5
02019	1128	02BAD	2179698	180338	5260.40	5263.38	S1	DEN	2.0	2.98	95.0	15.0	80.0	100.0	19.5
02020	1148	02DCB	2181444	176272	5227.95	5229.33	S1	ALL	2.0	1.38	40.0	30.5	9.5	44.5	39.5
02021	1148	02DCB	2181444	176272	5227.69	5230.09	S1	DEN	2.0	2.40	84.0	35.0	49.0	86.5	39.5
02022	1148	02DCB	2181444	176272	5227.95	5230.43	S1	DEN	2.0	2.48	102.0	10.0	92.0	104.5	39.5
02023	1153	02ACC	2181060	178469	5236.30	5238.46	S1	ALL	2.0	2.16	27.5	10.0	17.5	32.5	27.5
02024	1153	02ACC	2181060	178469	5236.42	5239.50	S1	DEN	2.0	3.08	50.0	10.0	40.0	55.0	27.5
02025	1153	02ACC	2181060	178469	5236.38	5239.87	S1	DEN	2.0	3.49	105.0	15.0	90.0	110.0	27.5
02026	1158	02DCD	2182036	175449	5229.24	5231.06	S1	ALL	2.0	1.82	20.0	10.0	10.0	25.0	59.0
02027	1158	02DCD	2182036	175449	5229.81	5232.49	S1	DEN	2.0	2.68	83.0	15.0	68.0	85.5	59.0
02028	1158	02DCD	2182036	175449	5229.58	5232.03	S1	DEN	2.0	2.45	120.0	30.0	90.0	125.0	59.0
02030	1161	02ABD	2181903	179775	5266.40	5268.73	S1	DEN	2.0	2.33	73.0	20.0	53.0	78.0	7.0
02031	1161	02ABD	2181903	179775	5265.99	5268.49	S1	DEN	2.0	2.50	138.0	35.0	103.0	143.0	7.0
02032	1242	02	2182666	176877	5265.10	5267.57	S1	DEN	2.0	2.47	101.0	20.0	81.0	106.0	32.0
02033	1242	02	2182657	176879	5265.10	5267.19	S1	DEN	2.0	2.09	162.0	20.0	142.0	167.0	32.0
02034	1243	02	2181569	177781	5238.00	5240.01	S1	ALL	2.0	2.01	20.0	10.0	10.0	25.0	20.3
02035	1243	02	2181565	177772	5238.00	5239.73	S1	DEN	2.0	1.73	46.0	15.0	31.0	51.0	20.3
02036	1243	02	2181555	177770	5238.00	5240.35	S1	DEN	2.0	2.35	108.0	15.0	93.0	113.0	20.3
02037	1244	02	2180633	179050	5233.10	5235.01	S1	ALL	2.0	1.91	22.0	10.0	12.0	27.0	17.0
02038	1244	02	2180635	179039	5233.10	5236.44	S1	DEN	2.0	3.34	43.0	15.0	28.0	48.0	17.0
02039	1244	02	2180639	179030	5233.10	5236.44	S1	DEN	2.0	3.34	86.0	10.0	76.0	91.0	17.0
02040	1246	02	2179858	180320	5237.30	5239.96	S1	ALL	2.0	2.66	25.0	5.0	20.0	30.0	24.2
02041	1246	02	2179844	180309	5237.30	5239.29	S1	DEN	2.0	1.99	41.0	5.0	36.0	46.0	24.2
02042	1246	02	2179854	180310	5237.30	5238.26	S1	DEN	2.0	0.96	94.0	25.0	69.0	99.0	24.2
02043	1247	02	2181213	180370	5267.70	5269.85	S1	DEN	2.0	2.15	61.5	15.0	46.5	66.5	13.5
02044	1247	02	2181205	180372	5267.70	5269.88	S1	DEN	2.0	2.18	91.0	10.0	81.0	96.0	13.5
02045	1248	02	2182048	180365	5268.60	5270.98	S1	DEN	2.0	2.38	70.0	30.0	40.0	75.0	12.5
02046	1248	02	2182056	180366	5268.60	5270.80	S1	DEN	2.0	2.20	140.0	25.0	115.0	145.0	12.5
02047	1249	02	2183284	180386	5269.20	5271.42	S1	DEN	2.0	2.22	94.0	40.0	54.0	99.0	7.5
02048	1249	02	2183292	180384	5269.20	5271.11	S1	DEN	2.0	1.91	137.0	15.0	122.0	142.0	7.5
02049	1245	02	2179042	180360	5220.90	5223.25	S1	ALL	2.0	2.35	32.0	10.0	22.0	37.0	30.0
02520	S020	02BBB	2178664	180178	5224.20	5226.42	S1	ALL	4.0	2.22	36.0	10.0	26.0	36.0	0.0
02543	SCC43	02ADD	2183420	179504	5276.71	5277.24	S1	DEN	4.0	0.53	28.8	10.0	18.8	28.8	5.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
02544	SCC44	02AAC	2182872	179535	5274.56	5275.51	S1	DEN	4.0	0.95	31.6	10.0	21.6	31.6	7.0
02545	SCC45	02ADA	2182961	179025	5263.07	5264.58	S1	DEN	4.0	1.51	28.2	10.0	18.2	28.2	4.0
02546	SCC46	02ACA	2181667	178765	5257.10	5257.85	S1	DEN	4.0	0.75	26.2	10.0	16.2	26.2	28.0
02561	SCC61	02DAA	2183392	177551	5255.95	5257.59	S1	DEN	4.0	1.64	30.0	10.0	20.0	30.0	5.0
02562	SCC62	02DAA	2183380	177864	5254.24	5255.84	S1	DEN	4.0	1.60	30.0	10.0	20.0	30.0	3.0
02572	SCC72	02ADD	2183356	178425	5256.93	5259.93	S1	DEN	4.0	3.00	28.0	10.0	18.0	28.0	11.0
02573	SCC73	02ADD	2183172	178222	5253.21	5256.21	S1	DEN	4.0	3.00	28.0	10.0	18.0	28.0	10.0
02574	SCC74	02ADC	2182844	178119	5250.68	5252.92	S1	DEN	4.0	2.24	28.0	10.0	18.0	28.0	14.0
02575	SCC75	02DAB	2182925	177620	5256.79	5259.39	S1	DEN	4.0	2.60	33.0	10.0	23.0	33.0	17.0
02576	SCC76	02DAC	2182886	177098	5248.00	5250.10	S1	DEN	4.0	2.10	34.0	10.0	24.0	34.0	8.0
02577	SCC77	02DAC	2182421	177079	5246.67	5248.95	S1	DEN	4.0	2.28	39.0	10.0	29.0	39.0	11.0
02578	SCC78	02DAB	2182431	177350	5246.33	5248.42	S1	DEN	4.0	2.09	36.0	10.0	26.0	36.0	11.0
02579	SCC79	02DAB	2182447	177823	5252.64	5254.94	S1	DEN	4.0	2.30	37.0	10.0	27.0	37.0	22.0
02580	SCC80	02ADC	2182461	178232	5251.18	5253.28	S1	DEN	4.0	2.10	28.0	10.0	18.0	28.0	15.0
02581	SCC81	02ADD	2183181	178522	5257.34	5259.14	S1	DEN	4.0	1.80	28.0	10.0	18.0	28.0	9.0
02582	SCC82	02ADD	2183370	178138	5254.39	5256.59	S1	DEN	4.0	2.20	28.0	10.0	18.0	28.0	5.0
02583	SCC83	02DAA	2183183	177860	5250.42	5252.42	S1	DEN	4.0	2.00	28.0	10.0	18.0	28.0	5.0
02584	SCC84	02DAA	2183186	177360	5265.50	5267.20	S1	DEN	4.0	1.70	39.0	10.0	29.0	39.0	19.0
02585	SCC85	02DAD	2183409	177110	5260.38	5263.28	S1	DEN	4.0	2.90	41.0	10.0	31.0	41.0	14.0
02594	SCC94	02AAB	2182634	180059	5274.05	5276.57	S1	DEN	4.0	2.52	37.0	10.0	27.0	37.0	11.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
03001	37	03CBA	2173777	177779	5209.10	5210.32	S1	ALL	4.0	1.22	99.1	22.0	77.1	100.0	110.1
03002	1125	03BCD	2173578	179171	5194.10	5196.41	M2	ALL	2.0	2.31	103.0	60.0	43.0	108.0	105.5
03003	1125	03BCD	2173578	179171	5195.88	5197.99	M2	DEN	2.0	2.11	146.0	10.0	136.0	151.0	105.5
03004	1125	03BCD	2173578	179171	5196.30	5198.42	M2	DEN	2.0	2.12	178.0	10.0	168.0	183.0	105.5
03005	1152	03ADB	2177427	178795	5194.78	5197.21	S1	ALL	2.0	2.43	70.0	50.0	20.0	75.0	59.0
03006	1152	03ADB	2177427	178795	5195.11	5197.81	S1	DEN	2.0	2.70	120.0	10.0	110.0	125.0	59.0
03007	1152	03ADB	2177427	178795	5194.82	5197.61	S1	DEN	2.0	2.79	188.0	5.0	183.0	193.0	59.0
03008	1212	03ADB	2174093	176036	5218.50	5220.61	S0	ALL	4.0	2.11	65.1	10.0	55.1	65.1	0.0
03009	1213	03ADB	2173760	177534	5208.40	5210.78	S0	ALL	4.0	2.38	78.8	10.0	68.8	78.8	0.0
03010	1214	03ADB	2173364	177384	5204.50	5206.26	S0	ALL	4.0	1.76	76.3	10.0	66.3	76.3	0.0
03516	S016	03BBB	2173532	180486	5184.90	5187.90	S0	ALL	4.0	3.00	63.0	10.0	53.0	63.0	0.0
03517	S017	03BBA	2173833	180489	5179.10	5182.14	S0	ALL	4.0	3.04	58.0	10.0	48.0	58.0	0.0
03518	S018	03BBA	2174132	180480	5171.60	5174.13	S0	ALL	4.0	2.53	52.0	10.0	42.0	52.0	0.0
03519	S019	03BAB	2174825	180476	5182.90	5185.42	M2	ALL	4.0	2.52	36.0	10.0	26.0	36.0	0.0
03521	S021	03ADB	2177320	178589	5191.40	5193.24	S1	ALL	4.0	1.84	22.0	10.0	12.0	22.0	0.0
03522	S022	03BCD	2173858	178044	5200.90	5204.26	S0	ALL	4.0	3.36	73.0	10.0	63.0	73.0	0.0
03523	S023	03CBD	2173723	176785	5204.20	5207.18	S0	ALL	4.0	2.98	73.0	10.0	63.0	73.0	0.0
03526	S026	03BBB	2173126	180481	5185.40	5187.18	S0	ALL	4.0	1.78	64.3	10.0	54.3	64.3	0.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
04001	399	04BDB	2169595	179096	5181.40	5183.95	S0	ALL	2.5	2.55	0.0	0.0	0.0	65.6	0.0
04002	US651	04BAC	2169204	179794	5171.10	5173.20	S0	ALL	2.0	2.10	0.0	0.0	0.0	81.6	0.0
04003	US652	04BAB	2169294	179986	5172.70	5174.73	S0	ALL	2.0	2.03	0.0	0.0	0.0	86.7	0.0
04004	US653	04BBA	2168993	180101	5169.60	5172.31	S0	ALL	2.0	2.71	0.0	0.0	0.0	83.8	0.0
04005	832	04ACA	2172879	180470	5189.90	5192.67	S0	ALL	2.0	2.77	90.0	20.0	70.0	95.0	93.5
04006	835	04DCB	2173392	177979	5185.79	5189.69	S1	ALL	2.0	3.90	82.0	20.0	62.0	88.0	0.0
04007	1107	04BBB	2168064	179985	5172.70	5173.89	S0	ALL	2.0	1.19	78.0	38.8	39.2	81.1	78.0
04008	1107	04BBB	2168064	179985	5172.80	5175.23	S0	DEN	2.0	2.43	98.0	10.0	88.0	98.0	78.0
04009	1107	04BBB	2168064	179985	5172.70	5174.96	S0	DEN	2.0	2.26	155.0	10.0	145.0	157.0	78.0
04010	1134	04ACB	2170563	178867	5193.60	5195.57	S0	ALL	2.0	1.97	90.0	25.0	65.0	95.0	87.0
04011	1134	04ACB	2170563	178867	5193.60	5195.13	S0	DEN	2.0	1.53	158.0	5.0	153.0	163.0	87.0
04012	1134	04ACB	2170563	178867	5193.60	5195.56	S0	DEN	2.0	1.96	186.8	5.0	181.8	191.7	87.0
04013			2171847	180458	5190.30	5192.69	S0		0.0	2.39	0.0	0.0	0.0	0.0	0.0
04014			2171856	180459	5190.40	5192.63	S0		0.0	2.23	0.0	0.0	0.0	0.0	0.0
04015			2171867	180459	5190.40	5192.65	S0		0.0	2.25	0.0	0.0	0.0	0.0	0.0
04016			2171877	180459	5190.30	5192.70	S0		0.0	2.40	0.0	0.0	0.0	0.0	0.0
04017			2172470	180467	5185.40	5187.17	S0		0.0	1.77	0.0	0.0	0.0	0.0	0.0
04018			2172492	180465	5185.40	5187.47	S0		0.0	2.07	0.0	0.0	0.0	0.0	0.0
04019			2172866	180468	5185.10	5187.19	S0		0.0	2.09	0.0	0.0	0.0	0.0	0.0
04020			2172876	180468	5184.90	5187.11	S0		0.0	2.21	0.0	0.0	0.0	0.0	0.0
04021			2171455	180456	5191.20	5193.32	S0		0.0	2.12	0.0	0.0	0.0	0.0	0.0
04022			2171465	180457	5191.30	5193.11	S0		0.0	1.81	0.0	0.0	0.0	0.0	0.0
04023			2171475	180457	5191.30	5193.31	S0		0.0	2.01	0.0	0.0	0.0	0.0	0.0
04024			2170967	180452	5190.20	5192.55	S0		0.0	2.35	0.0	0.0	0.0	0.0	0.0
04025			2170977	180452	5190.40	5192.26	S0		0.0	1.86	0.0	0.0	0.0	0.0	0.0
04026			2172555	179547	5190.20	5192.18	S0		0.0	1.98	0.0	0.0	0.0	0.0	0.0
04027			2172564	179547	5190.20	5192.08	S0		0.0	1.88	0.0	0.0	0.0	0.0	0.0
04028			2172574	179545	5190.20	5191.94	S0		0.0	1.74	0.0	0.0	0.0	0.0	0.0
04029			2172584	179544	5190.00	5192.02	S0		0.0	2.02	0.0	0.0	0.0	0.0	0.0
04030			2172458	177659	5196.80	5199.32	S0		0.0	2.52	0.0	0.0	0.0	0.0	0.0
04031			2172448	177659	5196.80	5199.19	S0		0.0	2.39	0.0	0.0	0.0	0.0	0.0
04032			2172437	177658	5196.80	5198.27	S0		0.0	1.47	0.0	0.0	0.0	0.0	0.0
04033			2172427	177657	5196.90	5199.41	S0		0.0	2.51	0.0	0.0	0.0	0.0	0.0
04034			0	0	5186.30	5189.07	B0		0.0	2.77	0.0	0.0	0.0	0.0	0.0
04524	S024	04DDB	2171529	176157	5197.00	5199.21	S0	ALL	4.0	2.21	67.0	10.0	57.0	67.0	0.0
04525	S025	04BBD	2171846	176236	5198.80	5201.07	S0	ALL	4.0	2.27	67.0	10.0	57.0	67.0	0.0
04527	S027	04AAA	2172579	180479	5185.50	5187.21	S0	ALL	4.0	1.71	74.5	10.0	64.5	74.5	0.0
04528	S028	04AAB	2171977	180475	5190.10	5191.85	S0	ALL	4.0	1.75	76.3	10.0	66.3	76.3	0.0
04529	S029	04ABA	2171575	180471	5191.30	5193.27	S0	ALL	4.0	1.97	73.7	10.0	63.7	73.7	0.0
04532	S032	04AAB	2172236	180463	5187.50	5189.45	S1	ALL	4.0	1.95	65.5	10.0	55.5	65.5	0.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
05001	31	05ACA	2197322	178707	5293.98	5294.97	S0	DEN	4.0	0.99	28.8	6.0	22.8	36.0	6.4
05002	1142	05DBB	2196779	177824	5290.86	5293.45	S1	DEN	2.0	2.59	56.0	10.0	46.0	61.0	9.5
05003	1142	05DBB	2196779	177824	5290.40	5292.66	S1	DEN	2.0	2.26	71.0	5.0	66.0	76.2	9.5

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
06001	21	06BAA	2190636	180425	5247.51	5248.26	S0	ALL	4.0	0.75	21.3	5.0	16.3	30.0	24.3
06002	46	06BDD	2191186	178081	5259.54	5260.24	S0	ALL	4.0	0.70	32.7	7.0	25.7	33.8	32.7
06003	1159	06BAB	2190500	180536	5247.47	5248.72	S1	ALL	2.0	1.25	19.0	10.0	9.0	24.0	21.0
06004	1159	06BAB	2190500	180536	5247.43	5249.49	S1	DEN	2.0	2.06	63.0	5.0	58.0	65.5	21.0
06005	1159	06BAB	2190500	180536	5247.56	5250.33	S1	DEN	2.0	2.77	93.0	10.0	83.0	98.0	21.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
07001	33	07CAD	2191042	171756	5297.14	5298.30	S1	ALL	4.0	1.16	21.8	5.0	16.8	29.9	21.3
07003	1140	07ABA	2192787	174888	5292.90	5295.39	S1	ALL	2.0	2.49	17.0	10.0	7.0	22.0	22.0
07004	1140	07ABA	2192787	174888	5293.47	5295.65	S1	DEN	2.0	2.18	59.0	15.0	44.0	64.0	22.0
07005	1140	07ABA	2192787	174888	5292.80	5295.62	S1	DEN	2.0	2.82	139.0	10.0	129.0	141.5	22.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
08002	51	08DDB	2198606	171131	5320.96	5321.96	90	ALL	4.0	1.00	28.3	6.4	21.9	33.8	28.7
08003	1156	08BDD	2196668	172960	5290.20	5292.41	51	ALL	2.0	2.21	29.0	20.0	9.0	34.0	29.0
08004	1156	08BDD	2196668	172960	5290.55	5292.97	51	DEN	2.0	2.42	94.0	20.0	74.0	99.0	29.0
08005	1156	08BDD	2196668	172960	5290.19	5292.74	51	DEN	2.0	2.55	208.0	60.0	148.0	213.0	29.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
09001	49	09CBA	2168240	173770	5194.00	5194.91	S0	ALL	4.0	0.91	61.6	6.6	55.0	53.7	61.1
09002	1135	09BAD	2169602	174028	5207.90	5210.22	M2	ALL	2.0	2.32	84.0	20.0	64.0	89.0	84.0
09003	1135	09BAD	2169602	174028	5208.97	5210.98	M2	DEN	2.0	2.01	129.0	25.0	104.0	134.0	84.0
09004	1135	09BAD	2169602	174028	5208.09	5210.56	M2	DEN	2.0	2.47	196.0	15.0	181.0	198.5	84.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
11001	35	11DDA	2183471	170544	5275.21	5276.53	S0	ALL	4.0	1.32	81.1	50.2	30.9	85.5	81.3
11002	1138	11CAC	2180066	172019	5250.35	5252.65	S1	ALL	2.0	2.30	65.0	45.0	20.0	70.0	65.0
11003	1138	11CAC	2180066	172019	5250.09	5252.39	S1	DEN	2.0	2.30	80.0	10.0	70.0	82.0	65.0
11004	1138	11CAC	2180066	172019	5250.10	5252.56	S1	DEN	2.0	2.46	103.0	6.0	97.0	107.5	65.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
12001	34	12DDC	2187517	170561	5280.53	5282.09	S0	ALL	4.0	1.56	53.2	34.6	18.6	59.3	53.9
12002	1139	12CAA	2185612	172356	5268.49	5271.16	S1	ALL	2.0	2.67	44.0	25.0	19.0	49.0	43.0
12003	1139	12CAA	2185612	172356	5268.70	5270.99	S1	DEN	2.0	2.29	70.0	10.0	60.0	75.0	43.0
12004	1139	12CAA	2185612	172356	5268.87	5271.45	S1	DEN	2.0	2.58	124.5	15.0	109.5	127.0	43.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
19001	916	19CCC	2188882	191249	5172.09	5174.42	S1	ALL	2.0	2.33	39.6	16.0	23.6	44.6	25.1
19002	917	19CCC	2189282	191251	5175.70	5178.76	S1	DEN	2.0	3.06	45.0	8.0	37.0	50.0	14.2
19003	918	19CCA	2189486	191930	5179.89	5182.25	S1	DEN	2.0	2.36	21.0	8.0	13.0	26.0	5.0
19004	919	19CBD	2189683	192589	5163.64	5165.46	S1	ALL	2.0	1.82	21.0	8.0	13.0	26.0	18.4
19005	928	19CBB	2189379	193278	5160.84	5163.52	S1	DEN	2.0	2.68	30.0	9.0	21.0	35.0	17.3
19006	929	19CBA	2189784	193284	5161.00	5163.78	S1	DEN	2.0	2.78	30.0	7.1	22.9	45.0	22.8
19007	930	19BCD	2189703	193983	5163.95	5167.61	S1	DEN	2.0	3.66	30.0	8.0	22.0	35.0	21.0
19008	931	19BCA	2189531	194639	5189.57	5192.03	S1	ALL	2.0	2.46	24.6	9.2	15.4	29.6	21.8
19009	944	19BBC	2189299	195180	5204.20	5206.23	S1	ALL	2.0	2.03	25.0	9.0	16.0	30.0	21.8
19010	945	19BBC	2189038	195705	5208.27	5210.64	S1	ALL	2.0	2.37	34.9	9.9	25.0	39.9	31.7
19011	996	19DAA	2193889	193454	5202.86	5205.55	S1	DEN	2.0	2.69	70.0	10.0	60.0	75.0	12.6
19014	1192	19ABB	2192053	196303	5203.86	5206.61	S1	ALL	2.0	2.75	39.0	10.0	29.0	41.5	39.0
19015	1192	19ABB	2192053	196303	5204.57	5206.92	S1	DEN	2.0	2.35	75.0	20.0	55.0	77.5	39.0
19016	1192	19ABB	2192053	196303	5203.41	5205.44	S1	DEN	2.0	2.03	145.0	25.0	120.0	150.0	39.0
19017	1191	19DBB	2192006	193884	5186.08	5188.70	S1	DEN	2.0	2.62	47.0	20.0	27.0	52.0	13.0
19018	1191	19DBB	2192006	193884	5185.97	5188.67	S1	DEN	2.0	2.70	80.0	10.0	70.0	85.0	13.0
19019	1191	19DBB	2192006	193884	5186.04	5188.68	S1	DEN	2.0	2.64	115.5	10.0	105.5	120.5	13.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
20001	47	20ADA	2199066	194984	5166.70	5166.75	SO	ALL	4.0	0.05	18.6	8.2	10.4	30.2	17.8

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
22001	2	22DAC	2177351	192464	5151.50	5153.31	SO	ALL	4.0	1.81	45.0	2.0	43.0	46.0	47.6
22002	39	22ACC	2176392	193755	5147.40	5148.71	SO	DEN	4.0	1.31	147.0	72.4	74.6	148.0	40.0
22003	104	22CDB	2174564	191894	5124.30	5124.78	SO	ALL	4.0	0.48	58.0	22.7	35.3	64.9	59.5
22004	105	22DBB	2175909	193420	5135.40	5136.39	SO	ALL	4.0	0.99	31.0	7.0	24.0	40.0	30.0
22005	108	22CAD	2175245	192665	5127.50	5128.87	SO	ALL	4.0	1.37	43.5	6.5	37.0	48.0	43.5
22006	302	22AAC	2178147	195905	5128.70	5130.09	SO	ALL	2.5	1.39	22.5	4.0	18.5	22.5	22.5
22007	1	22ACC	2176535	193635	5145.10	5146.84	SO	ALL	4.0	1.74	38.5	2.0	36.5	39.0	37.7
22008	43	22CDD	2175513	191213	5131.50	5132.22	SO	ALL	4.0	0.72	63.3	18.3	45.0	64.8	63.2
22009	69	22CDD	2175202	191505	5122.90	5123.93	SO	ALL	4.0	1.03	54.0	6.0	48.0	60.0	56.6
22010	292	22CDA	2175307	192167	5122.30	5124.49	SO	ALL	2.5	2.19	42.0	5.0	37.0	42.0	42.0
22011	303	22DDB	2177492	192004	5150.80	5154.04	SO	ALL	2.5	3.24	42.5	4.0	38.5	42.5	42.5
22012	356	22DDD	2178189	191263	5168.00	5170.23	SO	DEN	2.0	2.23	25.0	4.0	21.0	25.0	25.0
22013	671	22DCB	2175871	192319	5127.70	5130.36	SI	ALL	2.0	2.66	39.5	3.4	36.1	45.5	42.2
22014	672	22DDA	2178095	191871	5167.40	5169.75	SO	ALL	2.0	2.35	24.3	3.4	20.9	39.8	23.5
22015	288	22DBC	2175966	192918	5130.40	5132.42	SO	ALL	2.0	2.02	51.0	10.0	41.0	51.0	51.0
22016	289	22DBC	2175801	192730	5129.30	5131.85	SO	ALL	2.0	2.55	47.0	10.0	37.0	47.0	47.0
22017	290	22DBC	2175637	192543	5129.60	5132.19	SO	ALL	2.0	2.59	52.0	10.0	42.0	52.0	52.0
22018	291	22CDA	2175472	192355	5123.80	5126.27	SO	ALL	2.0	2.47	40.5	10.0	30.5	40.5	40.5
22019	293	22CDA	2175142	191979	5120.50	5123.14	SO	ALL	2.0	2.64	52.0	10.0	42.0	52.0	52.0
22020	1104	22CDC	2174723	191527	5120.90	5123.69	SO	ALL	2.0	2.79	37.0	9.0	28.0	40.0	57.0
22021	1104	22CDC	2174751	191546	5121.00	5123.49	SO	ALL	2.0	2.49	47.1	9.0	38.1	50.1	57.0
22022	1104	22CDC	2174744	191539	5121.10	5123.34	SO	ALL	2.0	2.24	57.2	8.8	48.4	60.6	57.0
22023	1104	22CDC	2174738	191531	5121.50	5124.10	SO	DEN	2.0	2.60	80.0	10.0	70.0	85.0	57.0
22024	1104	22CDC	2174719	191521	5121.60	5123.89	SO	DEN	2.0	2.29	105.0	10.0	95.0	110.0	57.0
22025	1106	22DAB	2177196	193377	5154.90	5156.88	SO	ALL	2.0	1.98	44.0	9.0	35.0	47.0	44.0
22026	1110	22CDC	2174718	191528	5121.40	5123.62	SO	ALL	2.0	2.22	55.0	24.0	31.0	60.0	55.0
22027	1106	22DAB	2177196	193377	5155.10	5157.88	SO	DEN	2.0	2.78	75.0	10.0	65.0	77.0	44.0
22028	1106	22DAB	2177196	193377	5155.00	5157.58	SO	DEN	2.0	2.58	115.0	15.0	100.0	117.0	44.0
22029	1105	22DCD	2176962	191980	5141.20	5143.22	SO	ALL	2.0	2.02	30.0	9.0	21.0	33.1	29.0
22030	1105	22DCD	2176962	191980	5141.50	5144.29	SO	DEN	2.0	2.79	110.0	10.0	100.0	112.0	29.0
22031	1105	22DCD	2176962	191980	5141.40	5143.54	SO	DEN	2.0	2.14	134.0	10.0	124.0	136.0	29.0
22032	1108	22CDC	2174730	191518	5119.20	5121.85	SO	ALL	6.0	2.65	54.0	20.0	34.0	59.0	54.4
22033	1111	22CDC	2174688	191555	5121.00	5123.29	SO	ALL	2.0	2.29	55.5	24.0	31.5	60.5	55.5
22034	1112	22CDC	2174650	191589	5121.30	5123.49	SO	ALL	2.0	2.19	55.0	23.5	31.5	60.0	55.0
22035	1113	22CDC	2174433	191783	5122.60	5125.48	SO	ALX	2.0	2.88	57.5	24.0	33.5	62.5	57.5
22036	1114	22CDC	2174538	191688	5125.20	5127.20	SO	ALL	2.0	2.00	57.5	22.5	35.0	62.5	57.5
22037	1115	22CDC	2174732	191523	5121.30	5123.78	SO	ALL	2.0	2.48	55.0	25.5	29.5	60.0	55.0
22038	1116	22CDC	2174734	191517	5121.10	5123.88	SO	ALL	2.0	2.78	55.5	25.5	30.0	60.5	55.5
22039	1117	22CDC	2174764	191491	5121.40	5123.81	SO	ALL	2.0	2.41	56.5	25.0	31.5	61.5	56.5
22040	1118	22CDC	2174801	191458	5122.00	5124.21	SO	ALL	2.0	2.21	56.5	24.5	32.0	61.5	56.5
22041	1109	22CDC	2174729	191519	5121.30	5123.12	SO	ALL	2.0	1.82	54.4	23.4	31.0	59.4	54.4
22042	1119	22CDC	2174914	191358	5125.92	5127.69	SO	ALL	2.0	1.77	58.5	20.5	38.0	63.5	58.5
22043	1120	22CDC	2175101	191192	5124.10	5126.41	SO	ALL	2.0	2.31	57.5	23.0	34.5	62.5	57.5
22044	1131	22DBA	2176349	193380	5138.70	5141.22	SO	ALL	2.0	2.52	32.5	5.0	27.5	37.5	32.5
22045	DH3A	22	2175049	191387	5128.40	5128.74	SO	ALL	2.0	0.34	54.7	9.5	45.2	62.0	59.1
22046	DH5A	22	0	0	0.00	0.00		ALX	2.0	0.00	44.2	9.5	34.7	50.0	46.2
22047	DH7A	22	0	0	0.00	0.00		ALX	2.0	0.00	50.0	10.0	40.0	56.0	49.9
22048	DH8A	22	0	0	0.00	0.00		ALX	2.0	0.00	35.4	10.0	25.4	42.0	29.0
22049	DH20	22	2177103	192507	5144.50	5147.39	SO	ALL	2.0	2.89	35.3	10.0	25.3	42.1	35.8
22050	DH19	22	2176838	192208	5140.00	5142.60	SO	ALL	2.0	2.60	35.3	10.0	25.3	41.5	30.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
22051	DH17	22	2176310	191607	5130.10	5136.82	SO	ALL	2.0	6.72	45.2	20.0	25.2	53.0	45.5
22052	DH16A	22	2176178	191458	5132.60	5135.91	SO	ALL	2.0	3.31	44.6	20.0	24.6	50.0	43.8
22053	DH16	22	2176047	191307	5134.40	5137.26	SO	ALL	2.0	2.86	50.0	20.0	30.0	56.5	46.5
22054	DH31	22	2177439	191680	5151.70	5154.37	SO	ALL	2.0	2.67	45.1	20.0	25.1	51.0	43.0
22055	DH32	22	0	191980	5155.80	5158.37	SO	ALL	2.0	2.57	45.0	9.3	35.7	56.6	45.7
22056	DH50	22	2174467	191633	5124.70	5127.25	SO	ALL	2.0	2.55	54.9	10.0	44.9	60.0	54.5
22057	DH54	22	2174995	192232	5123.30	5124.40	SO	ALL	2.0	1.10	44.6	10.0	34.6	51.0	42.5
22058	DH58	22	0	0	5129.40	5131.80		ALL	2.0	2.40	47.7	10.0	37.7	56.0	47.3
22059	DH60	22	2175789	193133	5132.90	5134.06	SO	ALL	2.0	1.16	52.7	10.0	42.7	56.0	53.4
22060	DH61	22	2175921	193283	5134.70	5136.92	SO	ALL	2.0	2.22	35.2	10.0	25.2	39.1	30.2
22061			2174884	191198	5125.80	5126.13	SO		0.0	1.87	0.0	0.0	0.0	0.0	0.0
22062			2175082	191423	5127.50	5130.12	SO		0.0	2.62	0.0	0.0	0.0	0.0	0.0
22063			2175280	191648	5124.90	5127.57	SO		0.0	2.67	0.0	0.0	0.0	0.0	0.0
22064			2175500	191861	5124.80	5132.02	SO		0.0	7.22	0.0	0.0	0.0	0.0	0.0
22065			2175450	191900	5127.40	5129.97	SO		0.0	2.57	0.0	0.0	0.0	0.0	0.0
22066			2175737	192145	5129.40	5131.99	SO		0.0	2.59	0.0	0.0	0.0	0.0	0.0
22067			2175707	192172	5128.20	5131.20	SO		0.0	3.00	0.0	0.0	0.0	0.0	0.0
22068			2175888	192316	5128.00	5130.97	SO		0.0	2.97	0.0	0.0	0.0	0.0	0.0
22069			2176073	192519	5131.70	5134.28	SO		0.0	2.58	0.0	0.0	0.0	0.0	0.0
22070			2176040	192549	5130.70	5133.73	SO		0.0	3.03	0.0	0.0	0.0	0.0	0.0
22071			2176323	192796	5132.60	5135.41	SO		0.0	2.81	0.0	0.0	0.0	0.0	0.0
22072			2176285	192826	5132.30	5135.27	SO		0.0	2.97	0.0	0.0	0.0	0.0	0.0
22073			2175731	193069	5132.00	5133.85	SO		0.0	1.85	0.0	0.0	0.0	0.0	0.0
22074			2175523	192833	5130.50	5133.21	SO		0.0	2.71	0.0	0.0	0.0	0.0	0.0
22075			2175236	192507	5128.70	5131.52	SO		0.0	2.82	0.0	0.0	0.0	0.0	0.0
22076			2175061	192307	5124.00	5126.29	SO		0.0	2.29	0.0	0.0	0.0	0.0	0.0
22301			2174851	191159	5126.50	5127.21	SO		0.0	0.71	0.0	0.0	0.0	0.0	0.0
22302			2174919	191237	5125.60	5126.70	SO		0.0	1.10	0.0	0.0	0.0	0.0	0.0
22303			2174984	191310	5126.40	5127.12	SO		0.0	0.72	0.0	0.0	0.0	0.0	0.0
22304			2175054	191391	5128.10	5129.34	SO		0.0	1.24	0.0	0.0	0.0	0.0	0.0
22305			2175115	191461	5126.20	5127.10	SO		0.0	0.90	0.0	0.0	0.0	0.0	0.0
22306			2175180	191535	5124.80	5125.64	SO		0.0	0.84	0.0	0.0	0.0	0.0	0.0
22307			2175246	191610	5124.70	5125.36	SO		0.0	0.66	0.0	0.0	0.0	0.0	0.0
22308			2175313	191686	5125.60	5126.15	SO		0.0	0.55	0.0	0.0	0.0	0.0	0.0
22309			2175379	191761	5127.60	5128.37	SO		0.0	0.77	0.0	0.0	0.0	0.0	0.0
22310			2175446	191835	5128.70	5129.66	SO		0.0	0.96	0.0	0.0	0.0	0.0	0.0
22311			2175549	191879	5131.70	5133.07	SO		0.0	1.37	0.0	0.0	0.0	0.0	0.0
22312			2175682	192028	5135.90	5137.29	SO		0.0	1.39	0.0	0.0	0.0	0.0	0.0
22313			2175846	192215	5129.70	5130.80	SO		0.0	1.10	0.0	0.0	0.0	0.0	0.0
22314			2176011	192403	5132.60	5133.73	SO		0.0	1.13	0.0	0.0	0.0	0.0	0.0
22315			2176176	192589	5133.70	5134.52	SO		0.0	0.82	0.0	0.0	0.0	0.0	0.0
22401			2174401	191557	5125.20	5128.41	SO		0.0	3.21	0.0	0.0	0.0	0.0	0.0
22402			2174454	191617	5124.90	5127.10	SO		0.0	2.20	0.0	0.0	0.0	0.0	0.0
22403			2174610	191632	5124.70	5127.01	SO		0.0	2.31	0.0	0.0	0.0	0.0	0.0
22404			2174572	191751	5124.80	5127.98	SO		0.0	3.18	0.0	0.0	0.0	0.0	0.0
22405			2174612	191797	5124.00	5126.32	SO		0.0	2.32	0.0	0.0	0.0	0.0	0.0
22406			2174665	191857	5123.10	5125.56	SO		0.0	2.46	0.0	0.0	0.0	0.0	0.0
22407			2174718	191917	5122.10	5124.80	SO		0.0	2.70	0.0	0.0	0.0	0.0	0.0
22408			2174770	191977	5121.90	5124.39	SO		0.0	2.49	0.0	0.0	0.0	0.0	0.0
22409			2174823	192037	5121.90	5125.23	SO		0.0	3.33	0.0	0.0	0.0	0.0	0.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
22410			2174877	192097	5122.20	5124.24	S0		0.0	2.04	0.0	0.0	0.0	0.0	0.0
22411			2174930	192157	5122.50	5124.86	S0		0.0	2.36	0.0	0.0	0.0	0.0	0.0
22412			2174982	192218	5123.20	5125.71	S0		0.0	2.51	0.0	0.0	0.0	0.0	0.0
22413			2175035	192278	5124.00	5126.03	S0		0.0	2.03	0.0	0.0	0.0	0.0	0.0
22414			2175088	192338	5124.60	5126.68	S0		0.0	2.08	0.0	0.0	0.0	0.0	0.0
22415			2175155	192413	5126.70	5129.78	S0		0.0	3.08	0.0	0.0	0.0	0.0	0.0
22416			2175286	192562	5129.80	5132.20	S0		0.0	2.40	0.0	0.0	0.0	0.0	0.0
22417			2175384	192675	5130.60	5132.99	S0		0.0	2.39	0.0	0.0	0.0	0.0	0.0
22418			2175484	192787	5130.90	5133.63	S0		0.0	2.73	0.0	0.0	0.0	0.0	0.0
22419			2175583	192900	5130.90	5133.06	S0		0.0	2.16	0.0	0.0	0.0	0.0	0.0
22420			2175682	193013	5131.50	5133.74	S0		0.0	2.24	0.0	0.0	0.0	0.0	0.0
22421			2175780	193125	5132.70	5135.23	S0		0.0	2.53	0.0	0.0	0.0	0.0	0.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	ADUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
23001	25	23ABD	2181481	195761	5150.15	5153.15	S1	ALX	4.0	3.00	12.1	4.0	8.1	19.4	11.9
23002	71	23CBD	2179393	192538	5191.50	5193.05	S1	ALL	4.0	1.55	52.0	14.0	38.0	56.0	51.4
23003	72	23CDC	2180354	191439	5190.26	5193.29	S0	ALL	4.0	3.03	53.0	12.0	41.0	60.3	49.1
23004	115	23ADD	2183450	193780	5165.89	5167.74	S0	ALL	4.0	1.85	34.0	10.0	24.0	39.0	31.9
23005	121	23AAB	2182429	196233	5144.78	5146.94	S0	ALX	4.0	2.16	19.4	5.0	14.4	24.4	19.5
23006	132	23DCD	2181492	191230	5185.46	5188.27	S0	ALL	4.0	2.81	48.0	10.0	38.0	53.0	47.5
23007	133	23DDC	2182351	191233	5180.29	5182.97	S0	ALL	4.0	2.68	41.8	10.0	31.8	46.8	41.4
23008	134	23DDD	2183416	191255	5185.47	5187.78	S0	ALL	4.0	2.31	44.7	10.0	34.7	49.7	44.0
23009	75	23ADC	2182460	194016	5158.50	5161.47	S0	ALL	4.0	2.97	22.8	5.0	17.8	27.8	23.0
23010	147	23ABC	2182507	194894	5152.30	5155.61	S0	ALL	4.0	3.31	19.0	3.0	16.0	19.0	19.0
23011	148	23ADB	2182259	194461	5158.00	5160.87	S0	ALL	2.5	2.87	22.5	3.0	19.5	22.5	22.5
23012	149	23ACD	2182011	194027	5163.40	5164.78	S0	ALL	2.5	1.38	26.0	3.0	23.0	26.0	26.0
23013	150	23DBA	2181763	193593	5171.26	5173.07	S0	ALL	2.5	1.81	36.5	3.0	33.5	36.5	35.5
23014	151	23DBA	2181514	193159	5178.74	5181.15	S0	ALL	2.5	2.41	43.2	3.0	40.2	43.2	43.5
23015	152	23DBC	2181266	192725	5180.99	5182.89	S0	ALL	2.5	1.90	45.5	3.0	42.5	45.6	48.0
23016	153	23DCB	2181018	192291	5185.14	5187.32	S0	ALL	2.5	2.18	53.5	3.0	50.5	53.5	53.5
23017	180	23AAB	2182851	195959	5150.93	5152.19	S0	ALX	2.5	1.26	23.0	4.0	19.0	23.0	21.5
23018	181	23AAA	2183101	195961	5155.23	5155.61	S0	ALX	2.5	0.38	23.9	4.0	19.9	23.9	24.0
23019	182	23AAA	2183351	195963	5154.87	5155.82	S0	ALX	2.5	0.95	23.5	4.0	19.5	23.5	23.6
23020	199	23ABB	2182577	195757	5145.70	5148.53	S0	ALX	2.0	2.83	16.7	5.0	11.7	16.7	16.5
23021	200	23ABB	2182652	195757	5145.40	5149.06	S1	ALL	2.0	3.66	16.1	5.0	11.1	16.1	16.7
23022	201	23AAB	2182702	195758	5145.80	5148.27	S1	ALX	2.0	2.47	16.3	5.0	11.3	16.3	17.0
23023	202	23AAB	2182722	195758	5146.20	5148.01	S1	DEN	2.0	1.81	24.6	5.0	19.6	24.6	17.1
23024	203	23AAB	2182727	195758	5146.30	5150.04	S0	ALX	4.0	3.74	19.6	10.0	9.6	19.6	17.2
23025	206	23AAA	2182927	195759	5152.99	5155.41	S0	ALL	2.0	2.42	21.4	5.0	16.4	21.4	21.0
23026	204	23AAA	2182752	195758	5146.60	5149.57	S1	ALL	2.0	2.97	16.1	5.0	11.1	16.1	17.4
23027	205	23AAA	2182802	195759	5147.11	5149.13	S1	ALX	2.0	2.02	16.7	5.0	11.7	16.7	17.8
23028	207	23AAB	2182722	195683	5146.20	5149.03	S0	ALL	2.0	2.83	16.2	5.0	11.2	16.2	17.0
23029	226	23ACA	2182022	194901	5157.56	5159.16	S1	ALL	4.0	1.60	23.2	10.0	13.2	23.2	23.8
23030	227	23ACA	2182027	194902	5157.34	5158.83	S1	ALL	2.0	1.49	22.7	5.0	17.7	22.7	23.2
23031	228	23ACA	2182048	194904	5156.83	5158.26	S1	ALL	2.0	1.43	22.6	5.0	17.6	22.6	23.6
23032	229	23ACA	2182098	194905	5156.29	5157.50	S0	ALL	2.0	1.21	23.0	5.0	18.0	23.0	23.5
23033	230	23ACB	2181581	194877	5165.98	5167.03	S1	ALL	2.0	1.05	28.7	5.0	23.7	28.7	29.5
23034	298	23DCC	2180902	191258	5187.40	5189.86	S1	ALL	2.5	2.46	44.0	4.0	40.0	44.0	43.8
23035	299	23DCC	2180891	191258	5187.30	5189.87	S1	ALL	2.5	2.57	38.2	4.0	34.2	38.2	43.8
23036	300	23DDC	2182852	191255	5182.70	5185.27	S1	ALL	2.5	2.57	45.0	4.0	41.0	45.0	44.0
23037	301	23DDC	2182842	191255	5182.60	5184.95	S1	ALL	2.5	2.35	35.0	4.0	31.0	35.0	44.0
23038	387	23BAB	2179737	195934	5136.45	5139.35	S1	ALL	2.0	2.90	20.0	4.0	16.0	20.0	19.8
23039	388	23BAB	2180228	195938	5140.26	5143.54	S1	ALL	2.0	3.28	23.1	4.0	19.1	23.1	23.0
23040	389	23BAA	2180728	195942	5143.81	5146.44	S1	ALL	2.0	2.63	23.6	4.0	19.6	23.6	23.0
23041	390	23ABB	2181479	195948	5146.10	5149.07	S1	ALX	2.0	2.97	19.4	4.0	15.4	19.4	19.0
23042	391	23ABB	2181964	195952	5146.14	5149.24	S1	ALX	2.0	3.10	20.8	4.0	16.8	20.8	19.5
23043	392	23AAA	2183511	196395	5148.10	5150.64	S1	ALL	2.0	2.54	20.7	4.0	16.7	22.6	23.5
23044	393	23AAA	2183279	196389	5148.20	5151.92	S1	ALL	2.0	3.72	23.4	4.0	19.4	24.8	23.0
23045	394	23AAA	2183027	196384	5149.70	5153.30	S1	ALL	2.0	3.60	23.0	4.0	19.0	23.6	22.4
23046	395	23AAB	2182775	196377	5149.30	5153.66	S1	ALL	2.0	4.36	26.3	4.0	22.3	27.7	23.5
23047	396	23AAB	2182524	196370	5145.00	5148.08	S1	ALL	2.0	3.08	25.9	4.0	21.9	27.3	25.3
23048	397	23ABA	2182275	196364	5143.40	5147.29	S1	ALL	2.0	3.89	21.9	4.0	17.9	22.3	21.8
23049	368	23DCC	2181184	191258	5186.83	5190.42	S1	ALL	2.0	3.59	42.4	4.0	38.4	42.8	45.5
23050	162	23ACC	2181112	193965	5184.00	5186.76	S1	ALL	2.0	2.76	50.4	4.0	46.4	51.2	48.8

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
23051	166	23DBB	2182197	193345	5165.60	5169.02	S1	ALL	2.0	3.42	28.2	4.0	24.2	28.6	27.5
23052	168	23DAB	2182663	193221	5163.60	5165.98	S1	ALL	2.0	2.38	39.6	4.0	35.6	40.0	39.5
23053	170	23DAA	2183163	193223	5166.50	5169.32	S1	DEN	2.0	2.82	47.1	4.0	43.1	47.5	43.0
23054	507	23CDD	2180938	191518	5187.46	5190.45	S1	DEN	2.0	2.99	64.9	4.0	60.9	69.3	48.5
23055	509	23CDA	2180989	192015	5185.23	5187.67	S1	ALL	2.0	2.44	54.4	4.0	50.4	58.8	44.0
23056	519	23DCD	2181625	191448	5183.40	5185.52	S1	DEN	2.0	2.12	59.6	4.0	55.6	64.0	50.5
23057	521	23DCA	2181933	191841	5177.13	5179.80	S1	ALL	2.0	2.67	45.6	4.0	41.6	50.0	44.0
23058	536	23BDD	2180679	194216	5180.88	5183.47	S1	ALL	2.0	2.59	43.1	4.0	39.1	44.5	41.0
23059	537	23BDD	2180463	194341	5176.02	5178.42	S1	ALL	2.0	2.40	29.4	4.0	25.4	39.8	29.0
23060	538	23BDB	2180246	194465	5167.70	5170.17	S1	ALL	2.0	2.47	23.8	4.0	19.8	32.1	23.5
23061	539	23BDB	2180030	194590	5162.29	5164.75	S1	DEN	2.0	2.46	24.3	4.0	20.3	29.6	14.5
23062	540	23BDB	2179813	194715	5158.87	5161.58	S1	DEN	2.0	2.71	24.7	4.0	20.7	25.6	19.5
23063	541	23BCA	2179596	194839	5154.69	5157.11	S1	ALL	2.0	2.42	29.0	4.0	25.0	31.0	29.0
23064	542	23BCA	2179380	194964	5150.81	5153.66	S0	ALL	2.0	2.85	24.0	4.0	20.0	26.0	24.0
23065	544	23BBC	2178946	195213	5141.60	5144.52	S1	ALL	2.0	2.92	24.0	4.0	20.0	26.0	24.0
23066	546	23BBC	2178513	195462	5133.71	5137.67	S1	ALL	2.0	3.96	19.0	4.0	15.0	21.0	19.0
23067	548	23DAB	2182342	193716	5163.24	5164.26	S0	ALL	5.0	1.02	25.1	3.0	22.1	27.6	25.0
23068	560	23DAB	2182347	193716	5162.90	5164.86	S1	ALL	2.0	1.96	27.6	3.4	24.2	28.8	0.0
23069	561	23DAB	2182352	193715	5162.90	5165.12	S1	ALL	2.0	2.22	26.2	3.4	22.8	29.3	0.0
23070	562	23DAB	2182392	193714	5162.50	5164.32	S1	ALL	2.0	1.82	26.2	3.4	22.8	27.5	0.0
23071	563	23DAB	2182442	193712	5162.00	5164.48	S0	ALL	2.0	2.48	26.6	3.4	23.2	27.4	0.0
23072	564	23DAB	2182842	193699	5160.30	5162.78	S0	ALL	2.0	2.48	26.5	3.4	23.1	28.5	29.0
23073	565	23DAA	2183342	193683	5165.60	5168.71	S0	ALL	2.0	3.11	31.4	3.4	28.0	32.6	32.5
23074	566	23DAB	2182340	193711	5163.20	5165.30	S1	ALL	2.0	2.10	27.0	3.8	23.2	27.0	0.0
23075	567	23DAB	2182338	193707	5163.20	5165.86	S1	ALL	2.0	2.66	26.6	3.4	23.2	27.9	0.0
23076	568	23DAB	2182321	193670	5163.50	5165.86	S1	ALL	2.0	2.36	26.0	3.4	22.6	26.9	0.0
23077	569	23DAB	2182299	193625	5164.00	5166.54	S0	ALL	2.0	2.54	25.0	3.4	21.6	26.1	0.0
23078	570	23DBA	2182129	193263	5166.40	5168.49	S0	ALL	2.0	2.09	29.0	3.4	25.6	34.5	31.0
23079	571	23DBD	2181916	192811	5170.80	5173.15	S0	ALL	2.0	2.35	33.2	3.4	29.8	39.6	36.0
23080	572	23DAB	2182339	193720	5163.10	5165.18	S1	ALL	2.0	2.08	27.0	3.8	23.2	27.0	0.0
23081	573	23DAB	2182337	193724	5163.10	5165.06	S1	ALL	2.0	1.96	27.0	3.8	23.2	27.0	0.0
23082	574	23ACC	2182315	193757	5162.90	5165.06	S1	ALL	2.0	2.16	27.0	3.8	23.2	27.0	0.0
23083	575	23ACC	2182287	193799	5162.80	5165.36	S0	ALL	2.0	2.56	25.4	3.4	22.0	26.1	0.0
23084	576	23ACC	2182068	194134	5162.50	5165.26	S0	ALL	2.0	2.76	27.0	3.4	23.6	29.0	28.5
23085	577	23ACA	2181794	194552	5162.80	5165.10	S0	ALL	2.0	2.30	27.0	3.4	23.6	29.4	29.0
23086	578	23DCC	2181179	191258	5187.00	5188.91	S1	ALL	2.0	1.91	45.2	4.0	41.2	47.2	44.6
23087	579	23DCC	2181174	191258	5186.80	5189.43	S1	ALL	2.0	2.63	45.2	4.0	41.2	47.2	46.0
23088	580	23DCC	2181134	191258	5187.00	5188.79	S1	ALL	2.0	1.79	43.4	4.0	39.4	43.4	45.0
23089	581	23DCC	2181084	191258	5187.20	5189.44	S1	ALL	2.0	2.24	43.4	3.4	40.0	44.9	46.1
23090	582	23DCC	2181186	191262	5186.90	5188.91	S1	ALL	2.0	2.01	44.3	4.0	40.3	47.1	47.0
23091	583	23DCC	2181188	191267	5186.80	5188.84	S1	ALL	2.0	2.04	46.9	4.0	42.9	48.9	45.0
23092	584	23DCC	2181205	191303	5171.96	5174.33	S1	ALL	2.0	2.37	45.6	4.0	41.6	47.6	44.5
23093	585	23DCC	2181226	191348	5186.30	5188.15	S1	ALL	2.0	1.85	41.6	4.0	37.6	43.7	45.0
23094	586	23DCC	2181397	191710	5183.70	5185.52	S1	ALL	2.0	1.82	42.7	4.0	38.7	47.8	46.0
23095	587	23DCA	2181610	192162	5178.80	5180.99	S1	ALL	2.0	2.19	48.3	4.0	44.3	51.0	53.0
23096	529	23DDA	2183172	192223	5171.96	5172.16	S0	ALL	5.0	0.20	37.0	10.0	27.0	39.5	37.0
23097	588	23DDA	2183167	192223	5171.96	5174.51	S1	ALL	2.0	2.55	33.8	3.4	30.4	35.6	0.0
23098	589	23DDA	2183162	192223	5171.96	5174.31	S1	ALL	2.0	2.35	34.3	3.4	30.9	35.4	0.0
23099	590	23DDA	2183122	192224	5171.80	5174.31	S1	ALL	2.0	2.51	36.4	3.4	33.0	37.7	0.0
23100	591	23DDA	2183072	192224	5172.40	5173.95	S0	ALL	2.0	1.55	31.0	3.4	27.6	32.3	32.5

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
23101	592	23DDB	2182672	192229	5170.00	5172.61	SO	ALL	2.0	2.61	31.8	3.4	28.4	34.2	34.0
23102	593	23DCA	2182172	192236	5171.00	5173.68	SO	ALL	2.0	2.68	36.1	3.4	32.7	37.3	36.5
23103	594	23DDA	2183168	192227	5172.00	5174.28	SI	ALL	2.0	2.28	33.8	3.4	30.4	36.1	0.0
23104	596	23DDA	2183141	192262	5171.53	5173.75	SI	ALL	2.0	2.22	37.9	3.4	34.5	39.0	0.0
23105	597	23DDA	2183110	192302	5171.04	5173.41	SO	ALL	2.0	2.37	32.2	3.4	28.8	34.6	34.0
23106	598	23DAC	2182865	192618	5168.80	5171.25	SO	DEN	2.0	2.45	37.8	3.4	34.4	38.8	34.0
23107	612	23CCC	2178360	191445	5177.40	5180.23	SO	ALL	2.0	2.83	34.0	4.0	30.0	34.0	34.0
23108	613	23CCC	2178532	191626	5178.10	5179.76	SO	ALL	2.0	1.66	40.5	4.0	36.5	40.5	40.6
23109	614	23CCB	2178704	191808	5187.30	5189.10	SO	ALL	2.0	1.80	46.0	4.0	42.0	46.0	49.0
23110	691	23AAB	2182595	196278	5146.20	5148.26	SO	ALL	2.0	2.06	20.0	4.0	16.0	20.0	20.0
23111	692	23AAA	2183129	196281	5150.80	5154.23	SO	ALL	2.0	3.43	23.0	4.0	19.0	23.0	23.0
23112	693	23AAB	2182633	195978	5145.30	5147.72	SI	ALX	2.0	2.42	17.0	4.0	13.0	17.0	17.0
23113	694	23AAB	2182633	195878	5147.90	5149.75	SI	ALX	2.0	1.85	18.0	4.0	14.0	18.0	18.0
23114	695	23AAA	2182978	195980	5146.10	5148.07	SI	ALX	2.0	1.97	17.0	4.0	13.0	17.0	16.5
23115	696	23AAA	2182978	195880	5153.60	5155.97	SI	ALX	2.0	2.37	23.0	4.0	19.0	23.0	23.0
23116	697	23AAA	2183323	195981	5146.40	5149.29	SI	ALX	2.0	2.89	17.0	4.0	13.0	17.0	16.5
23117	698	23AAA	2183323	195881	5155.20	5158.07	SI	ALX	2.0	2.87	23.0	4.0	19.0	23.0	23.0
23118	682	23AAC	2182405	195578	5148.30	5150.02	SO	ALL	2.0	1.72	17.5	4.0	13.5	17.5	17.5
23119	683	23AAC	2182635	195378	5148.60	5150.87	SO	ALL	2.0	2.27	18.0	4.0	14.0	18.0	18.0
23120	684	23AAC	2182865	195579	5147.70	5150.19	SO	ALL	2.0	2.49	17.5	4.0	13.5	17.5	17.0
23121	685	23AAC	2182865	195479	5147.60	5150.10	SI	ALL	2.0	2.50	16.2	4.0	12.2	16.2	16.2
23122	686	23AAC	2182865	195379	5148.40	5151.97	SI	ALL	2.0	3.57	18.5	4.0	14.5	18.5	18.5
23123	687	23AAD	2183325	195481	5155.60	5158.56	SO	ALL	2.0	2.96	24.0	4.0	20.0	24.0	23.0
23124	259	23ABA	2181851	195951	5146.01	5148.43	SO	ALL	2.0	2.42	20.0	4.0	16.0	20.0	19.0
23125	260	23ABA	2181602	195949	5146.13	5148.18	SO	DEN	2.0	2.05	22.0	4.0	18.0	22.0	9.5
23127	357	23CCD	2178438	191262	5179.00	5179.45	SI	ALL	2.0	0.45	32.0	4.0	28.0	35.0	35.0
23128	359	23CCD	2178937	191262	5187.03	5189.52	SO	ALL	2.0	2.49	42.0	4.0	38.0	45.0	41.6
23129	361	23CDC	2179437	191261	5188.03	5189.79	SI	ALL	2.0	1.76	39.0	4.0	35.0	40.0	39.5
23130	363	23CDD	2179936	191260	5193.09	5194.98	SO	ALL	2.0	1.89	50.0	4.0	46.0	50.0	46.5
23131	364	23CDD	2180185	191259	5191.05	5193.28	SI	ALL	2.0	2.23	43.7	3.4	40.3	44.7	43.9
23132	366	23DCC	2180685	191258	5188.35	5190.78	SI	ALL	2.0	2.43	43.0	3.4	39.6	45.0	41.5
23133	595	23DDA	2183165	192231	5171.96	5173.91	SI	ALL	2.0	1.95	37.4	3.4	34.0	38.5	0.0
23134	599	23DAC	2182558	193012	5165.20	5168.03	SO	ALL	2.0	2.83	41.7	3.4	38.3	44.0	44.0
23135	358	23CCC	2178688	191262	5185.55	5187.33	SI	ALL	2.0	1.78	42.0	4.0	38.0	45.0	41.7
23136	360	23CCD	2179187	191261	5188.08	5190.00	SI	ALL	2.0	1.92	39.0	4.0	35.0	42.0	40.5
23137	362	23CDC	2179686	191260	5194.36	5196.22	SI	ALL	2.0	1.86	45.0	4.0	41.0	47.0	47.0
23139	900	23CBA	2179542	193619	5179.94	5181.94	SI	ALL	2.0	2.00	20.1	8.0	12.1	25.1	18.5
23140	901	23CAA	2180550	193587	5189.08	5190.80	SI	ALL	2.0	1.72	54.6	16.0	38.6	59.6	53.0
23141	902	23CAB	2180003	193102	5188.63	5190.63	SI	ALL	2.0	2.00	55.0	16.0	39.0	60.0	52.6
23142	903	23CDB	2180259	192309	5189.24	5191.23	SI	ALL	2.0	1.99	59.4	21.4	38.0	64.4	56.5
23143	904	23CDB	2179947	191792	5193.59	5195.91	SI	ALL	2.0	2.32	54.1	16.0	38.1	59.1	50.8
23144	949	23ABD	2182088	195574	5150.39	5153.87	SI	DEN	2.0	3.48	26.0	4.0	22.0	31.0	22.0
23145	950	23ABD	2181766	195576	5152.27	5154.63	SI	ALL	2.0	2.36	20.0	4.0	16.0	25.0	17.6
23146	951	23ABC	2181446	195579	5154.55	5156.40	SI	ALL	2.0	1.85	20.0	4.0	16.0	25.0	19.0
23147	952	23ABC	2181126	195592	5154.23	5156.42	SI	ALX	2.0	2.19	20.0	4.0	16.0	25.0	17.6
23148	953	23BAD	2180803	195601	5151.25	5153.04	SI	ALL	2.0	1.79	10.0	4.0	6.0	15.0	9.0
23149	954	23BAD	2180823	195363	5158.26	5161.12	SI	ALL	2.0	2.86	10.0	4.0	6.0	15.0	10.5
23150	955	23ABC	2180981	195183	5166.79	5169.88	SI	ALL	2.0	3.09	30.0	8.0	22.0	35.0	28.5
23151	956	23ACB	2181124	194991	5173.12	5175.53	SI	ALL	2.0	2.41	35.0	8.0	27.0	40.0	34.2
23152	676	23AAC	2182399	195678	5147.80	5150.43	SI	ALX	2.0	2.63	0.0	0.0	0.0	0.0	0.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
23153	677	23AAC	2182629	195678	5145.40	5147.53	S1	ALX	2.0	2.13	0.0	0.0	0.0	0.0	0.0
23154	678	23AAC	2182859	195679	5147.90	5150.65	S1	ALX	2.0	2.75	0.0	0.0	0.0	0.0	0.0
23155	679	23AAD	2183089	195680	5155.10	5156.86	S1	ALX	2.0	1.76	0.0	0.0	0.0	0.0	0.0
23156	680	23AAD	2183319	195681	5156.00	5158.54	S1	ALX	2.0	2.54	0.0	0.0	0.0	0.0	0.0
23157	797	23AAD	2183497	195682	5155.80	5158.23	S1	ALL	2.0	2.43	20.0	4.0	16.0	20.0	21.0
23158	798	23AAD	2183439	195682	5156.30	5159.19	S1	ALL	2.0	2.89	25.0	4.0	21.0	25.0	25.0
23159	799	23AAD	2183382	195682	5155.90	5158.46	S1	ALL	2.0	2.56	24.0	4.0	20.0	24.0	24.0
23160	969	23ADA	2183454	194768	5156.85	5159.67	S1	ALL	2.0	2.82	30.0	8.0	22.0	35.0	27.2
23161	978	23AAA	2182949	196199	5152.97	5155.48	S1	DEN	2.0	2.51	74.0	10.0	64.0	79.0	28.8
23162	978	23AAA	2182949	196199	5152.97	5154.79	S1	DEX	2.0	1.82	110.0	5.0	105.0	115.0	28.8
23163	885	23ABB	2181027	195956	5146.01	5148.71	S0	DEX	2.0	2.70	54.0	12.0	42.0	59.0	9.0
23164	885	23ABB	2181027	195948	5145.99	5148.02	S1	DEX	2.0	2.03	90.0	10.0	80.0	95.0	9.0
23165	988	23ABA	2182027	195959	5145.67	5147.87	S0	ALX	2.0	2.20	15.0	10.0	5.0	17.0	16.3
23166	990	23ABA	2181772	195973	5145.62	5148.61	S0	ALL	2.0	2.99	14.0	10.0	4.0	16.0	12.0
23167	991	23ABA	2181879	195967	5145.57	5148.79	S0	DEX	2.0	3.22	52.0	5.0	47.0	57.0	16.3
23168	991	23ABA	2181879	195967	5145.57	5148.93	M2	DEX	2.0	3.36	75.0	7.0	68.0	80.0	16.3
23169	991	23ABA	2181879	195967	5145.87	5148.77	S0	DEX	2.0	2.90	103.0	18.0	85.0	108.0	16.3
23170	997	23AAC	2182641	195867	5148.28	5150.30	S0	DEX	2.0	2.02	110.0	20.0	90.0	115.0	19.0
23171	1017	23AAA	2183425	195900	5148.50	5150.20	S1	DEX	2.0	1.70	30.5	4.7	25.8	30.5	16.0
23172	1018	23AAB	2182311	195890	5146.91	5148.98	S1	DEX	2.0	2.07	45.9	14.9	31.0	45.9	16.0
23173	1019	23AAB	2182048	195896	0.00	0.00	S1	DEX	2.0	0.00	33.0	5.0	28.0	33.0	17.5
23174	1024	23ABA	2181522	195687	0.00	0.00	S1	DEX	2.0	0.00	44.5	4.5	40.0	44.5	15.5
23175	1038	23BAC	2181378	195377	5163.04	0.00	S1	ALX	2.0	0.00	17.0	10.0	7.0	17.0	19.0
23176	1045	23AAB	2182808	195856	5149.99	5152.11	S1	DEN	4.0	2.12	42.8	20.0	22.8	47.8	19.0
23177	1046	23AAB	2182750	195858	5148.17	5149.35	S1	DEN	2.0	1.18	53.0	20.0	33.0	53.0	14.5
23178	1047	23AAB	2182808	195845	5148.92	5150.22	S1	ALL	2.0	1.30	26.5	10.0	16.5	26.5	18.5
23179	1144	23DCB	2181480	191746	5182.77	5185.85	S1	ALL	2.0	3.08	42.0	25.0	17.0	47.0	42.0
23180	1144	23DCB	2181480	191746	5182.77	5185.09	S1	DEN	2.0	2.32	70.0	5.0	65.0	72.5	42.0
23181	1144	23DCB	2181480	191746	5182.77	5184.83	S1	DEN	2.0	2.06	95.0	10.0	85.0	100.0	42.0
23182	1163	23BCB	2178643	194555	5145.90	5147.45	S1	DEN	2.0	1.55	48.0	20.0	28.0	53.0	18.0
23183	1163	23BCB	2178643	194555	5145.00	5148.04	S1	DEN	2.0	3.04	95.0	10.0	85.0	100.0	18.0
23184	1163	23BCB	2178643	194555	5145.60	5147.75	S1	DEN	2.0	2.15	117.0	5.0	112.0	122.0	18.0
23185	1164	23CBD	2178573	192573	5179.60	5181.34	S1	DEN	2.0	1.74	42.5	5.0	37.5	45.0	34.0
23186	1164	23CBD	2178573	192573	5180.55	5183.35	S1	DEN	2.0	2.80	89.0	15.0	74.0	94.0	34.0
23187	1164	23CBD	2178573	192573	5180.47	5182.97	S1	DEN	2.0	2.50	131.5	15.0	116.5	136.5	34.0
23188	1165	23DBC	2181147	192918	5182.45	5184.76	S1	ALL	2.0	2.31	47.5	10.0	37.5	55.0	48.0
23189	1165	23DBC	2181147	192918	5182.42	5184.53	S1	DEN	2.0	2.11	67.5	10.0	57.5	72.5	48.0
23190	1165	23DBC	2181147	192918	5182.29	5184.75	S1	DEN	2.0	2.46	107.5	5.0	102.5	112.5	48.0
23191	1166	23CBD	2179931	192056	5191.91	5194.08	S1	ALL	2.0	2.17	55.0	10.0	45.0	60.0	54.0
23192	1166	23CDB	2179931	192056	5192.06	5194.10	S1	DEN	2.0	2.04	116.0	10.0	106.0	121.0	54.0
23193	1166	23CDB	2179931	192056	5191.97	5193.96	S1	DEN	2.0	1.99	169.0	5.0	164.0	174.0	54.0
23196	M1	23BAA	2180774	196348	5136.60	5138.73	S1	ALL	4.0	2.13	22.0	10.0	12.0	27.0	18.0
23197	M2	23ABB	2181299	196353	5139.20	5140.22	S1	ALL	4.0	1.02	23.0	10.0	13.0	28.0	19.0
23198	M3	23ABA	2181910	196348	5142.30	5143.72	S1	ALL	4.0	1.42	20.0	5.0	15.0	25.0	22.0
23199	M10	23APB	2181226	196003	5144.30	5145.89	S1	ALL	4.0	1.59	18.0	5.0	13.0	23.0	15.0
23200	M11	23ABD	2181862	195865	5147.00	5148.97	S1	DEN	4.0	1.87	78.5	5.0	73.5	82.0	20.0
23201	M11	23ABD	2181841	195863	5146.60	5149.10	S1	DEN	4.0	2.50	104.5	20.0	84.5	108.0	20.0
23202	M12	23AAB	2182365	195961	5144.80	5145.87	S1	DEN	4.0	1.07	25.0	5.0	20.0	30.0	16.0
23203	M13	23AAA	2182951	195966	5148.30	5149.87	S1	DEN	4.0	1.57	32.0	5.0	27.0	37.0	20.0
23204	M14	23AAA	2183300	195967	5149.90	5151.78	S1	DEN	4.0	1.88	34.0	5.0	29.0	39.0	24.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
23205	M22	23ABD	2181502	195753	5149.80	5151.30	S1	ALL	4.0	1.50	15.0	5.0	10.0	20.0	15.0
23206	M23	23ABD	2181977	195831	5147.90	5149.12	S1	ALL	4.0	1.22	23.0	5.0	18.0	28.0	20.0
23207	M31	23ABD	2181553	195654	5151.50	5153.13	S1	ALL	4.0	1.63	16.0	5.0	11.0	21.0	15.0
23208	M37	23ABC	2181129	195477	5157.00	5158.76	S1	ALL	4.0	1.76	19.0	5.0	14.0	24.0	19.0
23209	M38	23AAC	2182598	195301	5148.80	5150.91	S1	DEN	4.0	2.11	80.0	10.0	70.0	85.0	19.5
23210	M38	23AAC	2182579	195312	5148.40	5150.30	S1	DEN	4.0	1.90	215.0	10.0	205.0	220.0	19.5
23211	M39	23ABC	2181405	195229	5163.00	5165.17	S1	ALL	4.0	2.17	30.5	10.0	20.5	35.5	30.0
23301	DW1	23AAC	2182409	195684	5148.24	5148.59	S1	ALL	6.0	0.35	17.0	3.0	14.0	21.0	16.5
23302	DW2	23AAC	2182646	195683	5145.58	5145.88	S1	ALL	6.0	0.30	15.5	3.0	12.5	19.5	15.5
23303	DW3	23AAD	2182877	195683	5148.81	5149.28	S1	ALL	6.0	0.47	18.0	3.0	15.0	22.0	17.5
23304	DW4	23AAD	2183107	195685	5155.28	5155.76	S1	ALL	6.0	0.48	26.0	4.0	22.0	30.0	26.0
23305	DW5	23AAD	2183335	195688	5156.56	5156.86	S1	ALL	6.0	0.30	30.5	8.0	22.5	34.5	30.5
23330	DW30	23ABC	2181132	195249	5165.26	5165.81	S0	ALL	6.0	0.55	26.3	3.0	23.3	32.5	27.0
23331	DW31	23ABC	2181410	195359	5159.73	5160.23	S0	ALL	6.0	0.50	22.3	4.0	18.3	25.8	19.0
23332	DW32	23ABD	2181619	195443	5156.35	5156.95	S0	ALL	6.0	0.60	21.9	5.0	16.9	25.5	20.0
23333	DW33	23ABD	2181836	195528	5153.53	5154.03	S0	ALL	6.0	0.50	20.1	5.0	15.1	25.0	21.0
23334	DW34	23ABD	2182048	195613	5151.80	5152.40	S1	ALL	6.0	0.60	24.0	8.0	16.0	26.0	20.0
23335	DW35	23AAC	2182220	195678	5148.75	5149.35	S1	ALL	6.0	0.60	19.8	5.0	14.8	23.0	18.5
23336	DW36	23ABD	2181941	195797	5148.86	5149.41	S1	DEN	4.0	0.55	114.5	35.0	79.5	119.5	0.0
23337	DW37	23AAB	2182336	195879	5147.04	5147.69	S1	DEN	4.0	0.65	63.0	29.5	33.5	67.5	0.0
23338	DW38	23AAB	2182536	195879	5147.33	5147.93	S1	DEN	4.0	0.60	56.9	28.0	28.9	60.9	0.0
23339	DW39	23AAB	2182735	195880	5148.34	5148.94	S1	DEN	4.0	0.60	52.0	20.0	32.0	56.0	0.0
23340	DW40	23AAA	2182945	195881	5152.88	5153.43	S1	DEN	4.0	0.55	59.0	20.0	39.0	64.0	0.0
23341	DW41	23AAA	2183145	195882	5154.48	5154.93	S1	DEN	4.0	0.45	60.0	20.0	40.0	65.0	0.0
23342	DW42	23AAA	2183335	195884	5155.50	5156.00	S1	DEN	4.0	0.50	107.0	20.0	87.0	112.0	0.0
23401	RW1	23AAB	2182384	196180	5146.02	5146.46	S1	ALL	18.0	0.44	12.0	3.0	9.0	16.0	12.0
23402	RW2	23AAB	2182489	196180	5145.71	5146.19	S1	ALL	18.0	0.48	17.5	4.0	13.5	19.5	17.0
23403	RW3	23AAB	2182595	196180	5147.03	5147.39	S1	ALL	18.0	0.36	19.0	3.0	16.0	21.0	19.0
23404	RW4	23AAB	2182702	196181	5150.27	5150.93	S1	ALL	18.0	0.66	21.0	8.0	13.0	23.0	21.0
23405	RW5	23AAB	2182809	196181	5153.19	5153.72	S1	ALL	18.0	0.53	23.0	9.0	14.0	25.0	23.5
23406	RW6	23AAA	2182916	196182	5154.43	5154.96	S1	ALL	18.0	0.53	22.5	9.0	13.5	24.5	23.0
23407	RW7	23AAA	2183023	196182	5154.82	5155.46	S1	ALL	18.0	0.64	22.0	9.0	13.0	24.0	21.5
23408	RW8	23AAA	2183132	196183	5154.60	5155.03	S1	ALL	18.0	0.43	20.0	9.0	11.0	23.0	20.0
23409	RW9	23AAA	2183232	196184	5154.42	5154.89	S1	ALL	18.0	0.47	19.0	10.0	9.0	22.0	19.0
23410	RW10	23AAA	2183402	196183	5152.84	5153.34	S1	ALL	18.0	0.50	22.5	9.0	13.5	26.5	19.0
23411	RW11	23AAA	2183492	196183	5152.49	5153.07	S1	ALL	18.0	0.58	23.5	9.0	14.5	27.5	19.5
23432	RW32	23ABC	2181025	195754	5149.90	5150.40	S1	ALL	12.0	0.50	13.5	5.0	8.5	16.5	20.5
23433	RW33	23ABB	2181211	195829	5149.97	5150.47	S1	ALL	12.0	0.50	14.8	6.0	8.8	17.8	12.5
23434	RW34	23ABB	2181397	195902	5147.58	5148.11	S1	ALL	12.0	0.53	20.7	10.0	10.7	23.7	16.0
23435	RW35	23ABA	2181583	195977	5146.61	5147.13	S1	ALL	12.0	0.52	13.3	6.0	7.3	16.3	12.0
23436	RW36	23ABA	2181768	196051	5144.41	5145.96	S1	ALL	12.0	1.55	16.6	8.0	8.6	19.6	14.0
23437	RW37	23AAB	2181954	196125	5145.10	5145.63	S1	ALL	12.0	0.53	19.0	10.0	9.0	22.0	18.5
23438	RW38	23AAB	2182147	196177	5144.47	5144.97	S1	ALL	12.0	0.50	21.6	11.0	10.6	24.6	17.5

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
24001	122	24CBA	2184347	193375	5169.50	5172.16	S0	ALL	4.0	2.66	52.4	14.5	37.9	57.4	52.1
24002	123	24CAB	2185115	193042	5173.00	5176.35	S0	ALL	4.0	3.35	31.5	5.0	26.5	36.5	32.2
24003	78	24ACA	2187088	194541	5153.08	5154.19	S0	ALL	4.0	1.11	22.0	15.0	7.0	30.0	22.1
24004	119	24ABB	2186539	196219	5141.15	5142.82	S0	ALL	4.0	1.67	22.0	13.0	9.0	33.0	26.8
24005	45	24BAB	2185211	195977	5139.86	5141.08	S0	ALX	4.0	1.22	13.2	7.1	6.1	20.0	13.2
24006	60	24BBB	2183710	196323	5148.23	5150.15	S0	ALL	4.0	1.92	18.8	6.0	12.8	24.8	19.2
24007	154	24BCB	2183907	194726	5159.23	5161.51	S0	ALL	2.5	2.28	44.0	3.0	41.0	44.0	44.0
24008	155	24BCC	2183909	194226	5161.79	5164.14	S0	ALL	2.5	2.35	44.0	3.0	41.0	44.0	44.0
24009	157	24CBB	2183913	193226	5170.36	5173.53	S0	ALL	2.5	3.17	39.4	3.0	36.4	39.4	42.0
24010	159	24CCB	2183917	192227	5176.61	5178.07	S0	ALL	2.5	1.46	41.5	3.0	38.5	41.5	41.5
24011	160	24CCC	2183919	191727	5180.48	5183.35	S0	ALL	2.5	2.87	35.4	3.0	32.4	35.4	36.0
24012	183	24BBB	2183601	195965	5155.00	5155.72	S0	ALX	2.5	0.72	23.6	4.0	19.6	23.6	23.1
24013	209	24BBA	2184596	195774	5152.30	5152.94	S0	ALL	4.0	0.64	23.7	10.0	13.7	23.7	23.5
24014	210	24BBA	2184601	195774	5152.30	5154.87	S0	ALL	2.0	2.57	24.1	5.0	19.1	24.1	23.5
24015	211	24BBA	2184621	195774	5151.90	5153.41	S0	ALL	2.0	1.51	23.3	5.0	18.3	23.3	23.6
24016	212	24BAB	2184671	195774	5150.70	5153.09	S0	ALL	2.0	2.39	22.6	5.0	17.6	22.6	23.8
24017	213	24BAB	2184746	195775	5148.80	5151.69	S0	ALL	2.0	2.89	24.4	5.0	19.4	24.4	24.0
24018	214	24BBD	2184597	195699	5153.30	5155.50	S0	ALL	2.0	2.20	24.4	5.0	19.4	24.4	24.5
24019	215	24BBB	2184103	195769	5151.90	5152.58	S0	ALL	4.0	0.68	20.0	5.0	15.0	20.0	23.2
24020	216	24BBB	2184103	195764	5151.90	5154.10	S0	ALL	2.0	2.20	21.7	5.0	16.7	21.7	22.0
24021	217	24BBC	2184103	195744	5151.70	5152.98	S0	ALL	2.0	1.28	21.0	5.0	16.0	21.0	21.5
24022	218	24BBC	2184104	195644	5154.30	5156.76	S0	ALL	2.0	2.46	24.4	5.0	19.4	24.4	23.1
24023	219	24BBC	2184108	195144	5160.12	5162.12	S0	ALL	2.0	2.00	29.0	5.0	24.0	29.0	29.0
24024	220	24BBB	2183978	195764	5152.50	5154.08	S0	ALX	2.0	1.58	21.0	5.0	16.0	21.0	23.1
24025	221	24BBB	2184099	195758	5150.80	5152.19	S0	ALL	4.0	1.39	22.0	10.0	12.0	22.0	23.1
24026	225	24BBA	2184355	196359	5139.20	5140.86	S0	ALL	2.0	1.66	13.6	5.0	8.6	13.6	15.1
24027	176	24CBA	2184913	193230	5171.40	5174.84	S1	ALL	2.0	3.44	32.1	4.0	28.1	32.5	32.0
24028	178	24CAB	2185412	193232	5171.00	5174.42	S1	ALL	2.0	3.42	30.9	4.0	26.9	30.8	31.0
24029	345	24BAA	2186074	195987	5140.60	5143.71	S0	ALX	2.0	3.11	24.3	4.0	20.3	24.7	27.0
24030	347	24ABB	2186573	195993	5141.72	5144.26	S1	ALX	2.0	2.54	23.4	4.0	19.4	23.8	23.0
24031	349	24ABA	2187073	195999	5149.07	5151.79	S1	ALX	2.0	2.72	24.4	4.0	20.4	24.9	24.0
24032	351	24ABA	2187573	196005	5178.22	5180.45	S1	DEX	2.0	2.23	48.7	4.0	44.7	50.6	25.0
24033	550	24ABB	2186079	195987	5140.30	5143.05	S1	ALX	2.0	2.75	23.5	3.4	20.1	24.9	0.0
24034	551	24ABB	2186084	195987	5140.50	5143.16	S1	ALX	2.0	2.66	23.2	3.4	19.8	24.6	0.0
24035	552	24ABB	2186124	195988	5140.40	5143.42	S1	ALX	2.0	3.02	23.6	3.4	20.2	24.6	0.0
24036	553	24ABB	2186174	195988	5139.30	5143.03	S0	ALX	2.0	3.73	23.4	4.0	19.4	24.9	28.0
24037	554	24ABB	2186074	195982	5140.40	5142.49	S1	ALX	2.0	2.09	21.3	3.4	17.9	23.3	0.0
24038	555	24ABB	2186074	195977	5140.40	5142.83	S1	ALX	2.0	2.43	23.0	3.4	19.6	23.8	0.0
24039	556	24ABB	2186074	195937	5140.40	5144.03	S1	ALX	2.0	3.63	22.0	3.4	18.6	23.0	0.0
24040	557	24BAA	2186075	195887	5140.50	5143.38	S1	ALX	2.0	2.88	25.7	3.4	22.3	27.7	27.0
24041	558	24BAD	2186080	195487	5142.00	5144.91	S1	ALL	2.0	2.91	22.1	3.4	18.7	23.4	29.0
24042	559	24BDA	2186086	194987	5147.20	5149.56	S1	ALL	2.0	2.36	22.1	3.4	18.7	23.8	23.5
24043	549	24CAB	2184910	193632	5168.50	5168.54	S1	ALL	5.0	0.04	34.0	8.0	26.0	36.5	34.0
24044	600	24CAB	2184905	193632	5168.30	5170.06	S1	ALL	2.0	1.76	31.9	4.0	27.9	33.7	34.0
24045	601	24CAB	2184900	193632	5168.20	5169.40	S1	ALL	2.0	1.20	31.6	4.0	27.6	33.3	33.4
24046	602	24CAB	2184860	193633	5168.30	5170.56	S1	ALL	2.0	2.26	32.4	4.0	28.4	32.4	30.5
24047	603	24CBA	2184810	193635	5167.60	5169.81	S1	ALL	2.0	2.21	34.9	4.0	30.9	34.9	32.0
24048	604	24CBA	2184410	193648	5167.60	5170.00	S1	ALL	2.0	2.40	33.9	4.0	29.9	35.4	39.0
24049	605	24CBB	2183910	193664	5169.80	5172.09	S1	ALL	2.0	2.29	48.2	4.0	44.2	49.5	50.0
24050	606	24CAB	2184912	193636	5168.40	5171.31	S1	ALL	2.0	2.91	36.8	4.0	32.8	51.8	34.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
24051	607	24CAB	2184914	193640	5168.30	5170.54	S1	ALL	2.0	2.24	31.7	4.0	27.7	34.2	34.0
24052	608	24CAB	2184932	193676	5168.00	5170.42	S1	ALL	2.0	2.42	34.0	4.0	30.0	34.0	33.9
24053	609	24CAB	2184954	193721	5167.70	5169.66	S1	ALL	2.0	1.96	34.9	4.0	30.9	37.9	35.0
24054	610	24BDC	2185131	194080	5163.50	5165.64	S1	ALL	2.0	2.14	30.7	4.0	26.7	39.5	33.5
24055	611	24BDB	2185353	194528	5156.80	5159.62	S0	ALL	2.0	2.82	34.5	4.0	30.5	37.5	35.0
24056	688	24BBC	2183597	195592	5156.30	5159.09	S0	ALL	2.0	2.79	25.0	4.0	21.0	25.0	25.0
24057	689	24BBC	2183639	195501	5156.30	5158.68	S1	ALL	2.0	2.38	25.0	4.0	21.0	25.0	25.0
24058	690	24BBC	2183682	195411	5157.70	5160.56	S1	ALL	2.0	2.86	26.0	4.0	22.0	26.0	26.0
24059	344	24BAB	2185824	193984	5141.80	5143.03	S0	ALX	2.0	1.23	22.0	4.0	18.0	22.0	21.0
24060	190	24BAA	2185351	195980	5140.10	5141.59	S0	ALX	2.0	1.49	22.4	4.0	18.4	22.4	21.0
24061	191	24BAA	2185600	195982	5141.10	5143.23	S0	ALX	2.0	2.13	21.0	4.0	17.0	21.0	20.0
24062	196	24BBB	2184352	195771	5150.68	5152.78	S0	ALL	2.0	2.10	23.4	4.0	19.4	23.4	23.0
24063	531	24CAA	2185912	193237	5170.29	5172.48	S1	ALL	2.0	2.19	37.5	4.0	33.5	37.5	39.0
24064	533	24DBB	2186411	193239	5164.94	5167.94	S1	ALL	2.0	3.00	22.5	4.0	18.5	22.5	24.0
24065	535	24DBA	2186911	193242	5170.00	5172.03	S1	ALL	2.0	2.03	32.5	4.0	28.5	32.5	31.5
24066	847	24BAA	2186106	196410	5140.54	5144.19	S1	ALX	2.0	3.65	22.1	4.0	18.1	22.1	22.1
24067	848	24BAA	2185857	196409	5139.02	5140.76	S1	ALX	2.0	1.74	23.6	4.0	19.6	23.6	23.6
24068	849	24BAB	2185157	195974	5140.59	5144.22	S1	ALX	2.0	3.63	16.0	4.0	12.0	16.0	16.0
24080	908	24CDC	2185303	191248	5189.28	5191.35	S1	DEN	2.0	2.07	39.8	12.0	27.8	44.8	19.0
24081	909	24CDD	2186081	191245	5189.04	5190.79	S1	ALL	2.0	1.75	47.1	16.0	31.1	52.1	35.0
24082	910	24DCC	2186479	191247	5183.93	5186.06	S1	DEN	2.0	2.13	40.0	15.0	25.0	45.0	23.0
24083	911	24DCD	2186882	191248	5181.29	5184.01	S1	DEN	2.0	2.72	46.2	16.0	30.2	51.2	27.5
24084	912	24DCD	2187286	191246	5181.42	5183.95	S1	ALL	2.0	2.53	37.4	16.0	21.4	42.4	39.0
24085	913	24DDC	2187684	191248	5181.92	5184.51	S1	ALL	2.0	2.59	35.0	16.0	19.0	35.0	29.9
24086	914	24DDC	2188081	191247	5181.26	5182.94	S1	DEN	2.0	1.68	49.9	16.0	33.9	54.9	22.4
24087	915	24DDD	2188483	191247	5172.91	5174.91	S1	DEN	2.0	2.00	41.0	16.0	25.0	46.0	23.5
24088	920	24DDA	2188283	192283	5171.67	5173.94	S1	ALL	2.0	2.27	30.0	9.5	20.5	35.0	28.5
24089	921	24DCB	2186529	192136	5173.55	5175.94	S1	DEN	2.0	2.39	39.3	9.1	30.2	44.5	22.2
24090	922	24CBD	2184895	192192	5180.21	5182.05	S1	DEN	2.0	1.84	40.0	9.0	31.0	45.0	27.8
24091	923	24CCA	2184248	192446	5176.17	5178.47	S1	ALL	2.0	2.30	0.0	0.0	0.0	0.0	60.0
24092	924	24CBD	2184582	192666	5172.95	5175.21	S1	ALL	2.0	2.26	45.0	10.0	35.0	50.0	47.0
24093	925	24DBA	2187014	193244	5171.50	5173.45	S1	ALL	2.0	1.95	43.8	16.0	27.8	48.8	35.0
24094	926	24DAB	2187819	193250	5168.78	5170.79	S1	ALL	2.0	2.01	40.3	12.0	28.3	43.3	36.8
24095	927	24DAA	2188618	193255	5164.99	5168.33	S1	ALL	2.0	3.34	16.0	8.0	8.0	21.0	14.9
24096	932	24ADC	2188038	194290	5155.04	5157.84	S1	ALL	2.0	2.80	19.6	9.0	10.6	25.0	17.2
24097	933	24ACC	2186811	194015	5159.13	5162.01	S1	ALL	2.0	2.88	39.5	12.0	27.5	44.5	31.9
24098	934	24ACC	2186456	194016	5158.70	5160.78	S1	ALL	2.0	2.08	32.6	12.0	20.6	37.6	31.3
24099	935	24BDD	2185908	194061	5155.58	5158.22	S1	ALL	2.0	2.64	35.0	16.0	19.0	40.0	29.2
24100	936	24DDD	2185575	194074	5157.64	5159.52	S1	ALL	2.0	1.88	39.8	16.0	23.8	44.8	25.8
24101	937	24BBC	2183994	195274	5159.26	5162.18	S1	ALL	2.0	2.92	35.0	8.0	27.0	40.0	32.3
24102	938	24BDA	2185602	194689	5150.65	5153.32	S1	ALL	2.0	2.67	25.0	8.0	17.0	30.0	23.7
24103	939	24BDA	2185846	194850	5148.40	5151.12	S1	ALL	2.0	2.72	30.0	8.0	22.0	35.0	27.9
24104	940	24ACB	2186497	194985	5144.97	5148.32	S1	ALL	2.0	3.35	25.0	8.0	17.0	30.0	21.2
24105	941	24ACA	2186917	194995	5145.06	5147.08	S1	ALL	2.0	2.02	15.0	8.0	7.0	20.0	14.2
24106	942	24ADB	2187493	195003	5148.47	5150.09	S1	ALL	2.0	1.62	20.0	8.0	12.0	25.0	16.0
24107	943	24ADA	2188521	194928	5168.48	5170.86	S1	ALL	2.0	2.38	35.0	8.0	27.0	40.0	34.6
24108	946	24AAA	2188583	196118	5187.24	5189.07	S1	DEN	2.0	1.83	39.9	8.0	31.9	44.9	22.5
24109	947	24AAC	2188019	195608	5181.55	5183.66	S1	DEN	2.0	2.11	55.0	8.0	47.0	60.0	12.8
24110	948	24AAC	2187757	195312	5155.19	5157.53	S1	ALL	2.0	2.34	10.0	8.0	2.0	15.0	7.6
24111	957	24CDA	2185697	192169	5178.48	5180.29	S1	ALL	2.0	1.81	30.0	12.0	18.0	35.0	22.7

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
24112	958	24DCA	2187487	192210	5177.57	5180.07	S1	ALL	2.0	2.50	50.0	13.4	36.6	55.0	37.6
24113	959	24BCD	2184647	194429	5164.16	5167.46	S1	ALL	2.0	3.30	45.0	8.0	37.0	50.0	42.5
24114	960	24BCA	2184750	195018	5160.95	5163.83	S1	ALL	2.0	2.88	45.0	8.0	37.0	50.0	42.0
24115	961	24BDB	2185379	194926	5152.82	5155.16	S1	ALL	2.0	2.34	30.0	8.0	22.0	35.0	28.0
24116	962	24BAD	2185844	195168	5146.71	5149.77	S1	ALL	2.0	3.06	30.0	8.0	22.0	35.0	28.4
24117	963	24ABC	2186240	195199	5144.58	5147.27	S1	ALL	2.0	2.69	20.0	8.0	12.0	25.0	18.8
24119	681	24BBC	2183549	195682	5157.00	5159.60	S1	ALX	2.0	2.60	0.0	0.0	0.0	0.0	0.0
24120	353	24AAB	2188073	196011	5184.92	5187.50	S1	DEX	2.0	2.58	95.0	10.0	85.0	100.0	37.0
24121	378	24CCC	2183680	191253	5187.12	5189.16	S1	ALL	2.0	2.04	45.4	8.0	37.4	50.4	45.0
24122	379	24CCC	2183929	191253	5188.44	5190.62	S1	ALL	2.0	2.18	39.9	8.0	31.9	44.9	34.0
24123	380	24CCD	2184428	191252	5190.65	5192.62	S1	ALL	2.0	1.97	40.8	8.0	32.8	45.8	33.2
24124	382	24CDC	2184928	191251	5192.30	5194.47	S1	DEN	2.0	2.17	40.6	8.0	32.6	45.6	12.5
24125	385	24CDD	2185676	191250	5187.82	5190.10	S1	DEN	2.0	2.28	45.0	16.0	29.0	50.0	17.0
24126	532	24CAA	2186162	193238	5167.25	5169.27	S1	DEN	2.0	2.02	39.3	12.0	27.3	44.3	23.0
24127	965	24BBC	2183806	195511	5156.56	5158.98	S1	DEN	2.0	2.42	35.0	5.0	30.0	40.0	27.4
24128	966	24BBC	2184143	195532	5156.16	5158.39	S1	DEN	2.0	2.23	30.0	5.0	25.0	35.0	26.0
24129	967	24BBD	2184434	195548	5155.38	5157.34	S1	ALL	2.0	1.96	30.2	10.0	20.2	35.2	27.3
24130	968	24BBD	2184846	195574	5149.45	5151.49	S1	DEN	2.0	2.04	30.0	5.0	25.0	35.0	22.8
24131	976	24BAB	2184956	195967	5142.35	5144.97	S1	DEX	2.0	2.62	53.0	5.0	48.0	57.2	22.0
24132	976	24BAB	2184956	195967	5142.35	5145.31	S1	DEX	2.0	2.96	66.5	5.5	61.0	71.5	22.0
24133	977	24BBA	2184214	195974	5147.24	5150.05	S1	DEX	2.0	2.81	50.0	4.0	46.0	55.0	21.3
24134	977	24BBA	2184214	195974	5147.24	5149.69	S1	DEX	2.0	2.45	77.0	7.0	70.0	82.0	21.3
24135	979	24BBD	2184302	195417	5157.80	5160.91	S0	DEN	2.0	3.11	35.0	4.0	31.0	40.0	30.2
24136	979	24BBD	2184302	195417	5157.80	5160.99	S0	DEN	2.0	3.19	64.0	13.0	51.0	69.0	30.2
24137	979	24BBD	2184302	195417	5157.80	5160.80	S0	DEN	2.0	3.00	100.0	19.0	81.0	105.0	30.2
24138	981	24BBB	2183733	195933	5150.64	5154.51	S1	DEX	2.0	3.87	45.0	4.0	41.0	50.0	19.4
24139	981	24BBB	2183733	195933	5150.64	5154.47	S1	DEX	2.0	3.83	88.0	18.0	70.0	93.0	19.4
24140	983	24BAC	2185455	195931	5141.13	5144.02	S1	DEX	2.0	2.89	30.0	5.0	25.0	35.0	21.0
24141	983	24BAC	2185455	195931	5141.13	5143.71	S1	DEX	2.0	2.58	65.0	5.0	60.0	70.0	21.0
24142	984	24BAA	2185942	195927	5137.79	5140.18	S1	DEX	2.0	2.39	53.0	8.0	45.0	58.0	23.7
24143	984	24BAA	2185943	195927	5137.79	5140.19	S1	DEX	2.0	2.40	80.0	10.0	70.0	85.0	23.7
24144	985	24ABB	2186460	195863	5138.54	5141.44	S1	DEX	2.0	2.90	58.0	18.0	40.0	63.0	20.8
24145	986	24ABA	2186958	195990	5145.28	5147.94	S1	DEX	2.0	2.66	40.0	5.0	35.0	45.0	24.0
24146	986	24ABA	2186958	195990	5145.28	5147.64	S1	DEX	2.0	2.36	62.0	10.0	52.0	67.0	24.0
24147	987	24AAB	2187459	195998	5174.92	5177.79	S1	DEX	2.0	2.87	90.0	15.0	75.0	95.0	36.0
24148	1030	24ABD	2186629	195710	5144.41	5146.22	S1	ALX	2.0	1.81	21.5	10.0	11.5	21.5	21.4
24149	1031	24ABD	2186888	195708	5143.51	5145.18	S1	ALL	2.0	1.67	17.5	10.0	7.5	17.5	19.5
24150	1032	24ABD	2186818	195710	5143.38	5145.32	S1	ALL	6.0	1.94	20.0	10.0	10.0	26.0	19.5
24151	1033	24BBD	2184276	195702	5151.50	5152.50	S1	ALL	2.0	1.00	24.0	10.0	14.0	24.0	21.5
24152	1034	24BBD	2184404	195715	5151.30	5153.65	S1	ALL	2.0	2.35	22.0	10.0	12.0	22.0	23.2
24153	1036	24BBD	2184226	195698	5153.43	5155.67	S1	ALX	6.0	2.24	22.0	10.0	12.0	27.0	22.0
24154	1041	24ABB	2186451	195924	0.00	0.00	MI	DEX	4.0	0.00	62.0	25.0	37.0	67.0	20.0
24155	1042	24ABB	2186411	195911	0.00	0.00	MI	DEX	2.0	0.00	61.0	24.5	36.5	61.0	19.0
24156	1043	24ABB	2186530	195899	0.00	0.00	MI	DEX	2.0	0.00	61.0	24.5	36.5	61.0	21.0
24157	1044	24ABB	2186542	195934	0.00	0.00	MI	DEX	2.0	0.00	28.0	10.0	18.0	28.0	20.0
24158	1197	24ACD	2187098	193987	5158.07	5159.42	S1	ALL	2.0	1.35	29.0	20.0	9.0	34.0	29.0
24159	1197	24ACD	2187098	193987	5158.07	5159.78	S1	DEN	2.0	1.71	108.0	45.0	63.0	113.0	29.0
24161	M4	24BBB	2183947	196360	5142.90	5144.30	S0	ALL	4.0	1.40	18.0	5.0	13.0	23.0	17.5
24162	M5	24BBA	2184238	196374	5139.70	5141.75	S0	ALL	4.0	2.05	16.0	5.0	11.0	21.0	17.0
24163	M6	24BAB	2185090	196368	5139.30	5142.09	S0	ALL	4.0	2.79	19.0	10.0	9.0	24.0	24.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
24164	M7	24BAA	2185578	196370	5138.40	5139.85	SO	ALL	4.0	1.45	19.0	10.0	9.0	24.0	20.0
24165	M8	24BAA	2186047	196374	5138.60	5140.11	SO	ALL	4.0	1.51	24.0	15.0	9.0	29.0	0.0
24166	M9	24ABB	2186601	196384	5142.30	5144.51	SO	ALL	4.0	2.21	26.0	10.0	16.0	31.0	23.0
24167	M15	24BBB	2183790	195973	5152.00	5153.18	SO	DEN	4.0	1.18	53.5	10.0	43.5	65.0	22.5
24168	M15	24BBB	2183770	195977	5151.60	5153.06	SO	DEN	4.0	1.46	93.5	20.0	73.5	100.0	22.5
24169	M16	24BBB	2183926	196002	5149.30	5151.44	SO	ALL	4.0	2.14	18.0	5.0	13.0	23.0	18.0
24170	M17	24BAB	2185021	195984	5141.20	5142.25	SO	ALL	4.0	1.05	12.0	5.0	7.0	17.0	13.0
24171	M18	24BAB	2185175	195971	5140.70	5142.14	SO	DEN	4.0	1.44	50.0	10.0	40.0	55.0	18.0
24172	M18	24BAB	2185197	195971	5140.60	5142.25	SO	DEN	4.0	1.65	131.5	10.0	121.5	135.0	18.0
24173	M19	24ABB	2186126	195965	5140.20	5141.47	SO	ALL	4.0	1.27	26.0	10.0	16.0	31.0	25.0
24174	M20	24ABB	2186784	195996	5142.50	5144.33	SO	DEN	4.0	1.83	61.5	5.0	56.5	65.0	21.0
24175	M20	24ABB	2186768	196008	5142.80	5144.72	SO	DEN	4.0	1.92	95.0	5.0	90.0	100.0	21.0
24176	M21	24ABA	2186850	196002	5141.70	5143.13	SO	ALL	4.0	1.43	23.0	10.0	13.0	28.0	22.0
24177	M24	24BBB	2183761	195903	5151.53	5153.93	SO	ALL	4.0	2.40	22.0	10.0	12.0	27.0	21.0
24178	M25	24BBA	2184296	195897	5147.50	5148.98	SO	ALL	4.0	1.48	19.0	5.0	14.0	24.0	19.0
24179	M26	24BAB	2184796	195899	5144.70	5146.46	SO	ALL	4.0	1.76	24.0	10.0	14.0	29.0	24.0
24180	M27	24BAA	2185294	195900	5141.20	5143.42	SO	ALL	4.0	2.22	16.0	5.0	11.0	21.0	16.0
24181	M28	24BAA	2185801	195910	5141.60	5143.25	SO	ALL	4.0	1.65	27.0	10.0	17.0	32.0	24.0
24182	M29	24ABB	2186300	195910	5140.50	5141.93	SO	ALL	4.0	1.43	26.0	10.0	16.0	31.0	22.5
24183	M30	24ABA	2186900	195902	5141.90	5144.41	SO	ALL	4.0	2.51	21.0	10.0	11.0	26.0	21.0
24184	M32	24ABD	2185237	195530	5145.50	5147.08	SO	ALL	4.0	1.58	23.0	5.0	18.0	28.0	0.0
24185	M33	24BAD	2185901	195550	5143.20	5145.02	SO	ALL	4.0	1.82	25.0	10.0	15.0	30.0	25.0
24186	M34	24ABC	2186253	195552	5140.40	5142.18	SO	ALL	4.0	1.78	15.0	10.0	5.0	20.0	12.0
24187	M35	24ABD	2186927	195559	5143.30	5145.05	SO	ALL	4.0	1.75	18.0	10.0	8.0	23.0	17.0
24188	M36	24ABD	2187251	195602	5146.40	5147.68	SO	ALL	4.0	1.28	17.0	10.0	7.0	22.0	0.0
24306	DW6	24BBC	2183554	195689	5157.52	5157.87	SI	ALL	6.0	0.35	28.0	5.0	23.0	32.0	27.5
24307	DW7	24BBC	2183720	195683	5156.61	5157.11	SI	ALL	6.0	0.50	26.1	3.0	23.1	30.0	25.0
24308	DW8	24BBC	2183809	195689	5155.80	5156.35	SI	ALL	6.0	0.55	25.2	3.0	22.2	29.0	25.0
24309	DW9	24B8D	2184046	195690	5154.17	5154.82	SI	ALL	6.0	0.65	26.8	6.0	20.8	30.0	25.0
24310	DW10	24BBD	2184203	195691	5152.96	5153.56	SI	ALL	6.0	0.60	28.2	10.0	18.2	32.0	27.0
24311	DW11	24BBD	2184358	195691	5152.50	5153.10	SI	ALL	6.0	0.60	24.5	7.0	17.5	27.5	24.5
24312	DW12	24BAC	2184515	195692	5153.64	5154.29	SI	ALL	6.0	0.65	25.7	7.0	18.7	28.7	25.0
24313	DW13	24BAC	2184674	195693	5152.00	5152.60	SI	ALL	6.0	0.60	25.5	9.0	16.5	29.9	25.0
24314	DW14	24BAC	2184837	195693	5148.82	5149.42	SI	ALL	6.0	0.60	27.1	11.0	16.1	30.1	26.0
24315	DW15	24BAC	2184990	195694	5147.63	5148.26	SI	ALL	6.0	0.63	25.7	10.0	15.7	28.7	24.0
24316	DW16	24BAC	2185145	195695	5145.52	5146.12	SI	ALL	6.0	0.60	22.8	10.0	12.8	26.0	22.0
24317	DW17	24BAD	2185308	195695	5144.76	5145.38	SI	ALL	6.0	0.62	20.4	7.0	13.4	24.0	19.0
24318	DW18	24BAD	2185483	195696	5144.85	5145.39	SI	ALL	6.0	0.54	23.1	8.0	15.1	27.0	22.0
24319	DW19	24BAD	2185662	195697	5144.56	5145.26	SI	ALL	6.0	0.70	23.8	10.0	13.8	27.0	24.0
24320	DW20	24BAD	2185853	195698	5143.65	5144.21	SI	ALL	6.0	0.56	25.0	8.0	17.0	28.0	23.0
24321	DW21	24BAD	2186014	195699	5141.92	5142.52	SI	ALL	6.0	0.60	27.7	8.0	19.7	31.0	25.5
24322	DW22	24ABC	2186193	195699	5141.65	5142.45	SI	ALL	6.0	0.80	22.0	9.0	13.0	25.0	21.0
24323	DW23	24ABC	2186384	195700	5141.73	5142.27	SI	ALL	6.0	0.54	26.5	13.0	13.5	30.0	25.0
24324	DW24	24ABC	2186584	195701	5143.41	5144.16	SI	ALL	6.0	0.75	23.4	9.0	14.4	27.0	22.0
24325	DW25	24ABC	2186709	195702	5143.87	5144.59	SI	ALL	6.0	0.72	23.0	8.0	15.0	26.0	21.0
24326	DW26	24ABD	2186868	195702	5147.74	5148.24	SI	ALL	6.0	0.50	24.3	9.0	15.3	28.0	23.0
24327	DW27	24ABD	2187039	195703	5148.10	5148.55	SI	ALL	6.0	0.45	24.3	9.0	15.3	28.0	23.0
24328	DW28	24ABD	2187152	195703	5148.41	5148.91	SI	ALL	6.0	0.50	22.2	7.0	15.2	26.0	20.0
24329	DW29	24ABD	2187235	195704	5149.73	5150.18	SI	ALL	6.0	0.45	28.0	5.0	23.0	32.0	27.0
24343	DW43	24BBB	2183544	195884	5154.90	5155.45	SI	DEN	4.0	0.55	55.0	15.0	40.0	59.0	0.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
36001	126	36CCD	2184266	180683	5264.00	5266.94	S0	ALL	4.0	2.94	20.0	9.5	10.5	30.0	17.0
36002	CP113	36BBC	2183877	185117	5236.98	5240.39	S1	DEN	2.0	3.41	41.6	4.0	37.6	41.6	27.0
36003	CP114	36BBC	2184127	185118	5238.26	5239.87	S1	DEN	2.0	1.61	28.8	4.0	24.8	28.8	20.5
36004	CP115	36BBD	2184377	185120	5239.90	5242.57	S1	TOA	2.0	2.67	0.0	4.0	0.0	0.0	11.8
36006	CP112	36BBD	2184628	184871	5241.70	5242.42	S1	ALL	2.0	0.72	18.0	4.0	14.0	18.0	18.0
36007	CP111	36BBD	2184378	184870	5242.33	5243.96	S1	DEN	2.0	1.63	30.3	4.0	26.3	30.3	22.0
36008	CP110	36BBC	2184128	184868	5243.09	5244.46	S1	DEN	2.0	1.37	40.7	4.0	36.7	40.7	25.0
36009	CP109	36BBC	2183878	184867	5239.15	5240.61	S1	DEN	2.0	1.46	32.1	4.0	28.1	32.1	24.2
36010	CP105	36BBC	2183880	184617	5238.28	5239.71	S1	DEN	2.0	1.43	36.7	4.0	32.7	36.7	27.8
36011	CP106	36BBC	2184130	184618	5240.84	5243.51	S1	DEN	2.0	2.67	36.1	4.0	32.1	36.1	29.9
36012	CP107	36BBD	2184380	184620	5239.48	5242.39	S1	DEN	2.0	2.91	30.1	4.0	26.1	30.1	26.0
36013	CP108	36BBD	2184630	184621	5238.78	5241.65	S1	ALL	2.0	2.87	22.6	4.0	18.6	22.6	20.6
36014	CP104	36BCA	2184631	184372	5234.66	5236.73	S1	ALL	2.0	2.07	30.2	4.0	26.2	30.2	28.5
36015	CP103	36BCA	2184381	184370	5236.41	5239.17	S1	ALL	2.0	2.76	35.3	4.0	31.3	35.3	31.8
36016	CP102	36BCB	2184131	184368	5234.57	5236.97	S1	ALL	2.0	2.40	31.4	4.0	27.4	31.4	31.5
36017	CP101	36BCB	2183882	184367	5235.12	5237.41	S1	ALL	2.0	2.29	33.7	4.0	29.7	33.7	31.0
36018	11	36BBD	2184355	185076	5238.95	5239.05	S0	ALL	4.0	0.10	15.4	2.1	13.3	27.6	15.4
36019	7	36CBD	2184352	182155	5244.29	5245.04	S0	ALL	4.0	0.75	24.6	8.6	16.0	35.7	27.1
36020	40	36BDC	2185094	183529	5234.44	5235.18	S0	DEN	4.0	0.74	23.8	8.6	15.2	39.7	11.5
36021	RP101	36BCB	2183881	184417	5234.15	5236.78	S1	ALL	2.0	2.63	36.5	4.0	32.5	36.5	33.3
36022	RP102	36BCB	2184231	184319	5232.92	5235.93	S1	ALL	2.0	3.01	33.1	4.0	29.1	33.1	30.5
36023	RP103	36BCA	2184431	184370	5236.88	5238.65	S1	ALL	2.0	1.77	32.1	4.0	28.1	32.1	30.0
36024	RP104	36BCA	2184681	184422	5233.47	5235.63	S1	DEN	2.0	2.16	32.4	4.0	28.4	32.4	24.0
36025	RP105	36BBC	2183780	184666	5238.58	5240.75	S1	DEN	2.0	2.17	40.4	4.0	36.4	40.4	28.0
36026	RP106	36BBC	2184129	184718	5241.60	5244.85	S1	DEN	2.0	3.25	38.8	4.0	34.8	38.8	28.0
36027	RP107	36BBD	2184430	184670	5240.71	5242.75	S1	DEN	2.0	2.04	33.8	4.0	29.8	33.8	22.5
36028	RP108	36BBD	2184629	184671	5241.46	5243.07	S1	ALL	2.0	1.61	24.9	4.0	20.9	24.9	23.8
36029	RP109	36BBC	2183928	184867	5238.55	5239.31	S1	DEN	2.0	0.76	28.5	4.0	24.5	28.5	22.0
36030	RP110	36BBD	2184228	184919	5241.73	5243.99	S1	ALL	2.0	2.26	26.5	4.0	22.5	26.5	24.0
36031	RP111	36BBD	2184478	184970	5239.50	5241.94	S1	ALL	2.0	2.44	15.5	4.0	11.5	15.5	15.5
36032	RP112	36BBD	2184578	184871	5242.01	5244.56	S0	ALL	2.0	2.55	21.8	4.0	17.8	21.8	20.0
36033	RP113	36BBC	2183877	185067	5236.96	5238.19	S1	DEN	2.0	1.23	31.8	4.0	27.8	31.8	15.0
36034	RP114	36BBC	2184127	185018	5239.00	5241.43	S1	DEN	2.0	2.43	35.9	4.0	31.9	35.9	16.0
36035	RP115	36BBD	2184327	185019	5238.76	5241.00	S1	ALL	2.0	2.24	19.5	4.0	15.5	19.5	17.0
36036	C0101	36CBC	2183894	182367	5244.87	5246.70	S1	DEN	2.0	1.83	56.0	4.0	52.0	56.0	26.0
36037	C0105	36CBB	2183893	182617	5238.93	5242.02	S1	DEN	2.0	3.09	53.6	4.0	49.6	53.6	22.1
36038	C0109	36CBB	2183891	182867	5244.12	5246.59	S1	DEN	2.0	2.47	60.7	4.0	56.7	60.7	30.0
36039	C0113	36CBB	2183889	183117	5240.85	5243.20	S1	DEN	2.0	2.35	63.2	4.0	59.2	63.2	31.8
36040	C0104	36CBD	2184644	182372	5238.35	5241.57	S1	ALL	2.0	3.22	26.9	4.0	22.9	26.9	25.4
36041	C0108	36CBA	2184642	182622	5236.75	5238.90	S1	ALL	2.0	2.15	31.3	4.0	27.3	31.3	29.5
36042	C0112	36CBA	2184641	182872	5233.11	5236.23	S1	ALL	2.0	3.12	33.8	4.0	29.8	33.8	31.0
36043	C0116	36CBA	2184639	183122	5231.00	5232.53	S1	DEN	2.0	1.53	41.0	4.0	37.0	41.0	34.7
36044	C0201	36CCB	2183900	181368	5252.72	5254.92	S1	DEN	2.0	2.20	70.5	4.0	66.5	70.5	21.7
36045	C0205	36CCB	2183899	181618	5242.46	5244.98	S1	DEN	2.0	2.52	57.0	4.0	53.0	57.0	14.0
36046	C0209	36CCB	2183897	181868	5240.50	5242.15	S1	DEN	2.0	1.65	52.7	4.0	48.7	52.7	17.0
36047	C0213	36CBC	2183896	182117	5250.47	5253.52	S1	DEN	2.0	3.05	65.2	4.0	61.2	65.2	28.5
36048	CX229	36CCC	2183900	181123	5254.68	5256.68	S1	ALL	2.0	2.00	21.6	4.0	17.6	21.6	18.2
36049	CX225	36CCC	2183902	180873	5261.52	5263.62	S1	ALL	2.0	2.10	21.2	4.0	17.2	21.2	17.7
36050	CX221	36CCC	2183903	180621	5264.12	5266.12	S1	ALL	2.0	2.00	19.8	4.0	15.8	19.8	17.5
36053	CX224	36CCD	2184655	180623	5263.42	5267.72	S0	ALL	2.0	4.30	20.8	4.0	16.8	20.8	18.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
36054	CX228	36CCD	2184653	180873	5260.04	5262.87	S0	ALL	2.0	2.83	20.2	4.0	16.2	20.2	18.0
36055	C0204	36CCA	2184650	181372	5253.40	5256.17	S0	DEN	2.0	2.77	28.0	4.0	24.0	28.0	24.0
36056	C0216	36CBD	2184645	182122	5242.45	5245.33	S0	DEN	2.0	2.88	30.5	4.0	26.5	30.5	24.6
36057	C0114	36CBB	2184141	183119	5235.30	5238.48	S0	DEN	2.0	3.18	68.1	4.0	64.1	68.1	32.5
36058	706	36CCD	2184736	180968	5255.10	5257.84	S1	ALL	2.0	2.74	21.0	3.4	17.6	18.5	0.0
36059	706	36CCD	2184736	180968	5255.10	5258.11	S1	DEN	2.0	3.01	70.5	7.6	62.9	18.5	0.0
36060	707	36CDC	2185212	181251	5256.42	5258.97	S0	ALL	2.0	2.55	18.9	3.0	15.9	32.2	0.0
36061	707	36CDC	2185212	181251	5256.88	5258.97	S0	DEN	2.0	2.09	107.3	7.2	100.1	32.2	0.0
36062	708	36CDA	2185633	181513	5246.72	5249.12	S1	DEN	2.0	2.40	78.0	7.2	70.8	27.2	0.0
36063	710	36DBD	2187249	182494	5246.15	5248.59	S1	ALL	2.0	2.44	21.7	3.4	18.3	20.2	0.0
36064	710	36DBD	2187249	182494	5246.15	5248.51	S1	DEN	2.0	2.36	73.6	3.4	70.2	20.2	0.0
36065	711	36CDA	2186091	181684	5244.10	5246.39	S1	ALL	2.0	2.29	21.0	3.4	17.6	22.5	0.0
36066	711	36CDA	2186091	181684	5244.10	5247.19	S1	DEN	2.0	3.09	76.7	3.4	73.3	22.5	0.0
36067	712	36DBC	2186488	182032	5241.91	5244.39	S1	ALL	2.0	2.48	13.4	3.0	10.4	24.5	0.0
36068	713	36ADD	2188710	183381	5234.15	5236.70	S1	DEN	2.0	2.55	13.7	3.4	10.3	10.0	0.0
36069	714	36DAA	2188282	183122	5239.19	5241.68	S0	DEN	2.0	2.49	22.5	5.0	17.5	9.7	0.0
36070	718	36CAB	2184911	182848	5232.49	5234.41	S0	ALL	2.0	1.92	20.2	3.4	16.8	30.0	0.0
36071	718	36CAB	2184911	182848	5232.49	5235.02	S0	DEN	2.0	2.53	37.5	3.4	34.1	30.0	0.0
36072	718	36CAB	2184911	182848	5232.49	5234.25	S0	DEN	2.0	1.76	56.9	3.4	53.5	30.0	0.0
36073	719	36CAC	2185505	182239	5235.17	5237.24	S0	ALL	2.0	2.07	6.3	3.4	2.9	22.6	0.0
36074	720	36CAD	2185727	182024	5238.88	5240.93	S1	ALL	2.0	2.05	11.3	3.4	7.9	22.8	0.0
36075	721	36DCD	2186948	180836	5254.92	5256.24	S0	ALL	2.0	1.32	11.0	3.4	7.6	16.0	14.5
36076	727	36CCA	2184285	181477	5253.15	5255.80	S1	ALL	2.0	2.65	16.9	3.4	13.5	21.9	29.5
36077	734	36BBC	2184150	184641	5240.50	5243.64	S1	ALL	2.0	3.14	20.4	3.4	17.0	25.5	23.0
36078	734	36BBC	2184150	184641	5240.50	5243.82	S1	DEN	2.0	3.32	62.4	3.4	59.0	67.4	23.0
36079	734	36BBC	2184150	184641	5240.50	5243.19	S1	DEN	2.0	2.69	98.4	3.4	95.0	103.4	23.0
36080	739	36DBB	2186756	182836	5244.83	5247.02	S1	ALL	2.0	2.19	17.9	5.0	12.9	22.9	19.5
36081	740	36BDB	2185083	183995	5233.94	5236.57	S1	ALL	2.0	2.63	26.4	3.4	23.0	31.4	33.3
36082	741	36BDC	2185453	183739	5233.69	5237.17	S1	ALL	2.0	3.48	20.0	3.4	16.6	25.0	29.0
36083	741	36BDC	2185453	183739	5233.69	5236.62	S1	DEN	2.0	2.93	82.4	3.4	79.0	87.4	29.0
36084	742	36DBB	2186301	183151	5237.00	5240.23	S1	ALL	2.0	3.23	11.6	4.0	7.6	16.6	25.0
36085	743	36BDD	2185911	183422	5231.60	5234.65	S1	ALL	2.0	3.05	12.0	4.0	8.0	17.0	22.6
36086	754	36DDA	2188799	181420	5254.27	5257.31	S1	DEN	2.0	3.04	25.5	5.0	20.5	30.5	11.5
36087	756	36DCC	2186235	180686	5259.03	5261.26	S1	ALL	2.0	2.23	15.6	3.0	12.6	20.6	30.0
36088	758	36BDA	2186014	184035	5245.27	5247.68	S1	ALL	2.0	2.41	24.2	3.4	20.8	29.2	26.0
36089	761	36BAC	2185531	184844	5252.46	5255.18	S1	ALL	2.0	2.72	23.7	3.4	20.3	28.7	22.0
36090	762	36ACB	2186228	184408	5251.92	5253.62	S1	DEN	2.0	1.70	25.3	3.4	21.9	29.3	20.0
36091	766	36DAB	2188187	183181	5245.80	5248.52	S1	ALL	2.0	2.72	13.7	3.4	10.3	15.0	11.3
36092	PP101	36BCC	2183888	183367	5239.10	5240.33	S1	DEN	2.0	1.23	54.0	4.0	50.0	54.0	41.8
36093	PP103	36BCD	2184388	183370	5236.58	5238.91	S1	DEN	2.0	2.33	35.0	4.0	31.0	35.0	37.0
36094	PP105	36BCC	2183886	183617	5237.73	5240.92	S1	DEN	2.0	3.19	47.0	4.0	43.0	47.0	41.3
36095	PP107	36BCD	2184386	183620	5236.62	5238.74	S1	ALL	2.0	2.12	35.5	4.0	31.5	35.5	35.5
36096	PP108	36BCD	2184636	183622	5237.23	5239.79	S1	DEN	2.0	2.56	47.0	4.0	43.0	47.0	38.0
36097	PP110	36BCC	2184135	183869	5235.82	5236.78	S1	DEN	2.0	0.96	45.0	4.0	41.0	45.0	41.5
36098	PP111	36BCD	2184385	183870	5236.12	5238.49	S1	ALL	2.0	2.37	37.8	4.0	33.8	37.8	37.8
36099	PP114	36BCB	2184133	184118	5235.42	5238.89	S1	DEN	2.0	3.47	40.7	4.0	36.7	40.7	35.0
36100	PP115	36BCA	2184383	184120	5231.96	5234.61	S1	ALL	2.0	2.65	33.4	4.0	29.4	33.4	33.0
36101	PP104	36BCD	2184638	183372	5235.85	5239.31	S1	ALL	2.0	3.46	22.0	4.0	18.0	27.0	43.2
36102	PP109	36BCC	2183885	183867	5235.09	5237.77	S1	ALL	2.0	2.68	32.5	8.0	24.5	37.0	38.1
36103	708	36CDA	2185633	181513	5246.72	5249.82	S1	ALL	2.0	3.10	15.0	3.0	12.0	17.6	27.2

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
36104	712	36DBC	2186488	182032	5241.91	5245.02	S1	DEN	2.0	3.11	99.3	7.3	92.0	112.8	24.5
36105	714	36DAA	2188282	183122	5239.19	5241.68	S1	DEN	2.0	2.49	60.7	3.4	57.3	86.0	9.7
36106	767	36BBC	2183686	184558	5236.55	5239.33	S1	ALL	2.0	2.78	23.0	8.0	15.0	28.0	35.1
36107	779	36BBB	2183703	185615	5248.33	5250.27	S1	DEN	2.0	1.94	46.7	20.0	26.7	51.7	14.0
36108	780	36BCA	2184507	184502	5236.19	5238.47	S1	ALL	2.0	2.28	27.2	8.0	19.2	32.2	27.2
36109	781	36CDC	2185002	181127	5258.15	5260.53	S1	ALL	2.0	2.38	17.0	3.0	14.0	19.0	27.1
36110	781	36CDC	2185002	181127	5258.15	5260.28	S1	DEN	2.0	2.13	65.2	3.4	61.8	93.2	27.1
36112	1149	36BBB	2184218	185348	5247.15	5249.28	S1	ALL	2.0	2.13	33.0	10.0	23.0	35.5	33.0
36113	1149	36BBB	2184218	185348	5247.50	5250.36	S1	DEN	2.0	2.86	80.5	15.0	65.5	83.0	33.0
36114	1149	36BBB	2184218	185348	5247.27	5250.45	S1	DEN	2.0	3.18	146.2	45.0	101.2	151.2	33.0
36116	1199	36BAB	2185102	185785	5285.79	5288.31	S1	DEN	2.0	2.52	41.0	15.0	26.0	46.0	12.5
36117	1199	36BAB	2185102	185785	5285.79	5288.01	S1	DEN	2.0	2.22	76.0	15.0	61.0	81.0	12.5
36118	1160	36DDC	2188139	180921	5265.60	5268.28	S1	DEN	2.0	2.68	66.0	10.0	56.0	68.5	9.0
36119	1160	36DDC	2188139	180921	5265.60	5268.20	S1	DEN	2.0	2.60	91.0	10.0	81.0	96.0	9.0
36121	1188	36ABD	2188353	185171	5228.61	5230.80	S1	DEN	2.0	2.19	53.0	5.0	48.0	55.5	17.5
36122	1188	36ABD	2188353	185171	5228.61	5230.23	S1	DEN	2.0	1.62	80.0	10.0	70.0	85.0	17.5
36123	1215	36CCD	2183926	183845	5234.50	5235.09	S1	ALL	5.0	0.59	37.0	30.0	7.0	42.0	36.5
36124	1216	36BCD	2183934	183838	5234.66	5236.40	S1	ALL	2.0	1.74	37.0	30.0	7.0	39.5	36.5
36125	1217	36BCD	2183941	183831	5234.63	5236.60	S1	ALL	2.0	1.97	37.0	30.0	7.0	39.5	36.5
36126	1218	36BCD	2183956	183818	5234.43	5236.37	S1	ALL	2.0	1.94	37.0	30.0	7.0	39.5	0.0
36127	1219	36BCD	2184000	183778	5234.94	5236.81	S1	ALL	2.0	1.87	37.0	30.0	7.0	39.5	0.0
36128	1220	36BCD	2184109	183675	5236.14	5238.41	S1	ALL	2.0	2.27	37.0	30.0	7.0	39.5	0.0
36129	1221	36BCA	2183960	183883	5234.48	5236.04	S1	ALL	2.0	1.56	37.0	30.0	7.0	39.5	0.0
36130	1222	36BCA	2183992	183921	5234.79	5236.35	S1	ALL	2.0	1.56	37.0	30.0	7.0	39.5	0.0
36131	1223	36BCC	2183923	183849	5234.75	5236.29	S1	ALL	2.0	1.54	37.0	30.0	7.0	39.5	36.5
36132	1224	36BCC	2183919	183852	5234.57	5236.53	S1	ALL	2.0	1.96	37.0	30.0	7.0	39.5	36.5
36133	1225	36BCC	2183911	183859	5234.56	5236.35	S1	ALL	2.0	1.79	37.0	30.0	7.0	39.5	36.5
36134	1226	36BCB	2183851	183915	5234.50	5236.58	S1	ALL	2.0	2.08	37.0	30.0	7.0	39.5	0.0
36135	1227	36BCB	2183741	184016	5234.42	5236.26	S1	ALL	2.0	1.84	37.0	30.0	7.0	39.5	0.0
36136	1257	36	2183862	185094	5236.90	5238.41	S1	ALL	2.0	1.51	30.5	15.0	15.5	35.5	0.0
36137	1258	36	2183663	185115	5237.30	5238.20	S1	ALL	2.0	0.90	30.0	15.0	15.0	35.0	0.0
36138	1259	36	2183807	185100	5236.70	5238.02	S1	ALL	2.0	1.32	30.0	15.0	15.0	35.0	0.0
36139	1260	36	2183698	185112	5236.70	5238.15	S1	ALL	2.0	1.45	30.0	15.0	15.0	35.0	0.0
36140	1261	36	2183961	185083	5236.50	5237.90	S1	ALL	2.0	1.40	29.5	15.0	14.5	34.5	0.0
36141	1262	36	2184011	185078	5236.50	5238.07	S1	ALL	2.0	1.57	29.0	15.0	14.0	34.0	0.0
36142	1263	36	2184160	185061	5237.70	5239.24	S1	ALL	2.0	1.54	26.0	15.0	11.0	31.0	0.0
36145	LM1-1	36	2184964	184884	5243.20	5245.26	S1	ALL	2.0	2.06	15.0	5.0	10.0	20.0	18.0
36146	LM1-3	36	2184973	184877	5243.50	5246.41	S1	DEN	2.0	2.91	40.0	15.0	25.0	45.0	18.0
36147	LM1-2	36	2184974	184888	5243.30	5245.84	S1	DEN	2.0	2.54	80.0	15.0	65.0	85.0	18.0
36590	SCC90	36DCA	2186908	181587	5251.00	5253.21	S1	ALL	4.0	2.21	28.0	10.0	18.0	28.0	24.0
36591	SCC91	36DCA	2186705	181430	5249.12	5251.56	S1	ALL	4.0	2.44	28.0	10.0	18.0	28.0	20.0
36592	SCC92	36DCA	2186505	181398	5248.63	5251.14	S1	ALL	4.0	2.51	28.0	10.0	18.0	28.0	18.0
36593	SCC93	36DCA	2186305	181364	5248.30	5251.20	S1	ALL	4.0	2.90	28.0	10.0	18.0	28.0	22.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
26001	62	26BBD	2179360	190630	5190.20	5193.05	S0	ALL	4.0	2.85	47.0	10.0	37.0	50.0	46.7
26002	142	26BCB	2178479	189555	5170.60	5173.87	S0	ALL	4.0	3.27	22.5	5.0	17.5	27.5	21.6
26003	125	26BCC	2178690	188813	5173.70	5176.60	S0	ALL	4.0	2.90	21.6	5.0	16.6	26.6	21.5
26004	41	26CAB	2179827	188163	5193.12	5193.95	S0	ALL	4.0	0.83	33.2	1.0	32.2	34.2	0.0
26005	98	26CAC	2179713	187089	5191.56	5193.14	S0	ALL	4.0	1.58	34.0	4.0	30.0	41.0	33.6
26006	141	26CCD	2179699	186322	5184.00	5186.83	S0	ALL	4.0	2.83	35.0	6.0	29.0	41.0	35.2
26007	73	26ACB	2181611	189714	5201.09	5203.09	S0	ALX	4.0	2.00	53.0	6.0	47.0	61.0	51.7
26008	118	26ABC	2180824	190424	5191.87	5192.78	S0	ALL	4.0	0.91	48.0	8.0	40.0	50.0	47.6
26009	3A	26BAA	2180488	190637	5173.40	5173.75	S0	ALL	4.0	0.35	46.2	2.2	44.0	51.0	46.2
26010	117	26DBB	2181396	188196	5204.40	5206.45	S0	ALL	4.0	2.05	42.5	3.5	39.0	49.0	42.3
26011	124	26BAB	2179892	190748	5189.20	5192.00	S0	ALL	4.0	2.80	43.5	14.5	29.0	51.3	43.5
26012	127	26DBA	2181771	188460	5203.90	5207.79	S0	ALX	4.0	3.89	34.0	5.0	29.0	39.0	34.2
26013	235	26ABC	2181232	189754	5201.04	5204.34	S0	ALL	2.5	3.30	56.2	5.0	51.2	56.2	56.0
26014	402	26BAA	2180601	190556	5189.35	5192.13	S1	ALL	2.0	2.78	44.7	4.0	40.7	46.2	45.0
26015	406	26BAB	2180225	190670	5192.48	5195.36	S1	ALL	2.0	2.88	52.0	4.0	48.0	53.5	48.6
26016	410	26BAB	2179831	190712	5188.81	5191.48	S1	ALL	2.0	2.67	44.2	4.0	40.2	45.6	43.6
26017	414	26BBA	2179502	190488	5190.26	5192.56	S1	ALL	2.0	2.30	47.6	4.0	43.6	49.0	47.0
26018	418	26BBD	2179290	190197	5193.57	5196.31	S1	ALL	2.0	2.74	50.8	4.0	46.8	52.2	50.5
26019	421	26BBD	2179300	189899	5191.89	5193.99	S1	DEN	2.0	2.10	50.6	4.0	46.6	51.0	46.5
26020	422	26BCA	2179303	189800	5190.50	5193.26	S1	ALL	2.0	2.76	44.0	4.0	40.0	45.4	43.7
26021	423	26BCA	2179311	189703	5189.67	5192.34	S1	DEN	2.0	2.67	60.2	4.0	56.2	61.5	52.5
26022	425	26BCA	2179383	189520	5191.36	5194.68	S1	DEN	2.0	3.32	52.9	4.0	48.9	53.3	47.0
26023	426	26BCA	2179429	189432	5192.83	5195.55	S1	DEN	2.0	2.72	50.7	4.0	46.7	52.1	43.5
26024	430	26BCD	2179613	189083	5195.34	5197.74	S1	DEN	2.0	2.40	46.7	4.0	42.7	48.1	42.0
26025	436	26BDC	2179888	188553	5200.36	5203.61	S1	DEN	2.0	3.25	54.0	4.0	50.0	55.5	47.5
26026	440	26CAB	2180079	188203	5200.18	5204.53	S1	DEN	2.0	4.35	47.1	4.0	43.1	49.0	41.0
26027	444	26CAA	2180499	188127	5201.03	5203.18	S1	DEN	2.0	2.15	63.4	4.0	59.4	62.8	35.5
26028	448	26CAA	2180901	188122	5199.98	5202.84	S1	DEN	2.0	2.86	60.7	4.0	56.7	63.3	36.6
26029	452	26DBB	2181296	188133	5202.15	5203.20	S1	DEN	2.0	1.05	62.7	4.0	58.7	64.2	38.5
26030	456	26DBA	2181694	188146	5205.37	5208.51	S1	DEN	2.0	3.14	37.5	4.0	33.5	39.0	32.0
26031	458	26DBA	2181753	188324	5204.90	5207.17	S1	DEX	2.0	2.27	75.8	3.4	72.4	77.8	33.5
26032	460	26ACD	2181726	188535	5202.87	5204.66	S1	DEX	2.0	1.79	37.1	4.0	33.1	38.7	32.0
26033	464	26ACD	2181679	188932	5202.78	5204.57	S1	DEX	2.0	1.79	61.5	4.0	57.5	63.4	43.5
26034	468	26ACA	2181534	189300	5202.21	5204.38	S1	DEX	2.0	2.17	72.9	4.0	68.9	74.5	37.5
26035	472	26ACB	2181371	189662	5201.48	5204.05	S1	DEX	2.0	2.57	58.2	4.0	54.2	60.2	43.5
26036	474	26ABC	2181287	189842	5202.81	5205.13	S1	ALX	2.0	2.32	57.4	4.0	53.4	57.5	58.0
26037	476	26ABC	2181172	190004	5202.12	5204.21	S1	DEX	2.0	2.09	65.0	4.0	61.0	68.8	54.0
26038	478	26ABC	2181042	190171	5199.40	5201.47	S1	DEX	2.0	2.07	64.4	4.0	60.4	67.2	59.5
26039	480	26ABC	2180924	190328	5195.20	5197.46	S1	ALX	2.0	2.26	60.7	4.0	56.7	63.8	57.5
26040	486	26ABD	2182165	190113	5195.90	5199.99	S1	ALL	2.0	4.09	49.6	4.0	45.6	49.3	47.4
26041	500	26BAA	2180834	190524	5187.25	5190.79	S1	DEN	2.0	3.54	46.9	4.0	42.9	48.3	42.0
26042	501	26BAA	2180845	190623	5185.68	5187.96	S1	DEN	2.0	2.28	74.1	4.0	70.1	78.5	44.0
26043	502	26BAA	2180855	190723	5186.06	5188.68	S1	DEN	2.0	2.62	73.5	4.0	69.5	77.9	42.0
26044	505	26BAA	2180886	191021	5188.39	5190.92	S1	DEN	2.0	2.53	54.2	4.0	50.2	58.6	54.0
26045	513	26ABB	2181070	190739	5187.66	5189.66	S1	ALL	2.0	2.00	44.1	4.0	40.1	48.5	44.5
26046	515	26ABB	2181194	190897	5188.16	5190.28	S1	ALL	2.0	2.12	43.5	4.0	39.5	48.5	43.5
26047	517	26ABB	2181317	191054	5186.96	5189.86	S1	DEN	2.0	2.90	53.5	4.0	49.5	53.5	48.3
26048	487	26BCB	2178714	189763	5172.15	5174.50	S0	ALL	2.0	2.35	24.0	4.0	20.0	29.0	28.0
26049	488	26BCD	2179094	188782	5175.69	5178.28	S0	ALL	2.0	2.59	29.0	4.0	25.0	39.0	29.0
26050	489	26CAC	2179668	187767	5190.73	5193.43	S0	ALL	2.0	2.70	37.7	4.0	33.7	44.7	38.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
26051	491	26ADC	2182274	189002	5203.04	5204.29	S1	DEN	2.0	1.25	58.0	4.0	54.0	90.0	37.0
26052	492	26DBA	2182061	188260	5210.69	5212.63	S1	DEN	2.0	1.94	56.6	4.0	52.6	79.1	37.5
26053	490	26CAD	2180928	187523	5196.00	5197.79	S1	DEN	2.0	1.79	52.0	3.4	48.6	64.0	33.5
26054	642	26DDB	2182743	187183	5227.00	5229.69	S0	DEN	2.0	2.69	45.0	4.0	41.0	45.0	18.7
26055	643	26DDB	2182611	186971	5223.95	5225.53	S0	DEN	2.0	1.58	100.0	4.0	96.0	100.0	17.0
26056	644	26DDB	2182478	186759	5225.10	5226.45	S0	DEN	2.0	1.35	45.0	4.0	41.0	45.0	20.0
26057	646	26DCD	2182214	186335	5209.60	5212.21	S0	DEN	2.0	2.61	50.0	4.0	46.0	50.0	18.3
26058	647	26DCD	2182082	186123	5208.60	5211.74	S0	DEN	2.0	3.14	87.5	4.6	82.9	89.6	25.0
26060	658	26DCB	2180939	186512	5198.30	5199.11	S0	DEN	2.0	0.81	100.0	4.0	96.0	100.0	22.0
26061	659	26CBC	2178938	187351	5173.70	5176.51	S1	DEN	2.0	2.81	51.2	3.4	47.8	54.2	27.5
26062	660	26CCC	2178398	185950	5183.40	5185.63	S1	ALL	2.0	2.23	23.0	3.4	19.6	40.0	22.5
26063	724	26DCD	2182187	186293	5209.30	5211.30	S0	DEN	2.0	2.00	30.0	3.4	26.6	36.5	19.0
26064	724	26DCD	2182187	186293	5209.30	5211.17	S0	DEN	2.0	1.87	82.9	3.4	79.5	87.9	19.0
26065	B01	26CAD	2180405	187272	5198.70	5200.51	S1	ALL	2.0	1.81	34.5	7.1	27.4	39.5	34.0
26066	B01	26CAD	2180405	187272	5198.70	5200.47	S1	DEN	2.0	1.77	61.0	12.0	49.0	62.0	34.0
26067	B01	26CAD	2180405	187272	5198.70	5200.85	S1	DEN	2.0	2.15	107.0	8.0	99.0	112.0	34.0
26068	B02	26CDB	2179728	186709	5188.43	5191.06	S1	ALL	2.0	2.63	30.1	10.0	20.1	33.6	27.0
26069	B02	26CDB	2179728	186709	5188.43	5190.29	S1	DEN	2.0	1.86	79.5	12.0	67.5	84.5	27.0
26070	B03	26CAC	2180014	187818	5199.00	5201.10	S1	ALL	2.0	2.10	34.0	8.0	26.0	39.0	39.0
26071	B03	26CAC	2180014	187818	5199.00	5200.80	S1	DEN	2.0	1.80	54.0	8.0	46.0	59.0	39.0
26072	B03	26CAC	2180014	187818	5199.00	5201.13	S1	DEN	2.0	2.13	104.0	12.0	92.0	109.0	39.0
26073	B04	26DAB	2182869	187873	5223.02	5225.72	S1	ALL	2.0	2.70	50.2	4.0	46.2	55.2	49.0
26074	B04	26DAB	2182869	187873	5223.02	5224.82	S1	DEN	2.0	1.80	59.0	8.0	51.0	64.0	49.0
26075	B04	26DAB	2182869	187873	5223.02	5224.97	S1	DEN	2.0	1.95	99.5	11.0	88.5	104.5	49.0
26076	B05	26CBB	2178918	188202	5183.80	5185.78	S1	ALL	2.0	1.98	32.5	7.1	25.4	37.8	32.0
26077	B05	26CBB	2178918	188202	5183.80	5186.38	S1	DEN	2.0	2.58	84.5	12.0	72.5	89.5	32.0
26078	B06	26CBB	2178326	188251	5175.06	5178.01	S1	ALL	2.0	2.95	25.5	4.3	21.2	29.5	22.5
26079	B06	26CBB	2178326	188251	5175.06	5177.80	S1	DEN	2.0	2.74	49.0	8.0	41.0	54.0	22.5
26080	B06	26CBB	2178326	188251	5175.06	5177.92	S1	DEN	2.0	2.86	80.0	12.0	68.0	85.0	22.5
26081	B07	26BBC	2178392	190081	5173.77	5176.31	S1	ALL	2.0	2.54	27.6	9.7	17.9	32.6	29.0
26082	B07	26BBC	2178392	190081	5173.77	5175.78	S1	DEN	2.0	2.01	72.0	12.0	60.0	77.0	29.0
26083	B08	26BCB	2178809	189500	5172.76	5175.10	S1	ALL	2.0	2.34	27.0	10.0	17.0	32.0	24.0
26084	B08	26BCB	2178809	189500	5172.76	5174.66	S1	DEN	2.0	1.90	82.0	12.0	70.0	87.0	24.0
26085	B09	26DBD	2181923	187195	5210.47	5212.44	S1	ALL	2.0	1.97	32.1	9.2	22.9	37.1	32.5
26086	B09	26DBD	2181923	187195	5210.47	5212.30	S1	DEN	2.0	1.83	74.0	10.0	64.0	89.0	32.5
26087	B10	26BBD	2179045	190162	5187.26	5189.55	S1	ALL	2.0	2.29	35.0	7.3	27.7	40.0	42.0
26088	B12	26CCB	2178534	186888	5171.97	5174.71	S1	ALL	2.0	2.74	36.0	4.0	32.0	41.0	33.0
26089	B12	26CCB	2178534	186888	5171.97	5173.03	S1	DEN	2.0	1.06	69.0	12.0	57.0	74.0	33.0
26090	B12	26CCB	2178534	186888	5171.97	5173.28	S1	DEN	2.0	1.31	84.0	8.0	76.0	89.0	33.0
26091	B14	26CCC	2178372	186157	5179.39	5181.24	S1	ALL	2.0	1.85	26.9	9.2	17.7	31.9	22.0
26092	B14	26CCC	2178372	186157	5179.39	5181.28	S1	DEN	2.0	1.89	83.0	20.0	63.0	88.0	22.0
26093	B15	26CCD	2178976	186035	5183.01	5184.61	S1	ALL	2.0	1.60	20.7	10.0	10.7	25.7	23.5
26094	B15	26CCD	2178976	186035	5183.01	5184.77	S1	DEN	2.0	1.76	91.0	20.0	71.0	96.0	23.5
26096	648	26DCD	2181949	185911	5207.06	5209.80	S1	DEN	2.0	2.74	52.7	3.4	49.3	70.0	30.3
26097	640	26DAD	2183008	187607	5240.59	5242.25	S1	DEN	2.0	1.66	67.0	10.0	57.0	72.0	29.5
26098	778	26DDD	2183059	186116	5230.06	5232.63	S1	DEN	2.0	2.57	12.0	4.0	8.0	17.0	7.5
26119	B80	26DBB	2181218	188372	5201.32	5202.85	S1	ALL	2.0	1.53	55.0	20.0	35.0	60.0	37.5
26123	905	26AAD	2183109	190359	5197.36	5199.68	S1	DEN	2.0	2.32	45.4	10.0	35.4	50.4	19.0
26124	906	26AAA	2183396	190633	5195.11	5197.81	S1	ALL	2.0	2.70	45.0	10.0	35.0	50.0	38.7
26125	405	26BAA	2180321	190653	5192.45	5195.25	S1	ALL	2.0	2.80	47.0	3.4	43.6	90.0	48.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
26126	419	26BBD	2179299	190097	5192.67	5193.99	S1	ALL	2.0	1.32	47.5	3.4	44.1	89.8	44.5
26127	455	26DBA	2181595	188141	5203.79	5205.80	S1	ALL	2.0	2.01	44.5	3.4	41.1	89.4	43.0
26128	455	26DBA	2181595	188141	5203.79	5206.88	S1	DEN	2.0	3.09	73.0	10.0	63.0	78.0	43.0
26129	455	26DBA	2181595	188141	5203.79	5205.66	S1	DEN	2.0	1.87	100.0	10.0	90.0	105.0	43.0
26130	660	26CCC	2178398	185950	5183.40	0.00	M2	DEN	2.0	0.00	92.0	4.0	88.0	95.0	22.5
26131	461	26ACD	2181714	188634	5203.09	5204.79	S1	DEN	2.0	1.70	47.4	3.4	44.0	81.4	37.7
26132	970	26ABA	2181590	190587	5187.35	0.00	S1	DEN	2.0	0.00	85.0	20.0	65.0	90.0	42.2
26133	972	26ABD	2181680	190465	5187.79	5189.69	S1	ALL	2.0	1.90	55.0	20.0	35.0	85.0	40.5
26134	493	26CAB	2180058	188106	5197.66	5200.62	S1	DEN	2.0	2.96	95.0	20.0	75.0	100.0	49.0
26135	493	26CAB	2180058	188106	5197.66	5200.71	S1	DEN	2.0	3.05	157.0	22.0	135.0	162.0	49.0
26136	494	26BBD	2179058	190172	5185.52	5188.20	S1	DEN	2.0	2.68	180.0	25.0	155.0	185.0	45.0
26137	494	26BBD	2179058	190172	5185.52	5188.50	S1	DEX	2.0	2.98	220.0	20.0	200.0	225.0	45.0
26138	495	26ABC	2181128	190463	5188.61	5191.47	S1	DEN	2.0	2.86	107.0	20.0	87.0	112.0	50.6
26139	495	26ABC	2181128	190463	5188.61	5191.88	S1	DEN	2.0	3.27	155.0	25.0	130.0	160.0	50.6
26140	496	26ACD	2182015	188693	5221.64	5224.50	S1	DEN	2.0	2.86	78.0	19.0	59.0	83.0	48.0
26141	496	26ACD	2182015	188693	5221.64	5224.17	S1	DEN	2.0	2.53	127.0	30.0	97.0	132.0	48.0
26142	496	26ACD	2182015	188693	5221.64	5224.77	S1	DEN	2.0	3.13	146.0	8.0	138.0	151.0	48.0
26143	825	26ADD	2183182	188770	5220.86	5223.22	S1	ALL	2.0	2.36	46.5	4.0	42.5	51.5	46.5
26144	825	26ADD	2183182	188770	5220.86	5223.22	S1	DEN	2.0	2.36	98.0	20.0	78.0	104.0	46.5
26145	1137	26BBB	2178545	190940	5169.88	5171.88	S1	ALL	2.0	2.00	29.0	5.0	24.0	34.0	29.5
26146	1137	26BBB	2178545	190940	5170.41	5172.91	S1	DEN	2.0	2.50	67.0	15.0	52.0	69.5	29.5
26147	1137	26BBB	2178545	190940	5169.50	5172.57	S1	DEN	2.0	3.07	105.0	20.0	85.0	107.5	29.5

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
27001	103	27BBB	2173573	190790	5128.00	5128.94	SO	ALL	4.0	0.94	46.4	16.0	30.4	54.4	48.6
27002	99	27BAC	2174850	190014	5134.20	5136.32	SO	ALL	4.0	2.12	63.5	26.5	37.0	66.0	69.7
27003	24	27CCD	2173680	188695	5144.20	5146.03	SO	ALL	4.0	1.83	59.7	10.9	48.8	62.8	60.3
27004	304	27BBB	2173988	190663	5125.60	5128.57	SO	ALL	2.0	2.97	42.0	4.0	38.0	42.0	42.0
27005	305	27BBC	2173824	190475	5127.80	5130.40	SO	ALL	2.0	2.60	43.5	4.0	39.5	43.5	43.5
27006	306	27BBC	2173659	190287	5127.10	5130.04	SO	ALL	2.0	2.94	42.0	4.0	38.0	42.0	42.0
27007	307	27BBC	2173494	190099	5127.20	5129.65	SO	ALL	2.0	2.45	44.5	4.0	40.5	44.5	44.5
27008	308	27BBC	2173329	189912	5129.30	5131.73	SO	ALL	2.0	2.43	46.0	4.0	42.0	46.0	46.0
27009	309	27CBB	2173165	189724	5130.00	5133.90	SO	ALL	2.0	3.90	50.0	4.0	46.0	50.5	50.5
27010	342	27BBA	2174318	191039	5126.50	5128.21	SO	ALL	2.0	1.71	57.0	4.0	53.0	57.0	57.3
27011	343	27BBA	2174153	190851	5128.00	5130.18	SO	ALL	2.0	2.18	55.0	4.0	51.0	55.0	55.0
27012	615	27AAA	2178152	191016	5167.30	5168.84	SO	DEN	2.0	1.54	20.0	4.0	16.0	25.0	20.0
27013	616	27AAA	2178114	190769	5164.80	5167.29	SO	DEN	2.0	2.49	20.0	4.0	16.0	25.0	20.0
27014	617	27AAA	2178077	190522	5171.80	5174.41	SO	DEN	2.0	2.61	25.0	4.0	21.0	32.0	25.0
27015	618	27AAD	2178039	190274	5167.90	5169.85	SO	DEN	2.0	1.95	20.0	4.0	16.0	27.0	20.0
27016	619	27AAD	2178002	190027	5163.90	5165.95	SO	DEN	2.0	2.05	25.0	4.0	21.0	27.0	25.0
27017	620	27ADA	2177965	189780	5167.20	5168.34	SO	ALL	2.0	1.14	20.0	4.0	16.0	25.0	20.6
27018	621	27ADA	2177927	189533	5166.00	5169.18	SO	DEN	2.0	3.18	20.0	4.0	16.0	25.0	20.0
27019	622	27ADA	2177890	189286	5167.00	5172.45	SO	DEN	2.0	5.45	20.0	4.0	16.0	25.0	20.0
27020	623	27ADD	2177853	189039	5172.60	5175.11	SO	ALL	2.0	2.51	26.0	4.0	22.0	30.0	23.5
27021	624	27ADD	2177815	188792	5164.40	5166.96	SO	DEN	2.0	2.56	20.0	4.0	16.0	20.0	15.0
27022	625	27ADD	2177778	188545	5161.00	5163.56	SO	DEN	2.0	2.56	15.0	4.0	11.0	18.0	10.0
27023	626	27DAA	2177741	188300	5166.10	5168.77	SO	DEN	2.0	2.67	30.0	4.0	26.0	45.0	30.0
27024	627	27DAB	2177580	188109	5160.10	5162.78	SO	DEN	2.0	2.68	40.0	4.0	36.0	40.0	40.0
27025	628	27DAB	2177419	187918	5163.40	5166.35	SO	DEN	2.0	2.95	40.0	4.0	36.0	45.0	40.0
27026	629	27DAC	2177258	187726	5155.40	5157.78	SO	DEN	2.0	2.38	32.0	4.0	28.0	35.0	32.0
27027	630	27DAC	2177097	187535	5156.20	5158.94	SO	DEN	2.0	2.74	35.0	4.0	31.0	40.0	35.0
27028	631	27DBD	2176936	187344	5158.00	5161.24	SO	ALL	2.0	3.24	31.6	4.0	27.6	35.6	36.5
27029	632	27DBD	2176776	187153	5164.60	5166.76	SO	DEN	2.0	2.16	46.0	4.0	42.0	50.0	43.0
27030	633	27DCA	2176615	186961	5162.70	5165.35	SO	DEN	2.0	2.65	42.0	4.0	38.0	45.0	43.0
27031	634	27DCA	2176454	186770	5158.20	5160.77	SO	DEN	2.0	2.57	43.0	4.0	39.0	45.0	43.0
27032	635	27DCB	2176293	186579	5167.00	5169.05	SO	ALL	2.0	2.05	47.0	4.0	43.0	50.0	47.5
27033	636	27DCC	2176132	186388	5171.00	5173.73	SO	DEN	2.0	2.73	60.0	4.0	56.0	63.0	55.0
27034	637	27DCC	2175971	186197	5172.40	5174.23	SO	DEN	2.0	1.83	59.0	4.0	55.0	62.0	59.0
27035	638	27DCC	2175810	186005	5176.70	5178.51	SO	DEN	2.0	1.81	69.0	4.0	65.0	70.0	69.0
27036	639	27CDD	2175650	185815	5171.10	5174.04	SO	DEN	2.0	2.94	64.0	4.0	60.0	65.0	64.0
27037	661	27CAC	2174615	187139	5140.20	5142.86	SO	ALL	2.0	2.66	51.5	3.4	48.1	69.6	52.8
27040	663	27DBA	2176901	188321	5152.10	5154.81	SO	ALL	2.0	2.71	35.3	3.4	31.9	44.8	33.8
27041	664	27DBC	2176246	187742	5149.70	5152.51	SO	ALL	2.0	2.81	39.6	3.4	36.2	54.6	37.0
27042	665	27CDD	2175213	186436	5158.60	5161.02	SO	ALL	2.0	2.42	69.7	3.4	66.3	90.0	71.8
27043	666	27CCB	2173423	186953	5141.30	5144.07	SO	ALL	2.0	2.77	54.3	3.4	50.9	64.6	54.0
27044	668	27CBB	2173325	188010	5133.30	5136.04	SO	ALL	2.0	2.74	48.7	3.4	45.3	57.7	47.9
27045	669	27BAD	2175447	190272	5135.70	5138.23	SO	ALL	2.0	2.53	66.0	3.4	62.6	74.5	67.0
27049	675	27DDD	2177695	186338	5177.90	5180.24	SO	DEN	2.0	2.34	65.0	3.5	61.5	66.3	37.2
27050	811	27DDA	2177770	187003	5167.60	5170.24	SO	ALL	2.0	2.64	35.2	10.0	25.2	40.2	43.5
27051	813	27DDC	2177015	186433	5167.70	5169.63	SO	ALL	2.0	1.93	53.0	19.2	33.8	58.0	54.0
27052	820	27DCD	2176604	185887	5174.70	5177.01	SO	ALL	2.0	2.31	56.0	10.0	46.0	61.0	56.0
27053	1133	27CBD	2174012	187511	5155.10	5157.21	SO	ALL	2.0	2.11	66.7	15.0	51.7	71.7	66.7
27054	1133	27CBD	2174012	187511	5154.80	5157.42	SO	DEN	2.0	2.62	105.0	15.0	90.0	107.5	66.7
27055	1133	27CBD	2174012	187511	5154.70	5157.74	SO	DEN	2.0	3.04	135.0	15.0	120.0	140.0	66.7

WELL NO	BORE NO	BRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
27056	1136	27ACB	2175922	189621	5138.70	5140.88	SO	ALL	2.0	2.18	40.0	5.0	35.0	45.0	44.2
27057	1136	27ACB	2175922	189621	5139.20	5141.53	SO	DEN	2.0	2.33	62.0	5.0	57.0	67.0	44.2
27058	1136	27ACB	2175922	189621	5139.30	5141.40	SO	DEN	2.0	2.10	100.4	5.0	95.4	104.2	44.2
27059	1151	27ACC	2177375	190060	5151.10	5152.05	SO	ALL	2.0	0.95	23.5	5.0	18.5	28.5	23.5
27060	1151	27ACC	2177375	190060	5151.30	5154.26	SO	DEN	2.0	2.96	67.0	20.0	47.0	72.0	23.5
27061	1151	27ACC	2177375	190060	5151.30	5153.69	SO	DEN	2.0	2.39	135.0	10.0	125.0	140.0	23.5
27062	DH15	27	2175779	191004	5133.60	5136.14	SO	ALL	2.0	2.54	43.6	15.0	28.6	49.0	44.6
27063	DH14	27	2175517	190707	5129.10	5132.00	SO	ALL	2.0	2.90	60.0	20.0	40.0	61.0	60.8
27064	DH13A	27	2175385	190557	5130.30	5134.01	SO	ALL	2.0	3.71	64.6	20.0	44.6	71.0	62.0
27065	DH13C	27	2175320	190483	5130.80	5133.50	SO	ALL	2.0	2.70	65.0	20.0	45.0	65.0	63.6
27066	DH13B	27	2175285	190444	5130.70	5133.80	SO	ALL	2.0	3.10	64.0	20.0	44.0	70.5	62.4
27067	DH12D	27	2175250	190404	5130.80	5133.71	SO	ALX	2.0	2.91	0.0	0.0	0.0	0.0	0.0
27068	DH12B	27	2175220	190370	5130.80	5133.70	SO	ALL	2.0	2.90	65.0	20.0	45.0	70.0	65.2
27069	DH12C	27	2175187	190333	5131.00	5133.60	SO	ALL	2.0	2.60	65.0	20.0	45.0	78.8	62.8
27070	DH12A	27	2175120	190257	5131.40	5134.25	SO	ALL	2.0	2.85	65.0	20.0	45.0	70.0	65.1
27071	DH12	27	2174988	190107	5132.00	5134.99	SO	ALL	2.0	2.99	65.0	20.0	45.0	70.3	65.2
27072	DH39	27	2174459	189508	5129.90	5132.81	SO	ALL	2.0	2.91	65.0	20.0	45.0	70.1	63.0
27073	DH41	27	2174794	186683	5142.00	5145.44	SO	ALL	2.0	3.44	53.8	10.0	43.8	60.0	54.0
27074	DH42	27	2175062	188980	5136.80	5138.31	SO	ALL	2.0	1.51	48.3	20.0	28.3	55.0	48.5
27075	DH23	27	2175325	189280	5142.80	5145.83	SO	ALL	2.0	3.03	59.5	20.0	39.5	65.0	60.6
27076	DH23A	27	2175457	189430	5143.50	5146.43	SO	ALL	2.0	2.93	60.0	10.0	50.0	66.5	61.0
27077	DH24	27	2175589	189580	5142.00	5145.34	SO	ALL	2.0	3.34	54.9	20.0	34.9	61.5	57.2
27078	DH24A	27	2175721	189730	5141.50	5144.22	SO	ALL	2.0	2.72	50.2	10.0	40.2	56.5	50.6
27079	DH48	27	2177002	189659	5146.90	5149.92	SO	ALL	2.0	3.02	30.0	10.0	20.0	35.0	30.0
27080	DH47	27	2176737	189360	5145.60	5148.62	SO	ALL	2.0	3.02	31.8	10.0	21.8	36.8	30.0
27081	DH46A	27	2176606	189213	5147.60	5150.49	SO	ALL	2.0	2.89	29.4	10.0	19.4	36.6	31.1
27082	DH45A	27	2176341	188912	5148.80	5151.75	SO	ALL	2.0	2.95	39.7	10.0	29.7	46.0	40.4
27083	DH43	27	2175675	188163	5144.80	5149.92	SO	ALL	2.0	5.12	49.5	10.0	39.5	55.0	46.1

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
28001	310	28ADA	2173000	189536	5128.04	5131.87	S0	ALL	2.0	3.83	52.0	4.0	48.0	52.0	52.0
28002	311	28ADA	2172835	189348	5124.60	5127.72	S0	ALL	2.0	3.12	51.0	4.0	47.0	51.0	51.0
28003	312	28ADA	2172670	189160	5130.70	5134.57	S0	ALL	2.0	3.87	57.0	4.0	53.0	57.0	57.0
28004	313	28ADB	2172506	188972	5137.00	5141.04	S0	ALL	2.0	4.04	63.0	4.0	59.0	63.0	63.0
28005	314	28ADC	2172341	188784	5132.80	5136.19	S0	ALL	2.0	3.39	57.0	4.0	53.0	57.0	57.0
28006	315	28ADC	2172176	188596	5131.80	5135.19	S0	ALL	2.0	3.39	56.0	4.0	52.0	56.0	56.0
28007	316	28DAB	2172011	188408	5133.10	5135.92	S0	ALL	2.0	2.82	55.5	4.0	51.5	55.5	55.5
28008	317	28DAB	2171846	188220	5135.10	5137.96	S0	ALL	2.0	2.86	54.5	4.0	50.5	54.5	54.6
28009	318	28DAB	2171682	188032	5129.90	5132.82	S0	ALL	2.0	2.92	50.0	4.0	46.0	50.0	49.9
28010	319	28DBD	2171517	187844	5133.60	5136.44	S0	ALL	2.0	2.84	50.5	4.0	46.5	50.5	50.5
28011	320	28DBD	2171352	187657	5138.10	5139.99	S0	ALL	2.0	1.89	55.0	4.0	51.0	55.0	57.0
28012	321	28DBD	2171187	187469	5132.40	5134.52	S0	ALL	2.0	2.12	47.0	4.0	43.0	47.0	47.0
28013	322	28DBC	2171023	187281	5135.30	5137.35	S0	ALL	2.0	2.05	47.5	4.0	43.5	47.5	47.5
28014	323	28DCA	2170858	187093	5142.00	5144.68	S0	ALL	2.0	2.68	56.5	4.0	52.5	56.5	56.5
28015	324	28DCA	2170693	186905	5142.40	5145.60	S0	ALL	2.0	3.20	57.0	4.0	53.0	57.0	57.0
28016	325	28DCC	2170528	186717	5142.30	5145.88	S0	ALL	2.0	3.58	51.5	4.0	47.5	51.5	51.5
28017	326	28CDD	2170363	186529	5140.30	5145.62	S0	ALL	2.0	5.32	49.5	4.0	45.5	49.5	49.0
28018	327	28CDD	2170199	186341	5145.00	5148.76	S0	ALL	2.0	3.76	52.0	4.0	48.0	52.0	52.0
28019	328	28CDD	2170034	186153	5144.00	5147.48	S0	ALL	2.0	3.48	52.5	4.0	48.5	52.5	52.5
28020	329	28CDD	2169869	185965	5139.70	5143.86	S0	ALL	2.0	4.16	49.0	4.0	45.0	49.0	49.0
28021	330	28CDD	2169704	185777	5141.00	5144.30	S0	ALL	2.0	3.30	48.0	4.0	44.0	48.0	48.0
28022	667	28DDB	2172070	186616	5140.60	5143.58	S0	ALL	2.0	2.98	51.2	3.4	47.8	63.5	52.8
28023	1103	28ADC	2172113	188556	5132.20	5134.23	S0	ALL	2.0	2.03	41.9	9.2	32.7	45.0	52.0
28024	1103	28ADC	2172113	188556	5132.20	5134.21	S0	ALL	2.0	2.01	52.0	9.2	42.8	55.0	52.0
28025	1103	28ADC	2172113	188556	5132.20	5134.71	S0	DEN	2.0	2.51	102.0	10.0	92.0	107.0	52.0
28026	1103	28ADC	2172113	188556	5132.30	5134.64	S0	DEN	2.0	2.34	120.0	10.0	110.0	125.0	52.0
28027	1102	28DCB	2170593	186835	5139.40	5140.60	S0	ALL	2.0	1.20	48.0	9.0	39.0	51.1	48.0
28028	1102	28DCB	2170593	186835	5139.70	5142.27	S0	DEN	2.0	2.57	67.5	10.0	57.5	72.5	48.0
28029	1102	28DCB	2170593	186835	5139.70	5141.53	S0	DEN	2.0	1.83	100.0	10.0	90.0	105.0	48.0
28030	1201	28CDC	2169677	185807	5140.40	5143.15	S0	ALL	4.0	2.75	42.7	10.0	32.7	42.7	0.0
28307	W7	28CDD	2169887	185876	5142.10	5145.48	S1	ALL	9.9	3.38	52.0	20.0	32.0	62.0	45.5
28408	I8	28CDC	2169137	185869	5154.60	5158.12	S1	ALL	6.0	3.52	60.0	30.0	30.0	60.0	60.0
28409	I9	28CDC	2169203	185944	5152.90	5156.42	S1	ALL	6.0	3.52	56.0	30.0	26.0	56.0	56.0
28410	I10	28CDC	2169269	186019	5150.30	5153.60	S1	ALL	6.0	3.30	56.0	30.0	26.0	56.0	56.0
28411	I11	28CDC	2169320	186076	5147.70	5151.02	S1	ALL	6.0	3.32	52.0	30.0	22.0	52.0	52.0
28412	I12	28CDC	2169401	186169	5142.60	5145.79	S1	ALL	6.0	3.19	47.0	30.0	17.0	47.0	47.0
28413	I13	28CDC	2169468	186244	5140.00	5143.53	S1	ALL	6.0	3.53	45.0	30.0	15.0	45.0	45.0
28414	I14	28CDC	2169534	186319	5139.60	5142.87	S1	ALL	6.0	3.27	42.0	30.0	12.0	42.0	42.0
28503	S003	28CDC	2169600	186395	5139.10	5141.89	S1	ALL	6.0	2.79	41.0	30.0	11.0	41.0	41.0
28504	S004	28CDC	2169165	185905	5153.90	5155.50	S0	ALL	4.0	1.60	58.0	10.0	48.0	58.0	60.0
28513	S013	28CDB	2169388	186100	5144.30	5146.30	S1	ALL	4.0	2.00	50.0	10.0	40.0	50.0	50.0
			2169510	186296	5139.40	5141.68	S1	ALL	4.0	2.28	43.0	10.0	33.0	43.0	42.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
29002	1194	29BCB	2194396	189744	5249.57	5251.96	S1	DEN	2.0	2.39	43.0	25.0	18.0	48.0	8.0
29003	1194	29BCD	2194396	189744	5249.57	5251.17	S1	DEN	2.0	1.60	113.5	10.0	103.5	118.5	8.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
30001	13	30CBB	2188973	188250	5189.59	5190.19	S0	ALL	4.0	0.60	40.6	29.1	11.5	41.4	41.6
30002	79	30BBB	2189405	190969	5179.40	5180.22	S0	ALL	4.0	0.82	43.0	33.0	10.0	48.0	16.8
30003	1193	30ACC	2191868	189214	5224.83	5225.77	S0	ALL	2.0	0.94	17.5	10.0	7.5	20.0	39.0
30004	1193	30ACC	2191868	189214	5224.83	5227.09	S1	DEN	2.0	2.26	40.0	5.0	35.0	45.0	39.0
30005	1193	30ACC	2191868	189214	5224.83	5227.60	S1	DEN	2.0	2.77	75.0	15.0	60.0	80.0	39.0
30006	1196	30ABB	2191735	190932	5199.68	5200.97	S1	ALL	2.0	1.29	25.0	5.0	20.0	30.0	12.0
30007	1196	30ABB	2191735	190932	5199.68	5202.59	S1	DEN	2.0	2.91	69.0	10.0	59.0	74.0	12.0
30008	1196	30ABB	2191735	190932	5199.68	5202.42	S1	DEN	2.0	2.74	145.0	15.0	130.0	150.0	12.0
30009	1198	30CDB	2190532	186735	5205.64	5205.95	S1	ALL	2.0	0.31	24.0	15.0	9.0	29.0	24.0
30010	1198	30CDB	2190532	186735	5205.64	5207.45	S1	DEN	2.0	1.81	85.0	30.0	55.0	90.0	24.0
30011	1198	30CDB	2190532	186735	5205.64	5207.17	S1	DEN	2.0	1.53	133.0	10.0	123.0	138.0	24.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
31001	20	31BDA	2191206	184625	5220.19	5220.55	S0	ALL	4.0	0.36	19.2	2.1	17.1	27.0	19.3
31002	751	31CCC	2188968	180681	5251.22	5254.23	S1	DEN	2.0	3.01	21.6	3.4	18.2	26.6	8.5
31003	752	31CCC	2189452	180968	5248.90	5251.00	S1	ALL	2.0	2.10	20.0	3.4	16.6	25.0	17.8
31004	752	31CCC	2189452	180968	5248.90	5251.32	S1	DEN	2.0	2.42	86.2	3.4	82.8	91.2	17.8
31005	1167	31BBC	2189296	185171	5222.77	5225.55	M0	ALL	2.0	2.78	45.0	25.0	20.0	50.0	43.0
31006	1167	31BBC	2189296	185171	5222.77	5225.80	M0	DEN	2.0	3.03	56.5	10.0	46.5	59.0	43.0
31007	1167	31BBC	2189296	185171	5222.77	5225.54	M0	DEN	2.0	2.77	77.0	5.0	72.0	79.5	43.0
31008	1167	31BBC	2189296	185171	5222.77	5225.30	M0	DEN	2.0	2.53	130.0	25.0	105.0	135.0	43.0
31009	1189	31ABA	2192095	185673	5243.71	5245.38	S1	ALL	2.0	1.67	37.5	10.0	27.5	40.0	37.5
31010	1189	31ABA	2192095	185673	5243.71	5245.91	S1	DEN	2.0	2.20	56.0	10.0	46.0	58.5	37.5
31011	1189	31ABA	2192095	185673	5243.71	5246.38	S1	DEN	2.0	2.67	89.5	20.0	69.5	94.5	37.5

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
32001	1190	32BAA	2196054	185683	5260.13	5262.23	S1	ALL	2.0	2.10	42.5	30.0	12.5	45.0	30.8
32002	1190	32BAA	2196054	185683	5260.13	5262.95	S1	DEN	2.0	2.82	115.0	10.0	105.0	117.5	30.8
32003	1190	32BAA	2196054	185683	5260.13	5262.50	S1	DEN	2.0	2.37	202.5	50.0	152.5	207.5	30.8

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
33001	38	33DAA	2172530	183172	5168.90	5169.76	SO	ALL	4.0	0.86	78.6	18.4	60.2	79.6	77.3
33002	50	33CCA	2168457	181181	5163.20	5164.10	SO	ALL	4.0	0.90	111.5	7.6	103.9	113.0	112.1
33003	331	33BAB	2169540	185589	5152.20	5155.54	SO	ALL	2.0	3.34	61.0	4.0	57.0	61.0	61.0
33004	332	33BAB	2169375	185401	5147.60	5149.86	SO	ALL	2.0	2.26	55.0	4.0	51.0	55.0	55.0
33005	333	33BAC	2169210	185214	5147.80	5151.51	SO	ALL	2.0	3.71	52.0	4.0	48.0	52.0	52.0
33006	334	33BBD	2169045	185026	5153.30	5157.27	SO	ALL	2.0	3.97	58.0	4.0	54.0	58.0	58.0
33007	335	33BBD	2168881	184838	5151.90	5155.67	SO	ALL	2.0	3.77	57.0	4.0	53.0	57.0	57.0
33008	336	33BBD	2168716	184650	5152.90	5155.90	SO	ALL	2.0	3.00	59.0	4.0	55.0	59.0	59.0
33009	337	33BCA	2168551	184462	5153.30	5156.83	SO	ALL	2.0	3.53	63.0	4.0	59.0	63.0	63.0
33010	338	33BCB	2168386	184274	5154.20	5155.12	SO	ALL	2.0	0.92	59.0	4.0	55.0	59.0	59.0
33011	339	33BCB	2168366	184025	5150.70	5152.19	SO	ALL	2.0	1.49	79.0	4.0	75.0	79.0	79.0
33012	340	33BCC	2168345	183776	5163.10	5164.12	SO	ALL	2.0	1.02	125.0	4.0	121.0	125.0	129.0
33013	341	33BCC	2168324	183527	5164.90	5168.95	SO	ALL	2.0	4.05	130.0	4.0	126.0	130.0	130.0
33014	828	33BBC	2168295	183293	5156.20	5160.15	SO	ALL	2.0	3.95	94.0	20.0	74.0	100.0	93.0
33015	829	33CBB	2168254	182799	5153.40	5155.52	SO	ALL	2.0	2.12	80.0	12.0	68.0	83.5	85.0
33016	830	33CBC	2168211	182301	5155.90	5158.24	SO	ALL	2.0	2.34	85.0	10.0	75.0	85.0	80.0
33017	831	33CDB	2169549	181461	5173.30	5175.02	SO	ALL	2.0	1.72	90.0	20.0	70.0	96.0	92.0
33018	1100	33BCD	2168324	183672	5166.50	5168.64	SO	ALL	2.0	2.14	70.1	9.0	61.1	73.2	127.0
33019	1100	33BCD	2168324	183672	5166.50	5168.53	SO	ALL	2.0	2.03	80.0	9.0	71.0	83.0	127.0
33020	1100	33BCD	2168324	183672	5166.30	5168.52	SO	ALL	2.0	2.22	90.1	9.0	81.1	93.4	127.0
33021	1100	33BCD	2168324	183672	5166.20	5168.14	SO	ALL	2.0	1.94	100.0	9.6	90.4	103.0	127.0
33022	1100	33BCD	2168324	183672	5165.80	5167.72	SO	ALL	2.0	1.92	109.9	9.0	100.9	112.9	127.0
33023	1100	33BCD	2168324	183672	5165.50	5167.00	SO	ALL	2.0	1.50	120.0	9.4	110.6	123.0	127.0
33024	1100	33BCD	2168324	183672	5165.30	5167.27	SO	ALL	2.0	1.97	130.0	9.0	121.0	133.1	127.0
33025	1101	33BAB	2169441	185504	5155.00	5156.84	SO	ALL	2.0	1.84	61.0	20.0	41.0	63.5	63.0
33026	1101	33BAB	2169441	185504	5154.60	5157.22	SO	DEN	2.0	2.62	108.0	10.0	98.0	113.0	63.0
33027	1101	33BAB	2169441	185504	5153.80	5156.31	SO	DEN	2.0	2.51	124.0	10.0	114.0	129.0	63.0
33028	1100	33BCD	2168324	183672	5167.50	5169.31	SO	DEN	2.0	1.81	150.0	10.0	140.0	152.0	127.0
33029	1100	33BCD	2168324	183672	5167.30	5169.37	SO	DEN	2.0	2.07	186.0	10.0	176.0	191.0	127.0
33030	1126	33DBD	2171092	182203	5172.00	5174.06	SO	ALL	2.0	2.06	115.0	60.0	55.0	120.0	73.0
33031	1126	33DBD	2171092	182203	5172.00	5175.11	SO	DEN	2.0	3.11	175.0	10.0	165.0	180.0	73.0
33032	1126	33DBD	2171092	182203	5171.80	5174.35	SO	DEN	2.0	2.55	200.0	10.0	190.0	205.0	73.0
33033	1132	33ABD	2171611	184654	5149.10	5150.54	SO	ALL	2.0	1.44	53.7	15.0	38.7	58.7	53.7
33034	1132	33ABD	2171611	184654	5149.20	5151.63	SO	DEN	2.0	2.43	84.0	10.0	74.0	89.0	53.7
33035	1132	33ABD	2171611	184654	5149.00	5151.65	SO	DEN	2.0	2.65	105.0	10.0	95.0	110.0	53.7
33036	1200	33BAB	2169188	185249	5147.80	5150.03	SO	ALL	4.0	2.23	48.1	10.0	38.1	48.1	0.0
33037			0	0	5140.40	5143.15	SO		0.0	2.75	0.0	0.0	0.0	0.0	0.0
33038	1202	33BAD	2170084	184622	5169.00	5171.46	SO	ALL	4.0	2.46	66.7	10.0	56.7	66.7	0.0
33039	1203	33BDA	2169952	184409	5158.30	5159.36	SO	ALL	4.0	1.06	55.8	10.0	45.8	55.8	0.0
33040	1204	33ACB	2170578	184355	5178.00	5180.93	SO	ALL	4.0	2.93	74.7	10.0	64.7	74.7	0.0
33041	1205	33BDA	2170437	184048	5174.80	5177.83	SO	ALL	4.0	3.03	72.2	10.0	62.2	72.2	0.0
33042	1206	33BDD	2170267	183878	5162.10	5164.83	SO	ALL	4.0	2.73	56.7	10.0	46.7	56.7	0.0
33043	1207	33ACC	2171019	183517	5168.70	5171.38	SO	ALL	4.0	2.68	64.6	10.0	54.6	64.6	0.0
33044	1208	33ACC	2170635	185022	5172.30	5174.98	SO	ALL	4.0	2.68	64.2	10.0	54.2	64.2	0.0
33045	1209	33CAA	2170441	182771	5175.00	5177.38	SO	ALL	4.0	2.38	66.5	10.0	56.5	66.5	0.0
33046	1210	33DCB	2170730	181865	5173.10	5175.97	SO	ALL	4.0	2.87	61.7	10.0	51.7	61.7	0.0
33047	1211	33DCC	2170998	180910	5188.10	5190.39	SO	ALL	4.0	2.29	75.3	10.0	65.3	75.3	0.0
33048	1169	33BAB	2167830	183710	5155.40	5157.90	SO	ALL	2.0	2.50	114.0	60.0	54.0	119.0	117.0
33049	1170	33BAB	2167929	183689	5156.60	5157.93	SO	ALL	2.0	1.33	120.0	60.0	60.0	125.0	121.5
33050	1171	33BAB	2168074	183656	5159.20	5161.95	SO	ALL	2.0	2.75	125.0	65.0	60.0	130.0	127.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
33051	1172	33BAB	2169448	185521	5155.10	5157.09	S0	ALL	2.0	1.99	60.0	15.0	45.0	65.0	0.0
33052	1173	33BAB	2169451	185524	5155.40	5157.01	S0	ALL	2.0	1.61	60.0	15.0	45.0	65.0	0.0
33053	1174	33BAB	2169462	185534	5156.00	5158.04	S0	ALL	2.0	2.04	60.0	15.0	45.0	65.0	0.0
33054	1175	33BAB	2169485	185554	5155.80	5157.77	S0	ALL	2.0	1.97	60.0	20.0	40.0	65.0	0.0
33055	1176	33BAB	2169464	185509	5154.40	5156.31	S0	ALL	2.0	1.91	60.0	15.0	45.0	65.0	0.0
33056	1177	33BAB	2169488	185492	5153.20	5154.46	S0	ALL	2.0	1.26	60.0	15.0	45.0	65.0	0.0
33057	1178	33BAB	2169528	185462	5150.40	5151.65	S0	ALL	2.0	1.25	60.0	15.0	45.0	65.0	0.0
33058	1179	33BAB	2169608	185403	5146.50	5148.63	S0	ALL	2.0	2.13	60.0	15.0	45.0	65.0	0.0
33059	1180	33BCC	2168303	183422	5161.00	5162.73	S0	ALL	2.0	1.73	70.0	15.0	55.0	75.0	0.0
33060	1181	33BDB	2169556	183772	5158.90	5160.49	S0	ALL	2.0	1.59	60.0	10.0	50.0	65.0	70.5
33061	1181	33BDB	2169556	183772	5158.70	5160.53	S0	ALL	2.0	1.83	70.0	10.0	60.0	75.0	70.5
33062	1182	33BDA	2170265	184380	5173.50	5175.32	S0	ALL	2.0	1.82	68.0	10.0	58.0	70.5	78.0
33063	1182	33BDA	2170265	184380	5173.50	5175.02	S0	ALL	2.0	1.52	78.0	10.0	68.0	80.5	78.0
33064	1183	33CAA	2170155	183082	5161.50	5163.19	S0	ALL	2.0	1.69	59.0	10.0	49.0	64.0	113.0
33065	1183	33CAA	2170151	183082	5161.40	5163.20	S0	ALL	2.0	1.80	69.0	10.0	59.0	74.0	113.0
33066	1183	33CAA	2170151	183082	5161.40	5163.00	S0	ALL	2.0	1.60	79.0	10.0	69.0	84.0	113.0
33067	1183	33CAA	2170151	183082	5161.40	5163.25	S0	ALL	2.0	1.85	89.0	10.0	79.0	94.0	113.0
33068	1183	33CAA	2170151	183082	5161.50	5163.40	S0	ALL	2.0	1.90	99.0	10.0	89.0	104.0	113.0
33069	1183	33CAA	2170151	183082	5161.50	5163.07	S0	ALL	2.0	1.57	112.5	17.0	95.5	115.0	113.0
33070	1266	33BAC	2169480	184804	5152.80	5155.02	S0	ALL	4.0	2.22	53.0	10.0	43.0	53.0	53.0
33071	1267	33BAC	2169644	184992	5151.00	5153.06	S0	ALL	4.0	2.06	50.0	10.0	40.0	50.0	50.0
33072	1268	33BAA	2169859	185236	5150.60	5153.10	S0	ALL	4.0	2.50	52.0	10.0	42.0	52.0	52.0
33073	1269	33BAA	2169974	185368	5142.80	5145.29	S0	ALL	4.0	2.49	46.0	10.0	36.0	46.0	46.0
33301	W1	33BAB	2169497	185422	5150.50	5153.54	S1	ALL	12.0	3.04	62.0	20.0	42.0	72.0	55.0
33302	W2	33BAB	2169558	185500	5150.10	5153.09	S1	ALL	12.0	2.99	62.0	20.0	42.0	72.0	57.0
33303	W3	33BAB	2169621	185578	5146.40	5149.54	S1	ALL	12.0	3.14	56.0	20.0	36.0	66.0	52.0
33304	W4	33BAA	2169689	185650	5142.70	5145.70	S1	ALL	12.0	3.00	53.0	20.0	33.0	63.0	48.0
33305	W5	33BAA	2169755	185725	5141.70	5145.34	S1	ALL	12.0	3.64	51.0	20.0	31.0	61.0	46.0
33306	W6	33BAA	2169821	185801	5141.50	5144.38	S1	ALL	12.0	2.88	50.0	20.0	30.0	60.0	46.0
33308	W8	33BAB	2169426	185349	5148.40	5151.38	S1	ALL	12.0	2.98	58.0	20.0	38.0	68.0	54.0
33309	W9	33BAB	2169360	185275	5147.60	5150.41	S1	ALL	12.0	2.81	56.0	20.0	36.0	66.0	53.0
33310	W10	33BAB	2169293	185200	5148.00	5151.53	S1	ALL	12.0	3.53	57.0	20.0	37.0	67.0	52.0
33311	W11	33BAC	2169228	185125	5151.30	5153.82	S1	ALL	12.0	2.52	57.0	20.0	37.0	67.0	52.0
33312	W12	33BAC	2169163	185050	5153.80	5156.17	S1	ALL	12.0	2.37	57.0	20.0	37.0	67.0	52.0
33313	W13	33BAC	2169097	184974	5154.30	5156.88	S1	ALL	12.0	2.58	56.5	20.0	36.5	66.5	52.0
33314	W14	33BBD	2169024	184892	5153.50	5156.43	S1	ALL	12.0	2.93	59.0	20.0	39.0	69.0	56.0
33315	W15	33BBD	2169995	184784	5162.20	5164.89	S1	ALL	12.0	2.69	69.0	20.0	49.0	79.0	66.5
33316	W16	33BAD	2170063	184861	5163.00	5164.73	S1	ALL	12.0	1.73	66.5	20.0	46.5	71.5	64.0
33317	W17	33BAD	2170127	184934	5160.50	5162.99	S1	ALL	12.0	2.49	69.0	20.0	49.0	79.0	64.0
33318	W18	33BAD	2170193	185010	5154.00	5156.98	S1	ALL	12.0	2.98	58.0	20.0	38.0	68.0	55.0
33319	W19	33BAD	2170258	185085	5148.00	5150.89	S1	ALL	12.0	2.89	54.0	20.0	34.0	64.0	51.0
33320	W20	33BAA	2170325	185160	5144.90	5147.70	S1	ALL	12.0	2.80	53.0	20.0	33.0	63.0	49.5
33321	W21	33BAA	2170390	185235	5145.00	5147.51	S1	ALL	12.0	2.51	50.0	20.0	30.0	60.0	47.0
33322	W22	33ABB	2170456	185311	5145.60	5148.32	S1	ALL	12.0	2.72	50.0	20.0	30.0	60.0	47.0
33323	W23	33ABB	2170521	185386	5151.40	5153.91	S1	ALL	12.0	2.51	56.0	20.0	36.0	66.0	53.0
33324	W24	33ABB	2170588	185461	5156.20	5158.68	S1	ALL	12.0	2.48	60.0	20.0	40.0	70.0	57.0
33325	W25	33BAD	2169929	184710	5159.20	5161.76	S1	ALL	12.0	2.56	60.0	20.0	40.0	65.0	57.0
33326	W26	33BAD	2169863	184634	5159.50	5161.94	S1	ALL	12.0	2.44	61.0	20.0	41.0	66.0	58.0
33327	W27	33BAD	2169797	184559	5157.70	5160.31	S1	ALL	12.0	2.61	60.0	20.0	40.0	70.0	57.0
33328	W28	33BAD	2169729	184483	5157.00	5159.00	S1	ALL	12.0	2.00	60.0	20.0	40.0	65.0	56.5

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
33329	W29	33BDB	2169665	184409	5157.30	5159.91	S1	ALL	12.0	2.61	60.0	20.0	40.0	65.0	57.0
33330	W30	33BDB	2169599	184334	5158.40	5160.97	S1	ALL	12.0	2.57	60.0	20.0	40.0	65.0	57.0
33331	W31	33BDB	2169533	184259	5158.20	5160.90	S1	ALL	12.0	2.70	61.0	20.0	41.0	66.0	58.0
33332	W32	33BDB	2169468	184184	5156.30	5158.84	S1	ALL	12.0	2.54	58.5	20.0	38.5	63.5	55.0
33333	W33	33BDB	2168959	184817	5152.30	5154.75	S0	ALL	12.0	2.45	61.0	20.0	41.0	66.0	57.0
33334			2168897	184739	5152.60	5155.03	S0		0.0	2.43	0.0	0.0	0.0	0.0	0.0
33335			2168835	184662	5154.90	5157.01	S0		0.0	2.11	0.0	0.0	0.0	0.0	0.0
33336			2169407	184107	5153.70	5156.29	S0		0.0	2.59	0.0	0.0	0.0	0.0	0.0
33337			2169345	184028	5152.30	5155.76	S0		0.0	3.46	0.0	0.0	0.0	0.0	0.0
33338			2169289	183953	5153.00	5155.71	S0		0.0	2.71	0.0	0.0	0.0	0.0	0.0
33401	I1	33BBA	2168742	185419	5151.60	5154.64	S1	ALL	6.0	3.04	56.0	30.0	26.0	56.0	56.0
33402	I2	33BBA	2168808	185495	5151.40	5154.34	S1	ALL	6.0	2.94	56.0	30.0	26.0	56.0	56.0
33403	I3	33BBA	2168878	185569	5151.60	5155.02	S1	ALL	6.0	3.42	56.0	30.0	26.0	56.0	56.0
33404	I4	33BBA	2168939	185645	5153.10	5156.23	S1	ALL	6.0	3.13	59.0	30.0	29.0	59.0	59.0
33405	I5	33BBA	2169007	185719	5154.40	5157.79	S1	ALL	6.0	3.39	59.0	30.0	29.0	59.0	59.0
33406	I6	33BAB	2169071	185793	5155.30	5158.42	S1	ALL	6.0	3.12	62.0	30.0	32.0	61.0	61.0
33415			2168975	185683	5152.80	5157.53	S0		0.0	4.73	0.0	0.0	0.0	0.0	0.0
33416			2168909	185608	5151.60	5154.20	S0		0.0	2.60	0.0	0.0	0.0	0.0	0.0
33417			2168846	185535	5151.00	5153.98	S0		0.0	2.98	0.0	0.0	0.0	0.0	0.0
33418			2168778	185457	5151.20	5153.67	S0		0.0	2.47	0.0	0.0	0.0	0.0	0.0
33419			2168711	185382	5150.30	5152.08	S0		0.0	1.78	0.0	0.0	0.0	0.0	0.0
33420			2168678	185346	5150.70	5152.37	S0		0.0	1.67	0.0	0.0	0.0	0.0	0.0
33421			2168615	185274	5152.10	5155.64	S0		0.0	3.54	0.0	0.0	0.0	0.0	0.0
33422			2168546	185195	5151.80	5154.92	S0		0.0	3.12	0.0	0.0	0.0	0.0	0.0
33500	S000	33BBA	2168655	185324	5150.60	5152.00	S0	ALL	4.0	1.40	55.0	10.0	45.0	55.0	55.0
33501	S001	33BBA	2168832	185525	5150.30	5151.62	S0	ALL	4.0	1.32	57.0	10.0	47.0	57.0	56.0
33502	S002	33BBA	2168997	185712	5155.90	5159.53	S0	ALL	4.0	3.63	63.0	10.0	53.0	63.0	63.0
33505	S005	33BAD	2170210	184837	5165.40	5167.06	S1	ALL	4.0	1.66	62.0	10.0	52.0	62.0	62.0
33506	S006	33BAD	2170330	185052	5147.90	5149.46	S1	ALL	4.0	1.56	48.0	10.0	38.0	48.0	50.0
33507	S007	33BAD	2170455	185264	5144.60	5146.65	S1	ALL	4.0	2.05	44.0	10.0	34.0	44.0	44.0
33508	S008	33ABB	2170581	185482	5155.50	5157.23	S1	ALL	4.0	1.73	52.0	10.0	42.0	52.0	52.0
33509	S009	33ABB	2170712	185688	5147.70	5150.05	S1	ALL	4.0	2.35	48.0	10.0	38.0	48.0	49.0
33510	S010	33ACB	2170858	184766	5153.20	5154.54	S1	ALL	4.0	1.34	53.0	10.0	43.0	53.0	51.0
33511	S011	33ABC	2171003	184976	5151.40	5153.36	S1	ALL	4.0	1.96	48.0	10.0	38.0	48.0	48.0
33512	S012	33ABD	2171153	185200	5154.70	5156.16	S1	ALL	4.0	1.46	50.0	10.0	40.0	50.0	50.0
33514	S014	33DDB	2172133	181382	5174.60	5176.82	S0	ALL	4.0	2.22	60.0	10.0	50.0	60.0	0.0
33530	S030	33BDD	2169928	183323	5165.80	5167.47	S0	ALL	4.0	1.67	52.2	10.0	42.2	52.2	0.0
33531	S031	33CAB	2169776	183127	5162.00	5164.22	S0	ALL	4.0	2.22	58.4	10.0	48.4	58.4	0.0
33533	S033	33	2170492	185146	5144.00	5146.71	S0	ALL	4.0	2.71	0.0	0.0	0.0	0.0	0.0
33534	S034	33	2170714	185379	5156.20	5159.01	S0	ALL	4.0	2.81	0.0	0.0	0.0	0.0	0.0
33576			2168613	185268	5152.10	5154.39	S0		0.0	2.29	0.0	0.0	0.0	0.0	0.0
33577			2168858	185112	5153.30	5156.17	S0		0.0	2.87	0.0	0.0	0.0	0.0	0.0
33578			2168721	184968	5152.20	5155.20	S0		0.0	3.00	0.0	0.0	0.0	0.0	0.0
33579			2168827	184668	5154.30	5156.98	S0		0.0	2.68	0.0	0.0	0.0	0.0	0.0
33580			2169316	184617	5153.10	5156.57	S0		0.0	3.47	0.0	0.0	0.0	0.0	0.0
33581			2169148	184423	5156.20	5159.34	S0		0.0	3.14	0.0	0.0	0.0	0.0	0.0
33582			2169337	184035	5252.50	5253.23	S0		0.0	0.73	0.0	0.0	0.0	0.0	0.0
33583			2168580	185233	5151.70	5154.50	S0		0.0	2.80	0.0	0.0	0.0	0.0	0.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
34001	B21	34AAC	2177422	185095	5186.76	5189.06	SO	ALL	2.0	2.30	20.5	5.0	15.5	25.5	20.4
34002	1121	34CDA	2175218	181646	5189.50	5191.86	SO	ALL	2.0	2.36	83.7	15.2	68.5	88.7	83.7
34003	1121	34CDA	2175218	181646	5190.10	5192.77	SO	DEN	2.0	2.67	132.0	10.0	122.0	137.0	83.7
34004	1121	34CDA	2175218	181646	5189.90	5192.58	SO	DEN	2.0	2.68	150.0	5.0	145.0	155.0	83.7
34005	1129	34ACB	2175964	183790	5181.50	5183.80	SO	ALL	2.0	2.30	71.0	10.0	61.0	76.0	71.0
34006	1129	34ACB	2175964	183790	5181.40	5184.19	SO	DEN	2.0	2.79	95.0	10.0	85.0	100.0	71.0
34007	1129	34ACB	2175964	183790	5181.60	5184.61	SO	DEN	2.0	3.01	130.0	15.0	115.0	135.0	71.0
34008	1130	34BBD	2174076	184922	5164.60	5165.61	SO	ALL	2.0	1.01	84.5	30.0	54.5	89.5	84.5
34009	1130	34BBD	2174076	184922	5164.80	5167.19	SO	DEN	2.0	2.39	110.0	10.0	100.0	112.5	84.5
34010	1130	34BBD	2174076	184922	5164.60	5166.83	SO	DEN	2.0	2.23	138.0	15.0	123.0	140.5	84.5
34515	5015	34CBD	2173674	181789	5164.20	5166.57	SO	ALL	4.0	2.37	50.0	10.0	40.0	50.0	0.0

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
35001	6	35BBD	2183002	184146	5236.63	5237.65	S0	ALL	4.0	1.02	26.0	2.0	24.0	32.0	39.3
35002	65A	35CCA	2183373	184376	5232.25	5233.53	S0	ALL	4.0	1.28	38.2	26.5	11.7	38.7	12.7
35003	145	35ABB	2181686	185485	5214.30	5217.15	S0	ALL	4.0	2.85	18.0	3.0	15.0	23.0	17.5
35004	139	35BBD	2179622	185284	5201.70	5204.50	S0	ALL	4.0	2.80	25.0	5.0	20.0	30.0	24.3
35005	17	35BDB	2179538	184669	5209.34	5211.78	S0	DEN	4.0	2.44	39.0	4.8	34.2	44.5	31.4
35006	15	35CCA	2179616	181792	5232.30	5234.17	S0	ALL	4.0	1.87	41.2	2.0	39.2	47.9	41.2
35007	129	35ABB	2181871	185787	5210.10	5212.94	S0	ALL	4.0	2.84	44.6	15.0	29.6	55.0	44.5
35008	653	35ABC	2181155	184639	5226.49	5228.29	S0	DEN	2.0	1.80	54.4	4.6	49.8	64.2	32.8
35009	650	35ABB	2181552	185275	5216.30	5218.69	S0	DEN	2.0	2.39	59.0	3.4	55.6	74.0	12.5
35010	649	35ABA	2181817	185699	5210.70	5212.73	S0	DEN	2.0	2.03	53.7	3.4	50.3	60.0	35.4
35012	145A	35ABA	2181685	185487	5214.30	5217.22	S1	DEN	2.0	2.92	57.5	3.6	53.9	75.0	18.5
35013	700	35DDD	2183140	180684	5269.39	5271.78	S1	DEN	2.0	2.39	29.4	3.4	26.0	34.4	8.5
35014	701	35DDD	2182957	181149	5263.54	5265.32	S1	DEN	2.0	1.78	20.9	3.4	17.5	25.9	7.5
35015	702	35DDB	2182774	181614	5261.03	5263.42	S1	DEN	2.0	2.39	46.5	3.4	43.1	51.5	16.0
35016	723	35ABA	2181659	185442	5214.80	5216.99	S0	DEN	2.0	2.19	40.4	3.4	37.0	45.4	18.0
35017	723	35ABA	2181659	185442	5214.80	5217.59	S0	DEN	2.0	2.79	91.8	3.4	88.4	96.8	18.0
35018	725	35ABA	2181896	185826	5209.60	5212.05	S1	ALL	2.0	2.45	23.4	3.4	20.0	28.4	21.5
35019	725	35ABA	2181896	185826	5209.60	5212.37	S1	DEN	2.0	2.77	89.4	3.4	86.0	94.4	21.5
35020	726	35ADA	2183337	184411	5232.37	5234.73	S1	ALL	2.0	2.36	13.6	3.4	10.2	24.9	40.0
35021	726	35ADA	2183337	184411	5232.37	5235.68	S1	DEN	2.0	3.31	73.0	3.4	69.6	78.0	40.0
35022	729	35DAA	2183308	183082	5248.59	5250.14	S1	ALL	2.0	1.55	20.2	3.4	16.8	25.2	27.8
35023	730	35DAA	2183527	182723	5240.75	5242.88	S1	ALL	2.0	2.13	25.2	3.4	21.8	32.2	25.0
35024	730	35DAA	2183527	182723	5240.75	5242.97	S1	DEN	2.0	2.22	55.0	2.9	52.1	60.0	25.0
35025	731	35ADD	2183023	183552	5240.89	5244.14	S1	ALL	2.0	3.25	15.2	3.4	11.8	20.2	22.2
35026	732	35ADB	2182572	183996	5241.15	5243.29	S1	ALL	2.0	2.14	20.6	3.4	17.2	25.6	30.0
35027	732	35ADB	2182572	183996	5241.15	5243.64	S1	DEN	2.0	2.49	80.0	3.4	76.6	85.0	30.0
35028	732	35ADB	2182572	183996	5241.15	5243.19	S1	DEN	2.0	2.04	95.9	3.4	92.5	100.9	30.0
35029	733	35ADC	2182382	183778	5252.85	5255.22	S1	ALL	2.0	2.37	30.6	3.4	27.2	35.6	32.5
35030	757	35DAD	2183065	182329	5250.44	5252.90	S1	DEN	2.0	2.46	31.7	3.4	28.3	36.7	21.0
35031	816	35BAA	2180511	185723	5200.11	5201.93	S1	ALL	2.0	1.82	25.0	10.0	15.0	30.0	21.0
35032	816	35BAA	2180511	185723	5200.11	5202.21	S1	DEN	2.0	2.10	79.0	20.0	59.0	84.0	21.0
35033	816	35BAA	2180511	185723	5200.11	5201.62	S1	DEN	2.0	1.51	112.0	8.0	104.0	117.0	21.0
35034	817	35BAA	2180584	185206	5207.00	5210.34	S1	ALL	2.0	3.34	18.2	8.2	10.0	23.2	17.0
35035	817	35BAA	2180584	185206	5207.00	5207.91	S1	DEN	2.0	0.91	48.0	20.0	28.0	53.0	17.0
35036	817	35BAA	2180584	185206	5207.00	5208.26	S1	DEN	2.0	1.26	89.0	15.0	74.0	94.0	17.0
35037	818	35BBB	2178898	185494	5202.48	5204.22	S1	ALL	2.0	1.74	39.1	9.1	30.0	44.1	37.0
35038	818	35BBB	2178898	185494	5202.48	5204.42	S1	DEN	2.0	1.94	67.0	8.0	59.0	72.0	37.0
35039	818	35BBB	2178898	185494	5202.48	5204.21	S1	DEN	2.0	1.73	112.0	12.0	100.0	117.0	37.0
35040	819	35BBB	2178426	185575	5191.28	5193.00	S1	ALL	2.0	1.72	28.0	10.0	18.0	33.0	27.6
35041	819	35BBB	2178426	185575	5191.28	5193.21	S1	DEN	2.0	1.93	102.0	20.0	82.0	107.0	27.6
35042	822	35BBC	2178561	184632	5200.16	5202.77	S1	ALL	2.0	2.61	35.0	8.0	27.0	40.0	34.2
35043	823	35BDB	2179706	184166	5213.87	5216.60	S1	ALL	2.0	2.73	33.0	8.0	25.0	38.0	33.0
35044	770	35ABD	2182026	184984	5223.59	5225.47	S1	ALL	2.0	1.88	28.2	4.0	24.2	33.2	33.7
35045	771	35ADB	2182396	184499	5239.61	5242.31	S1	ALL	2.0	2.70	22.0	8.0	14.0	27.0	45.2
35046	772	35AAB	2182380	185371	5215.77	5217.36	S1	ALL	2.0	1.59	20.5	4.0	16.5	25.5	39.7
35047	773	35AAC	2182871	184899	5232.46	5234.73	S1	ALL	2.0	2.27	22.0	8.0	14.0	27.0	45.3
35048	775	35AAA	2183352	185314	5234.27	5236.96	S1	ALL	2.0	2.69	25.4	12.0	13.4	30.4	14.6
35049	823	35BDB	2179706	184166	5213.87	5215.29	S1	DEN	2.0	1.42	65.0	20.0	45.0	71.0	33.0
35050	651	35ABD	2181420	185063	5226.34	5228.48	S1	DEN	2.0	2.14	50.0	3.4	46.6	55.0	15.5
35051	651	35ABD	2181420	185063	5226.34	5228.82	S1	DEN	2.0	2.48	76.0	17.0	59.0	81.0	15.5

WELL NO	BORE NO	GRID LOC	EAST COORD	NORTH COORD	MSL ELEV	TOC ELEV	SURV ACC	AQUI TYPE	CASE DIAM	CASE HT	SCR BOT	SCR LNTH	SCR TOP	CASE LNTH	BED DPTH
35052	1127	35DCD	2181689	181104	5253.65	5255.76	S1	ALL	2.0	2.11	20.0	5.0	15.0	25.0	48.0
35053	1127	35DCD	2181689	181104	5253.31	5256.46	S1	DEN	2.0	3.15	56.0	15.0	41.0	58.0	48.0
35054	1127	35DCD	2181689	181104	5253.40	5256.03	S1	DEN	2.0	2.63	76.0	10.0	66.0	81.0	48.0
35055	1141	35DBB	2181360	182960	5272.08	5273.78	S1	DEN	2.0	1.70	67.0	10.0	57.0	72.0	10.1
35056	1141	35DBB	2181360	182960	5271.81	5273.77	S1	DEN	2.0	1.96	145.0	35.0	110.0	148.4	10.1
35057		35	0	0	0.00	0.00			0.0	0.00	0.0	0.0	0.0	0.0	0.0
35058	1145	35CBC	2178914	182355	5210.44	5212.54	S1	ALL	2.0	2.10	35.5	20.0	15.5	40.5	33.0
35059	1145	35CBC	2178914	182355	5210.35	5212.19	S1	DEN	2.0	1.84	57.0	10.0	47.0	62.5	33.0
35060	1145	35CBC	2178914	182355	5210.37	5212.55	S1	DEN	2.0	2.18	95.0	10.0	85.0	100.0	33.0
35061	1147	35ACD	2182258	183982	5247.79	5249.56	S1	ALL	2.0	1.77	40.0	5.0	35.0	44.0	40.0
35062	1147	35ACD	2182258	183982	5248.55	5250.49	S1	DEN	2.0	1.94	81.5	15.0	66.5	84.0	40.0
35063	1147	35ACD	2182258	183982	5249.03	5250.63	S1	DEN	2.0	1.60	116.0	20.0	96.0	118.5	40.0
35064		35	2178850	183350	0.00	0.00	M2		0.0	0.00	0.0	0.0	0.0	0.0	0.0
35065	1184	35AAD	2183369	184842	5234.90	5236.54	S1	ALL	2.0	1.64	31.0	15.0	16.0	36.0	32.0
35066	1184	35AAD	2183369	184842	5235.15	5237.15	S1	DEN	2.0	2.00	55.5	15.0	40.5	58.0	32.0
35067	1184	35AAD	2183369	184842	5235.15	5237.32	S1	DEN	2.0	2.17	83.0	15.0	68.0	85.5	32.0
35068	1184	35AAD	2183369	184842	5234.90	5237.66	S1	DEN	2.0	2.76	159.0	60.0	99.0	164.0	32.0
35069	1185	35ADB	2182770	184334	5235.81	5237.69	S1	ALL	2.0	1.88	37.5	25.0	12.5	40.0	37.5
35070	1185	35ADB	2182770	184334	5235.94	5238.25	S1	DEN	2.0	2.31	83.5	5.0	78.5	88.5	37.5
35071	1250	35	2183045	180900	5264.00	5265.80	S1	DEN	2.0	1.80	81.0	30.0	51.0	86.0	3.0
35072	1250	35	2183038	180907	5264.00	5265.80	S1	DEN	2.0	1.80	172.0	15.0	157.0	177.0	3.0
35073	1251	35	2182621	181912	5263.40	5265.09	S1	DEN	2.0	1.69	81.0	45.0	36.0	86.0	12.0
35074	1251	35	2182624	181902	5263.40	5265.31	S1	DEN	2.0	1.91	139.0	20.0	119.0	144.0	12.0
35075	1252	35	2182551	184176	5236.90	5240.60	S1	ALL	2.0	3.70	34.0	20.0	14.0	39.0	27.0
35076	1253	35	2183087	184561	5233.10	5234.90	S1	ALL	2.0	1.80	59.0	45.0	14.0	64.0	46.0